

**CATALOG
No. 36
EFFECTIVE
MARCH 1
1936**

STANDARD LISTS

**SASH—
DOORS—
SCREENS**

**PUBLISHED BY
NATIONAL DOOR
MANUFACTURERS ASSOCIATION, INC.
CHICAGO, ILL.**

TABLE OF CONTENTS

	PAGE NO.
Blind Door Lists and Extras.....	143
Casement Sash Lists and Extras.....	56-64
Cellar Sash Lists.....	39-41
Combination Door Lists and Extras.....	160-181
Cupboard Door Lists and Extras.....	90-91
Cupboard Sash Lists and Extras.....	53-55
Directions for Ordering.....	6-7
Divided Light Window and Sash Types Illustrated.....	71-76
Doors, Softwood:—	
Blind Door Lists and Extras.....	143
Colonial Door Lists and Extras.....	88-89
Combination Door Lists and Extras.....	160-181
Cupboard Door Lists and Extras.....	90-91
Extras, Panel and Sash Doors.....	147-155
Garage Door Designs Illustrated.....	156-159
Medicine Cabinet Door Lists and Extras.....	91
New England Door Basis.....	144-146
Panel Door Lists.....	86-87
Sash and French Door Lists.....	92-138
Side Light Lists.....	139-140
Standard Panel Door Lists.....	86-87
Sticking, Standard Types.....	4
Storm Door Lists and Extras.....	141
Toilet Door Lists and Extras.....	142
Flush Doors.....	222-230
Grading Rules.....	6
K. D. Sash Parts Lists.....	64-69
Lineal Moulded Sash Stock Lists.....	70
Opening Sizes, Windows, Standard.....	5
Sash, Open and Glazed Lists:—	
Barn Sash.....	41-51
Casement Sash.....	56-64
Cellar Sash.....	39-41
Cupboard Sash.....	53-55
Extras, Sash.....	78-85
Hot Bed and Skylight Sash.....	52
One Light Sash and Transoms.....	34-38
Porch Sash.....	43
Screen Lists, Window and Sash.....	182-191
Specifications.....	3
Staining and Priming Extras, Doors.....	230
Storm Sash K. D. Parts.....	68-69
Trade Terms.....	7-9
Veneered Doors:—	
Flush Door Index.....	222
Flush Door and Transom Lists and Extras.....	223-230
K. D. Door Stock Lists and Extras.....	221
Panel and French Door Lists and Extras.....	196-218
Sash and Transom Lists and Extras.....	220
Square Foot Table.....	195
Staining and Priming Extras.....	230
Toilet and Dwarf Door Lists and Extras.....	219
Veneered Door Index.....	192-193
Windows, Open and Glazed:—	
2 Light.....	10-14
4 and 6 Light.....	15-18
8, 9 and 12 Light.....	18-24
15 to 40 Light.....	25-32
Cottage Front.....	32
Directions for Ordering.....	6-7
Extras.....	78-85
K. D. Parts List.....	64-69
Lineal Length Sash Stock Lists.....	70

The Standard National Manufacturers Lists

INCLUDING

Open and Glazed Windows and Sash
Softwood and Veneered Panel and Sash Doors
Combination Doors
Window and Sash Screens
and
Rules for Extras

Effective March 1, 1936



1 to 9 Copies \$1.00 Each
10 to 49 Copies . . .90 Each
50 to 99 Copies . . .80 Each
100 or more Copies .75 Each

Copyrighted 1936

Compiled by C. E. Long
for

NATIONAL DOOR MANUFACTURERS
ASSOCIATION, INC.
CHICAGO, ILLINOIS

1 Lt. Sash
and
Transoms
35

Cellar, Barn
and Hot Bed
Sash
39

Cupboard
Sash
Casement
Sash
53

Extras,
Windows
and Sash
79

Door Lists,
Panel and
Cupboard,
Pine
87

Sash Door
Lists
Pine
93

Side Lights,
Turret and
Blind Doors
Pine
139

Extras,
Pine
Doors
147

Combination
Doors and
Extras
161

Window
Screens
183

Exterior
Door Lists
and Extras
197

Flush Door
Lists and
Extras
223



Digitized by

The Association for Preservation Technology International

For the

Building Technology Heritage Library

<http://archive.org/details/buildingtechnologyheritagelibrary>

2 Light to
40 Light
Windows
11

Specifications

Doors

THICKNESSES

The standard thicknesses for doors are $1\frac{3}{8}$ " and $1\frac{3}{4}$ " but doors can be made $\frac{3}{4}$ ", $1\frac{1}{8}$ " and $2\frac{1}{4}$ " if so ordered.

A "thickness tolerance" not exceeding $\frac{1}{16}$ " less than above thicknesses shall be allowed for all doors.

WIDE RAILS OR PANELS

Rails or Panels wider than $9\frac{3}{4}$ " may be either solid or glued up, in solid doors.

CONSTRUCTION

All assembled with dowels extending into stiles and rails approximately one-half the width of stiles.

All solid stuck and machine sanded.

VENEERED INTERIOR DOORS OF STILE AND RAIL TYPE

These shall be constructed of thoroughly seasoned materials redried by door manufacturer before assembly to a proper and uniform moisture content suitable for the climate in which the doors are to be used. All core materials shall be of a soft Pine glued up of blocks not over 2 inches wide on the face, and joints in adjacent rows of core well staggered. Unless otherwise stated, exposed edges shall have a $\frac{3}{4}$ inch thick strip of the same wood as the face veneer.

Veneers for stiles and rails shall be $\frac{1}{8}$ inch before sanding unless otherwise noted. All glue used in the door construction must be high grade vegetable or water resistant casein glue, equally distributed over the surface and applied under pressure before "chilling." Panels shall be three or five ply as noted. Joints shall be assembled with hardwood dowels not less than $\frac{1}{2}$ "x5", joints 6" or less to have two dowels with an additional dowel for each additional 3 inches or fraction in width. All joints must be well fitted and all moulded edges smoothly machined. Unless otherwise noted, all doors shall be smoothly machine sanded with "00" sand-paper.

VENEERED INTERIOR DOORS OF FLUSH TYPE

These shall have cores constructed of vertical blocks not over 2 inches wide on the face, well glued together with joints well staggered and surrounded with $\frac{3}{4}$ inch edge-strip on all four edges of the same wood as the face veneer; or in lieu thereof the side edges are to have $\frac{3}{4}$ inch edges and the top and bottom edges are to have two coats of paint or varnish before leaving factory. All cores shall be soft Pine properly dried and seasoned as described above. Assembled core shall be brought to uniform surface to which shall be applied a horizontal cross banding extending to edges of door and a $\frac{1}{16}$ inch before sanding (or a $\frac{1}{8}$ inch before sanding if preferred by architect) vertical face veneer. All glue shall be high grade vegetable or water resistant casein product equally distributed and applied under pressure before "chilling". Unless otherwise noted all flush doors shall be smoothly machine sanded with "00" sand-paper. In lieu of all vertical blocks, the core shall be of stile, rail and panel units. Each unit made up entirely of blocks, all of which when assembled with dowels will make a solid core foundation for cross banding and veneer.

VENEERED EXTERIOR DOORS

These shall be made to the same specifications, except that veneers for stiles and rails and flush doors shall not be less than $\frac{1}{4}$ " before sanding and shall be applied with a high grade casein water resistant glue.

WINDOWS AND SASH

Standard thicknesses of sash are $1\frac{1}{8}$ ", $1\frac{3}{8}$ " and $1\frac{3}{4}$ " but can also be made up $\frac{3}{4}$ ", $2\frac{1}{4}$ " and $2\frac{1}{2}$ ".

A "thickness tolerance" not exceeding $\frac{1}{16}$ inch less than above thicknesses shall be allowed for all windows and sash.

MACHINING AND ASSEMBLY

If not otherwise specified, window and sash construction, at manufacturer's option, may be "mortised and tenoned" or "slot mortised."

1 Lt. Sash
and
Transoms
35

Cellar, Barn
and Hot Bed
Sash
39

Cupboard
Sash
Casement
Sash
53

Extras,
Windows
and Sash
79

Door Lists,
Panel and
Cupboard,
Pine
87

Sash Door
Lists
Pine
93

Side Lights,
Toilet and
Blind Doors
Pine
139

Extras,
Pine
Doors
147



Combination
Doors and
Extras
161

Window
Screens
183


Veneered
Door Units
and Extras
181

Flush Door
Units and
Extras
187


Standard Types of Door Sticking



Standard Types of Panels



Solid Raised Panel



Flat Laminated Panel

Window Opening Sizes

**ALLOWANCE TO BE ADDED TO GLASS SIZE ORDERED FOR
FINISHED WINDOW OPENINGS**

MARKET	1 3/8 and 1 3/4 2 Light Wds.		1 3/8 and 1 3/4 4 Light Wds.		1 3/8 and 1 3/4 8 Light Wds.	
	Width	Length	Width	Length	Width	Length
Boston.....	3 5/8	5	3 5/8	5	4 1/8	5
New York.....	4	6	4	6	4	6
Western (★).....	4	6	5	6	5	6
Ohio.....	4 1/2	6 1/8	4 1/2	6 1/8	4 1/2	6 1/8
Washington (*)...	4 1/2	6 1/4	*4 1/2	6 1/4	*4 1/2	6 1/4
Baltimore (*).....	4 1/2	6 1/4	*4 1/2	6 1/4	*4 1/2	6 1/4
Philadelphia.....	4 5/8	6 1/2	4 5/8	6 1/2	4 5/8	6 1/2
Indianapolis.....	5	6 1/2	5	6	5	6
Wilkes-Barre...	5	6	5	6	5	6
Southern.....	5	6	5	6	5	6

MARKET	1 3/8 and 1 3/4 12 Light Wds.		1 1/8 8 Light Wds.		1 1/8 12 Light Wds.	
	Width	Length	Width	Length	Width	Length
Boston.....	3 5/8	5	4 1/8	5	3 5/8	5
New York.....	4	6	4	6	4	6
Western (★).....	4 1/2	6	4 1/2	6	4	6
Ohio.....	4 1/2	6 1/8	4 1/2	6 1/8	4 1/2	6 1/8
Washington (*)...	4 1/2	6 1/4	*4 1/2	6 1/4	4 1/2	6 1/4
Baltimore (*).....	4 1/2	6 1/4	*4 1/2	6 1/4	4 1/2	6 1/4
Philadelphia.....	4 5/8	6 1/2	4 5/8	6 1/2	4 5/8	6 1/2
Indianapolis.....	4 1/2	6	4 1/2	6	4	6
Wilkes-Barre...	5	6
Southern.....	5	6

Explanation of Above Schedule

OPENING SIZE OF 2 LIGHT WINDOW IN VARIOUS MARKETS

Glass Size	Boston	New York	Western	Ohio
24"x24"	2'3 5/8"x4'5"	2'4"x4' 6"	2'4"x4' 6"	2'4 1/2"x4' 6 1/8" Etc.
x26"	x4'9"	x4'10"	x4'10"	x4'10 1/8" Etc.

OPENING SIZE OF 4 LIGHT WINDOW IN VARIOUS MARKETS

Glass Size	Boston	New York	Western	Ohio
12"x24"	2'3 5/8"x4'5"	2'4"x4' 6"	2'5"x4' 6"	2'4 1/2"x4' 6 1/8" Etc.
x26"	x4'9"	x4'10"	x4'10"	x4'10 1/8" Etc.

(★) Note: Unless otherwise specifically stated, the standard opening sizes shown in the following lists are Western openings.

(*) Note: There are exceptions to the above layout on 4 and 8 light Baltimore and Washington sizes. On Four and Eight Light Windows 13" and 14 1/2" wide, allow 5 1/2" for wood. On Four Light Windows 14" wide, allow 5" where opening is 2'9" and 6 1/2" where opening is 2'10 1/2". 13 1/4", 13 1/2" and 15" are not regular stock sizes. Where these layouts are ordered, a definite understanding as to width of stiles and muntins should be reached.

Note: Sizes of stiles and rails in all Markets may vary slightly with the different manufacturers but the finished opening or overall size of window is essentially the same in all cases.

2 Light to
40 Light
Windows
11

1 Lt. Sash
and
Transoms
35

Cellar, Barn
and Hot Bed
Sash
39

Cupboard
Sash
Casement
Sash
53

Extras,
Windows
and Sash
79

Door Lists,
Panel and
Cupboard,
Pine
87

Sash Door
Lists
Pine
93

Side Lights,
Toilet and
Blind Doors
Pine
139

Extras,
Pine
Doors
147

Combination
Doors and
Extras
161

Window
Screens
183

Windows
Over Laths
and Extras
197

Thin Door
Lists and
Extras
229

Grading Rules

PINE DOORS (EXCEPT GARAGE DOORS)

No. 1 QUALITY: Material in No. 1 doors shall be practically free from defects. White sap, light brown water stain and light red kiln burn not considered defects. Also one (1) carefully repaired pitch seam not over $2\frac{1}{2}$ inches in length permissible in each stile or bottom rail.

Workmanship must be good.

LAMINATED PANEL DOORS: Panels shall have two good faces practically free from defects and may contain not to exceed 25% pieced faces. Inconspicuous patches shall be admitted.

No. 2 QUALITY: Material in No. 2 doors may contain light blue stain, medium brown water stain or medium red kiln burn showing on not to exceed 50% of the area of any piece. Also pitch streaks, checks, pitch pockets, if carefully slivered, tight sound knots not to exceed $\frac{5}{8}$ inch in diameter, and other defects, not one of which shall be more serious in nature than the defects already enumerated. Each stile must contain one (1) such defect, but no piece shall contain more than two (2), and no door shall contain more than eight (8) such defects on each side.

Plugs admitted but regarded as defects.

Slight defects in workmanship admitted.

LAMINATED PANEL DOORS: Panels may contain slight stains and discolorations. Any amount of unmatched pieced faces permissible. Inconspicuous patches shall be admitted.

No. 3 QUALITY: Material for No. 3 doors may contain all blue stain, brown water stain or red kiln burn, also worm holes, checks, pitch streaks, pitch pockets, fine shake, tight sound knots not to exceed $1\frac{1}{2}$ inches in diameter and other defects, not one of which shall be more serious in nature than defects already enumerated. Each stile must contain two (2) such defects, but no piece shall contain more than four (4) and no door shall contain more than twenty (20) such defects on each side.

Plugs admitted but regarded as defects.

Slight defects in workmanship admitted.

LAMINATED PANEL DOORS: Panels may contain medium to heavy stains and discolorations, also pin knots and other equivalent defects. Any amount of unmatched pieced faces and any number of patches permissible.

PINE GARAGE DOORS

Pine Garage Doors shall be graded according to Pine Door rules as shown above except mill-run grade which may contain blue stain, brown water stain or red kiln burn, checks, pitch streaks, pitch pockets, fine shake, tight sound knots not to exceed 2 inches in diameter and other defects none of which shall be more serious in nature than defects already enumerated.

PINE SASH AND WINDOWS

Material in No. 1 Sash and Windows shall be practically free from defects. White sap, light brown water stain and light red kiln burn not considered defects.

Workmanship must be good.

Directions for Ordering

Time, annoyance and expense can be saved by noting and following closely the suggestions below:

SASH AND WINDOWS

We will understand all orders and inquiries are for Regular Western Style and Sizes as described in this catalog, unless specifically ordered otherwise.

Be explicit in ordering. Do not assume that we know what you want.

Always give width first, length or height second, then thickness.

Always use inches to designate glass size, and feet and inches for openings or outside measurements.

SASH AND WINDOWS—Continued

The term "Sash" indicates only one piece to fill opening. The term "Window" indicates two pieces (upper and lower sash).

State size of glass, number of lights, opening, and thickness.

If a window, whether check or plain rail.

Where a window or sash is ordered with top and bottom lights of different heights (example, 2 light 40x30x38), it is understood that the first measurement (40) is the width of both lights, that the second measurement (30) is the height of the top light, and that the third measurement (38) is the height of the bottom light.

If segment or circle head, give number of style desired (see page 77) and radius of circle or segment if not regular. When Circle Head not otherwise specified, we will furnish Style No. 2 with a radius one-half the width of the sash, less the width of the stile, and for segment Head Style No. 4 with a radius the width of the sash, less the width of the stile.

When an odd sash or window is ordered, always give both glass size and number of lights and outside opening, and if possible send sketch.

If glass sizes only are given, we will understand that regular stock widths of stiles, rails and bars are required.

NOTE: All windows and sash are understood to be glazed unless specifically ordered open.

DOORS

State width, height and thickness, number of panels and arrangement of same and quality.

State style of sticking desired. (See Page 4).

If moulded, state whether flush or raised mould one or two sides.

If odd, send sketch or detail.

Odd doors will be made with regular stock widths of stiles, rails, muntins and panels, unless specifically ordered otherwise.

Trade Terms

The definitions below give the meaning of various terms used in this book or in quotations affecting articles described as established by general usage.

In General

MEASUREMENTS

Outside Opening—The measurement of any given article from outside to outside. The frame opening always should be given in feet and inches.

Between Glass—The difference between the outside opening and the total glass measurement of a given window or sash.

Face Measure—The measurement across the face of any wood part exclusive of any solid mould or rabbet.

Finished Size—The measurement of any wood part overall, including the solid mould or rabbet.

Ripping Size—The width of stock necessary to produce any given finished size. Usually $\frac{1}{4}$ inch over finished size.

MOULDING

Solid Mould or Solid Stuck—A mould which is worked on the article itself.

Applied Mould—A separate mould to be applied or attached.

Flush Mould—An applied moulding which finishes flush with, or below the face or surface of the stiles or rails.

Raised Mould—An applied moulding which partly covers or which extends above the face or surface of the stiles or rails.

2 Light to
40 Light
Windows
11

1 Lt. Sash
and
Transoms
35

Cellar, Barn
and Hot Bed
Sash
39

Cupboard
Sash
Casement
Sash
53

Extras,
Windows
and Sash
79

Door Lists,
Panel and
Cupboard,
Pine
87

Sash Door
Lists
Pine
93

Side Lights,
Toilet and
Blind Doors
Pine
139

Extras,
Pine
Doors
147

Combination
Doors and
Extras
161

Window
Squares
183

Ymca
Door, Lids
and Frames
197

Flush Door
Lids and
Frames
223

MULLION

An upright or vertical bar, usually wider than the ordinary bar, dividing the glass in a sash, or a wide upright bar dividing two sash in a frame. Applies also to upright bars in doors.

MUNTIN

Applies to any short or light bars—either vertical or horizontal—in a sash or door between glass or panels and not extending the full width or length of the article.

RAIL

The cross or horizontal pieces of the frame-work of a sash, door or screen.

STILES

The upright or vertical outside pieces of a sash, door or screen.

Applying to Sash or Windows

SASH

A sash indicates a single piece to fill a given opening.

WINDOW

A window indicates two pieces—one upper, one lower—to fill an opening, arranged to slide vertically.

FRONT WINDOW—A window in which the meeting rails are placed above the center of the opening.

FRONT SASH—A sash made to correspond to a front window.

FULL BOUND

This term indicates that the sash so described shall have a similar amount of wood in stiles and top and bottom rails, usually described as "same rail all around."

MEETING RAILS

The rails of a window which meet when the window is hung and closed.

PLAIN RAILS—Meeting rails of the same thickness as balance of the window.

CHECK RAILS—Meeting rails sufficiently thicker than the window to fill the opening between the top and bottom sash made by the check strip or parting strip in the frame.

LUGS OR HORNS

An extension of the stiles of a window beyond the meeting rails.

SUSPENDED LIGHTS

A term applied to a light within a sash, formed by straight bars, any one of which must be attached to the free end or to the beveled joint of other bars or muntins.

Applying to Doors

ASTRAGAL

MOULD—FOR FOLDING DOORS—A strip of moulding the length of the door of any desired pattern to be applied to one of a pair of folding doors so as to form a rabbet.

SINGLE—FOR FOLDING DOORS—A strip the length of the doors with a cross-section, usually similar to a letter "T"—used to form a rabbet.

DOUBLE—FOR SLIDING DOORS—A pair of strips the length of the doors—rabbeted to receive the doors on the back and moulded or grooved reciprocally on the face to make a closed joint.

JOINT—FOR SLIDING DOORS—A moulding or groove worked reciprocally on the meeting edges of each of a pair of doors to make a closed joint.

BANDED DOORS

Doors with a thin band or strip—usually moulded—applied to the outside edge of the face of each stile and top and bottom rail—also called friction strips.

CHAMFERED DOORS

Doors with the corner of the stiles or rails beveled at an angle of about 45 degrees.
STOP CHAMFER—A chamfer stopped or ended short of the length of the piece chamfered.

DOWELED DOORS

Doors put together with dowels instead of tenons.

DUTCH DOORS

A door cut horizontally through the lock rail, so that the upper part can be opened independently of the lower part.

GRADUATED PANELS

Doors with cross panels of a different width usually graduated from a wide lower panel to a narrow top panel.

LOCK RAIL

The wide center rail of a door.

TENONS

THROUGH TENONED—A door made with tenons on the end of the rails mortised or tenoned through and showing on the outside of the stile.

BLIND TENONED OR MORTISED—A door made with the tenons on the ends of the rails mortised into but extending only part way through the stile.

UNSELECTED

The term "Unselected" when applied to veneered doors means unselected as to color and admits all of the natural variations of the wood.

2 Light to
40 Light
Windows
11

1 Lt. Sash
and
Transoms
35

Cellar, Barn
and Hot Bed
Sash
39

Cupboard
Sash
Casement
Sash
53

Extras,
Windows
and Sash
79

Door Lists,
Panel and
Cupboard,
Pine
87

Sash Door
Lists
Pine
93

Side Lights,
Toilet and
Blind Doors
Pine
139

Extras,
Pine
Doors
147

Combination
Doors and
Extras
161

Window
Screens
183

Veneered
Entry Light
and Extras
187

Yacht Door
List and
Extras
223

Unless otherwise specified, Windows and Sash will be supplied with wood parts NO WIDER than standard layouts shown for each design and for an opening no larger than that shown.

Whenever wider wood parts are ordered or larger opening specified, add extra as provided in Rules for Sash Extras, page 78.



Two Light Check Rail Windows

Open and Glazed, 1 3/8" thick

STANDARD LAYOUT

Opening sizes are based on 4" of wood in width, 6" of wood in height, over glass size.

Stiles and Top Rail not over 2 3/16" wide overall, not over 2" face.

Check Rails not over 1 5/16" high overall, not over 1 5/16" between glass.

Bottom Rail not over 3 5/16" wide overall, not over 3 1/8" face.

Glass Size	List Open	List Glazed SS	List Glazed DS	Standard Opening	Approximate Weights		
					Open	Glazed SS	Glazed DS
12x12.....	\$1.09	\$2.15	\$2.30	1-4x2- 6	5	7	8
14.....	1.13	2.40	2.60	2-10	5	8	9
16.....	1.17	2.50	2.75	3- 2	5 1/2	9	11
18.....	1.21	2.65	2.95	3- 6	5 1/2	10	11
20.....	1.25	2.75	3.10	3-10	6	11	12
22.....	1.30	2.90	3.25	4- 2	6	12	12
24.....	1.34	3.10	3.55	4- 6	6 1/2	13	14
26.....	1.38	3.25	3.75	4-10	7	13	15
28.....	1.42	3.40	3.90	5- 2	7	13	15
30.....	1.46	3.65	4.35	5- 6	8	14	17
32.....	1.58	3.90	4.60	5-10	8	15	18
14x16.....	1.21	2.65	2.95	1-6x3- 2	5 1/2	10	11
18.....	1.25	2.75	3.10	3- 6	6	11	12
20.....	1.30	2.90	3.30	3-10	6 1/2	12	14
22.....	1.34	3.20	3.70	4- 2	7	12	15
24.....	1.38	3.35	3.85	4- 6	8	13	16
26.....	1.42	3.45	4.00	4-10	8	14	17
28.....	1.46	3.80	4.55	5- 2	9	16	18
30.....	1.50	3.95	4.75	5- 6	10	17	19
32.....	1.63	4.20	5.05	5-10	10	18	20
15x18.....	1.30	2.90	3.25	1-7x3- 6	6 1/2	12	12
20.....	1.34	3.15	3.60	3-10	7	12	13
22.....	1.38	3.30	3.80	4- 2	7	13	14
24.....	1.42	3.45	4.00	4- 6	7 1/2	14	15
26.....	1.46	3.80	4.55	4-10	8	15	16
28.....	1.50	3.95	4.75	5- 2	8	16	17
30.....	1.55	4.10	4.95	5- 6	8 1/2	17	18
32.....	1.67	4.35	5.25	5-10	9	18	19
16x16.....	1.25	2.80	3.15	1-8x3- 2	6	10	12
18.....	1.30	2.95	3.35	3- 6	6 1/2	12	13
20.....	1.34	3.20	3.70	3-10	7	12	14
22.....	1.38	3.40	3.95	4- 2	7	13	15
24.....	1.42	3.50	4.10	4- 6	7 1/2	14	16
26.....	1.46	3.90	4.70	4-10	8	15	17
28.....	1.50	4.00	4.90	5- 2	8	16	18
30.....	1.55	4.20	5.10	5- 6	8 1/2	17	19
32.....	1.67	4.45	5.45	5-10	9	18	20
34.....	1.71	4.65	5.70	6- 2	9 1/2	20	22
36.....	1.75	4.80	5.85	6- 6	10	21	23

Two Light Check Rail Windows

$1\frac{3}{8}''$ thick—Continued

Glass Size	List Open	List Glazed SS	List Glazed DS	Standard Opening	Approximate Weights		
					Open	Glazed SS	Glazed DS
18x12.....	\$1.21	\$2.65	\$2.95	1-10x2- 6	$5\frac{1}{2}$	10	11
16.....	1.30	2.95	3.35	3- 2	$6\frac{1}{2}$	12	13
18.....	1.34	3.25	3.75	3- 6	$6\frac{1}{2}$	13	14
20.....	1.38	3.40	3.95	3-10	7	13	15
22.....	1.42	3.75	4.50	4- 2	$7\frac{1}{2}$	14	16
24.....	1.46	3.90	4.70	4- 6	8	16	18
26.....	1.50	4.15	5.05	4-10	8	17	19
28.....	1.55	4.30	5.30	5- 2	$8\frac{1}{2}$	18	20
30.....	1.59	4.50	5.55	5- 6	9	19	21
32.....	1.71	4.65	5.70	5-10	$9\frac{1}{2}$	20	22
34.....	1.75	4.95	6.10	6- 2	10	21	24
36.....	1.80	5.20	6.45	6- 6	10	23	25
20x12.....	1.25	2.75	3.10	2- 0x2- 6	6	11	12
14.....	1.30	2.90	3.30	2-10	$6\frac{1}{2}$	12	14
15.....	1.32	3.15	3.60	3- 0	7	12	14
16.....	1.34	3.20	3.70	3- 2	7	12	14
18.....	1.38	3.40	3.95	3- 6	7	13	15
20.....	1.42	3.75	4.50	3-10	$7\frac{1}{2}$	15	17
22.....	1.46	3.95	4.85	4- 2	8	16	18
24.....	1.50	4.15	5.05	4- 6	8	17	19
26.....	1.55	4.30	5.30	4-10	$8\frac{1}{2}$	19	21
28.....	1.59	4.50	5.55	5- 2	9	21	23
30.....	1.63	4.70	5.85	5- 6	$9\frac{1}{2}$	22	24
32.....	1.75	5.15	6.40	5-10	$9\frac{1}{2}$	23	25
34.....	1.80	5.20	6.45	6- 2	10	24	26
36.....	1.84	5.60	6.95	6- 6	$10\frac{1}{2}$	25	27
38.....	1.89	5.95	7.45	6-10	11	26	28
40.....	2.02	6.15	7.65	7- 2	$11\frac{1}{2}$	27	29
22x14.....	1.34	3.20	3.70	2- 2x2-10	7	12	15
15.....	1.36	3.25	3.75	3- 0	7	13	15
16.....	1.38	3.40	3.95	3- 2	7	13	15
18.....	1.42	3.65	4.40	3- 6	$7\frac{1}{2}$	14	16
20.....	1.46	3.95	4.85	3-10	8	16	18
22.....	1.50	4.15	5.05	4- 2	8	18	20
24.....	1.55	4.30	5.30	4- 6	$8\frac{1}{2}$	19	21
26.....	1.59	4.50	5.55	4-10	9	20	22
28.....	1.63	4.70	5.85	5- 2	$9\frac{1}{2}$	21	23
30.....	1.67	5.05	6.30	5- 6	$9\frac{1}{2}$	22	24
32.....	1.80	5.40	6.80	5-10	10	24	26
34.....	1.84	5.65	6.95	6- 2	$10\frac{1}{2}$	25	27
36.....	1.89	5.95	7.45	6- 6	11	26	28
38.....	1.93	6.00	7.50	6-10	11	26	30
40.....	2.07	6.95	8.70	7- 2	12	28	31
24x12.....	1.34	3.10	3.55	2- 4x2- 6	$6\frac{1}{2}$	13	14
14.....	1.38	3.35	3.85	2-10	7	13	16
15.....	1.40	3.40	3.95	3- 0	$7\frac{1}{2}$	14	16
16.....	1.42	3.55	4.30	3- 2	$7\frac{1}{2}$	14	16
18.....	1.46	3.90	4.70	3- 6	8	16	18
20.....	1.50	4.15	5.05	3-10	8	17	19
22.....	1.55	4.30	5.30	4- 2	$8\frac{1}{2}$	19	21
24.....	1.59	4.65	5.80	4- 6	9	20	22
26.....	1.63	4.70	5.85	4-10	9	21	23
28.....	1.67	5.05	6.30	5- 2	$9\frac{1}{2}$	23	25

2 Light to
40 Light
Windows
11

1 Lt. Sash
and Transoms
35

Cellar, Barn
and Hot Bed
Sash
39

Cupboard
Sash
Casement
Sash
53

Extras,
Windows
and Sash
79

Door Lists,
Panel and
Cupboard,
Pine
87

Sash Door
Lists
Pine
93

Side Lights,
Toilet and
Blind Doors
Pine
139

Extras,
Pine
Doors
147

Combination
Doors and
Extras
151

Window
Screens
183

Veneered
Door Lists
and Extras
191

Flush Door
Lists and
Extras
221

Two Light Check Rail Windows

$1\frac{3}{8}$ " Thick—Continued

Glass Size	Open List	List Glazed SS	List Glazed DS	Standard Opening	Approximate Weights		
					Open	Glazed SS	Glazed DS
24x30.....	\$1.71	\$5.30	\$6.70	2- 4x5- 6	10	25	27
32.....	1.84	5.90	7.40	5-10	10½	26	28
34.....	1.89	6.00	7.45	6- 2	11	27	30
36.....	1.93	6.40	8.05	6- 6	11	28	32
38.....	1.97	6.85	8.60	6-10	11½	31	33
40.....	2.11	7.00	8.75	7- 2	12	32	34
26x14.....	1.42	3.45	4.00	2- 6x2-10	8	14	17
15.....	1.44	3.80	4.55	3- 0	8	15	17
16.....	1.46	3.90	4.70	3- 2	8	15	17
18.....	1.50	4.15	5.05	3- 6	8	17	19
20.....	1.55	4.30	5.30	3-10	8½	19	21
22.....	1.59	4.50	5.55	4- 2	9	20	22
24.....	1.63	4.70	5.85	4- 6	9	21	23
26.....	1.67	5.05	6.30	4-10	9½	23	25
28.....	1.71	5.45	6.80	5- 2	10	24	27
30.....	1.75	5.80	7.30	5- 6	10½	26	29
32.....	1.89	6.00	7.45	5-10	10½	27	30
34.....	1.93	6.80	8.55	6- 2	11	29	32
36.....	1.97	6.85	8.60	6- 6	11½	31	34
38.....	2.02	7.40	9.40	6-10	12	33	35
40.....	2.16	7.55	9.60	7- 2	12	34	36
27x14.....	1.46	3.80	4.55	2- 7x2-10	8	16	18
16.....	1.50	4.00	4.90	3- 2	8	16	18
18.....	1.55	4.30	5.30	3- 6	8½	18	20
20.....	1.59	4.50	5.55	3-10	9	21	23
22.....	1.63	4.70	5.85	4- 2	9½	21	23
24.....	1.67	5.05	6.30	4- 6	9½	23	25
26.....	1.71	5.30	6.70	4-10	10	24	27
28.....	1.75	5.50	6.85	5- 2	10	25	28
30.....	1.80	5.85	7.35	5- 6	10½	27	30
32.....	1.93	6.65	8.40	5-10	11	29	31
28x14.....	1.46	3.80	4.55	2- 8x2-10	7	16	18
16.....	1.50	4.00	4.90	3- 2	8	16	18
18.....	1.55	4.30	5.30	3- 6	8½	18	20
20.....	1.59	4.50	5.55	3-10	9	21	23
22.....	1.63	4.70	5.85	4- 2	9½	22	24
24.....	1.67	5.05	6.30	4- 6	9½	23	25
26.....	1.71	5.45	6.80	4-10	10	24	27
28.....	1.75	5.80	7.30	5- 2	10	25	28
30.....	1.80	5.85	7.35	5- 6	10½	27	30
32.....	1.93	6.80	8.55	5-10	11	29	31
34.....	1.97	6.85	8.60	6- 2	11½	31	33
36.....	2.02	7.40	9.40	6- 6	12	32	35
38.....	2.06	7.45	9.45	6-10	12	33	36
40.....	2.20	8.30	10.60	7- 2	12½	35	37
30x12.....	1.46	3.65	4.35	2-10x2- 6	8	14	17
14.....	1.50	3.95	4.75	2-10	8	17	19
15.....	1.52	4.05	4.90	3- 0	8½	17	19
16.....	1.55	4.20	5.10	3- 2	8½	17	19
18.....	1.59	4.50	5.55	3- 6	9	19	21
20.....	1.63	4.70	5.85	3-10	9½	22	24
22.....	1.67	5.05	6.30	4- 2	10	24	26
24.....	1.71	5.30	6.70	4- 6	10	25	27

Two Light Check Rail Windows

1 3/8" Thick—Continued

Glass Size	Open List	List Glazed SS	List Glazed DS	Standard Opening	Approximate Weights		
					Open	Glazed SS	Glazed DS
30x26.....	\$1.75	\$5.80	\$7.30	2-10x4-10	10 1/2	26	29
28.....	1.80	5.85	7.35	5- 2	10 1/2	27	30
30.....	1.84	6.70	8.45	5- 6	11	29	32
32.....	1.97	6.85	8.60	5-10	11 1/2	31	34
34.....	2.02	7.40	9.40	6- 2	12	33	36
36.....	2.06	7.45	9.45	6- 6	12	35	38
38.....	2.10	8.20	10.50	6-10	12 1/2	36	39
40.....	2.26	8.40	10.70	7- 2	13	37	40
32x14.....	1.63	4.20	5.05	3- 0x2-10	9	18	20
18.....	1.71	4.65	5.70	3- 6	9 1/2	20	22
20.....	1.75	5.15	6.40	3-10	9 1/2	23	25
22.....	1.80	5.40	6.80	4- 2	10	24	26
24.....	1.84	5.90	7.40	4- 6	10 1/2	26	28
26.....	1.89	5.95	7.45	4-10	10 1/2	27	30
28.....	1.93	6.80	8.55	5- 2	11	29	31
30.....	1.97	6.85	8.60	5- 6	11 1/2	31	34
32.....	2.02	7.40	9.40	5-10	12	32	35
34.....	2.06	7.45	9.45	6- 2	12	34	37
36.....	2.10	8.20	10.50	6- 6	12 1/2	36	39
38.....	2.15	9.00	11.35	6-10	13	39	41
40.....	2.30	9.20	11.55	7- 2	13	39	42
34x12.....	1.63	4.00	4.80	3- 2x2- 6	9	15	18
16.....	1.71	4.65	5.70	3- 2	9 1/2	20	22
20.....	1.80	5.20	6.45	3-10	10	24	26
24.....	1.89	5.95	7.45	4- 6	11	27	30
26.....	1.93	6.40	8.05	4-10	11	29	32
28.....	1.97	6.85	8.60	5- 2	11 1/2	31	33
30.....	2.02	7.40	9.40	5- 6	12	33	36
32.....	2.06	7.45	9.45	5-10	12 1/2	35	37
34.....	2.10	8.20	10.50	6- 2	12 1/2	36	38
36.....	2.15	9.00	11.35	6- 6	13	37	40
38.....	2.19	9.05	11.40	6-10	13	39	42
40.....	2.34	10.30	13.10	7- 2	13 1/2	41	44
36x14.....	1.71	4.50	5.50	3- 4x2-10	10	21	23
16.....	1.75	4.80	5.85	3- 2	10	21	23
18.....	1.80	5.20	6.45	3- 6	10	23	25
20.....	1.84	5.60	6.95	3-10	10 1/2	25	27
24.....	1.93	6.40	8.05	4- 6	11 1/2	28	32
26.....	1.97	6.85	8.60	4-10	11 1/2	31	34
28.....	2.02	7.40	9.40	5- 2	12	32	35
30.....	2.06	7.45	9.45	5- 6	12	35	38
32.....	2.10	8.20	10.50	5-10	12 1/2	36	39
34.....	2.15	9.00	11.35	6- 2	13	37	40
36.....	2.19	9.05	11.40	6- 6	13	39	41
38.....	2.24	10.15	12.95	6-10	13 1/2	41	43
40.....	2.39	10.35	13.15	7- 2	14	43	46
40x18.....	1.98	5.80	7.15	3- 8x3- 6	11	25	26
22.....	2.07	6.95	8.70	4- 2	12	29	31
24.....	2.11	7.00	8.75	4- 6	12	31	34
26.....	2.16	7.60	9.60	4-10	12	33	36
28.....	2.20	8.30	10.60	5- 2	12 1/2	35	37
30.....	2.26	8.40	10.70	5- 6	13	37	40
32.....	2.30	9.20	11.55	5-10	13	39	42

1 Lt. Sash
and
Transoms
35

Cellar, Barn
and Hot Bed
Sash
39

Cupboard
Sash

Casement
Sash
53

Extras,
Windows
and Sash
79

Door Lists,
Panel and
Cupboard,
Pine
87

Sash Door
Lists
Pine
93

Side Lights,
Toilet and
Blind Doors
Pine
139

Extras,
Pine
Doors
147

Combination
Doors and
Extras
161

Window
Screens
183


Veneered
Door Locks
and Extras
197

Push Door
Locks and
Extras
233

Four Light Plain Rail Windows

1 1/8" Thick, Open and Glazed, Not Ploughed or Bored

STANDARD LAYOUT



Opening sizes shown are based on 4" of wood in width, 6" of wood in height over glass size.

Stiles not over 1 5/16" wide overall, not over 1 3/4" face.

Top Rail not over 2 3/16" wide overall, not over 2" face.

Meeting Rail not over 1 5/16" high overall, not over 1 5/16" between glass.

Bottom Rail not over 3 5/16" wide overall, not over 3 1/8" face.

Bars not over 7/8" wide overall, not over 1/2" face.

Glass Size	Open List	List Glazed SS	List Glazed DS	Standard Opening	Approximate Weights		
					Open	Glazed SS	Glazed DS
8x10.....	\$1.20	\$2.50	1-8x2- 2	4	6	..
12x20.....	1.56	4.15	2-4x3-10	5 1/2	16	..
24.....	1.65	4.75	4- 6	6	18	..
26.....	1.71	5.00	4-10	6 1/2	19	..
28.....	1.75	5.25	5- 2	6 1/2	20	..
30.....	1.80	5.60	5- 6	7	20	..
14x20.....	1.63	4.45	2-8x3-10	6	17	..
24.....	1.72	5.20	4- 6	6 1/2	19	..
26.....	1.78	5.35	4-10	7	21	..
28.....	1.83	5.90	5- 2	7	21	..

Four Light Check Rail Windows

1 1/8" Thick, Open and Glazed, Ploughed and Bored

STANDARD LAYOUT



Opening sizes shown are based on 4" of wood in width, 6" of wood in height over glass size.

Stiles not over 1 5/16" wide overall, not over 1 3/4" face.

Top Rail not over 2 3/16" wide overall, not over 2" face.

Check Rail not over 1 5/16" high overall, not over 1 5/16" between glass.

Bottom Rail not over 3 5/16" wide overall, not over 3 1/8" face.

Bars not over 7/8" wide overall, not over 1/2" face.

Glass Size	Open List	List Glazed SS	List Glazed DS	Standard Opening	Approximate Weights		
					Open	Glazed SS	Glazed DS
12x20.....	\$1.58	\$4.15	2-4x3-10	6	16	..
24.....	1.69	4.80	4- 6	6 1/2	18	..
26.....	1.75	5.05	4-10	6 1/2	19	..
28.....	1.79	5.30	5- 2	7	20	..

1 Lt. Sash
and
Transoms
35

Cellar, Barn
and Hot Bed
Sash
39

Cupboard
Sash
Casement
Sash
53

Extras,
Windows
and Sash
79

Door Lists,
Panel and
Cupboard,
Pine
87

Sash Door
Lists
Pine
93

Side Lights,
Taillet and
Blind Doors
Pine
139

Extras,
Pine
Doors
147

Combination
Doors and
Extras
161

Window
Sash
183

Insulated
Door Lists
and Extras
197

Flush Over
Lifts and
Extras
223



Four Light Check Rail Windows

1 3/8" Thick, Open and Glazed

STANDARD LAYOUT

Opening sizes shown are based on 5" of wood in width, 6" of wood in height, over glass size.

Stiles and Top Rail not over 2 3/16" wide overall, not over 2" face.

Check Rail not over 1 5/16" high overall, 1 5/16" between glass.

Bottom Rail not over 3 5/16" wide overall, not over 3 1/8" face.

Bars not over 1 1/4" wide overall, not over 7/8" face.

Class Size	Open List	List Glazed SS	List Glazed DS	Standard Opening	Approximate Weights		
					Open	Glazed SS	Glazed DS
9x12.....	\$1.42	\$2.90	\$3.15	1-11x2- 6	4 1/2	9	10
10x16.....	1.57	3.65	4.10	2- 1x3- 2	5 1/2	13	14
18.....	1.63	3.85	4.35	3- 6	6	14	15
20.....	1.69	4.05	4.60	3-10	6	16	17
22.....	1.73	4.20	4.80	4- 2	7	17	18
24.....	1.80	4.45	5.10	4- 6	8	18	20
26.....	1.85	4.80	5.60	4-10	8	19	20
28.....	1.91	5.00	5.85	5- 2	9	20	22
30.....	1.95	5.20	6.10	5- 6	9	21	23
11x16.....	1.66	3.85	4.35	2- 3x3- 2	6	15	17
18.....	1.72	4.10	4.65	3- 6	7	17	18
20.....	1.77	4.25	4.85	3-10	7	18	19
22.....	1.83	4.45	5.15	4- 2	8	19	20
24.....	1.88	4.90	5.70	4- 6	8	20	23
26.....	1.94	5.10	6.00	4-10	9	21	25
28.....	1.99	5.35	6.30	5- 2	9	22	25
12x16.....	1.66	3.95	4.45	2- 5x3- 2	6	15	17
18.....	1.72	4.20	4.80	3- 6	7	17	18
20.....	1.77	4.40	5.05	3-10	7	18	19
22.....	1.83	4.65	5.35	4- 2	8	19	20
24.....	1.88	5.05	5.90	4- 6	8	20	23
26.....	1.94	5.25	6.25	4-10	9	21	25
28.....	1.99	5.55	6.55	5- 2	9	22	25
30.....	2.05	5.95	7.30	5- 6	10	23	28
32.....	2.21	6.25	7.70	5-10	11	25	31
34.....	2.27	6.45	8.00	6- 2	12	26	32
36.....	2.32	6.70	8.30	6- 6	12	27	34
38.....	2.36	6.90	8.65	6-10	13	29	36
40.....	2.52	7.50	9.30	7- 2	13	31	38
13x16.....	1.74	4.15	4.70	2- 7x3- 2	8	16	17
18.....	1.79	4.35	5.00	3- 6	8 1/2	18	20
20.....	1.85	4.60	5.30	3-10	9	20	22
22.....	1.91	5.05	5.95	4- 2	9 1/2	22	24
24.....	1.96	5.30	6.25	4- 6	10	23	27
26.....	2.02	5.55	6.60	4-10	10 1/2	24	28
28.....	2.08	5.95	7.35	5- 2	11	25	31
30.....	2.13	6.30	7.85	5- 6	12	27	32
13 1/2 x16...	1.74	4.25	4.90	2- 8x3- 2	8	16	17
18.....	1.79	4.45	5.15	3- 6	8 1/2	18	20
20.....	1.85	4.70	5.50	3-10	9	20	22
22.....	1.91	5.15	6.05	4- 2	9 1/2	22	24
24.....	1.96	5.40	6.40	4- 6	10	23	27
26.....	2.02	5.55	6.60	4-10	10 1/2	24	28
28.....	2.08	6.10	7.55	5- 2	11	25	31
30.....	2.13	6.45	8.05	5- 6	12	27	32
32.....	2.30	6.85	8.55	5-10	12	29	32
14x16.....	1.74	4.25	4.90	2- 9x3- 2	8	16	17
18.....	1.79	4.45	5.15	3- 6	8 1/2	18	20

Four Light Check Rail Windows

1 3/8" Thick, Open and Glazed—Continued

Glass Size	Open List	List Glazed SS	List Glazed DS	Standard Opening	Approximate Weights		
					Open	Glazed SS	Glazed DS
14x20	\$1.85	\$4.70	\$5.50	2- 9x3-10	9	20	22
22	1.91	5.25	6.20	4- 2	9 1/2	22	24
24	1.96	5.50	6.55	4- 6	10	23	27
26	2.02	5.65	6.75	4-10	10 1/2	24	28
28	2.08	6.25	7.75	5- 2	11	25	31
30	2.13	6.45	8.05	5- 6	12	27	32
32	2.30	6.85	8.55	5-10	12	29	32
34	2.35	7.10	8.95	6- 2	12 1/2	31	34
36	2.42	7.45	9.40	6- 6	13	32	35
38	2.45	7.70	9.65	6-10	13	33	36
40	2.63	8.20	10.30	7- 2	13	34	38
15x16	1.78	4.40	5.05	2-11x3- 2	9	17	18
18	1.83	4.65	5.35	3- 6	9	20	21
20	1.89	5.15	6.05	3-10	9 1/2	20	23
22	1.94	5.35	6.35	4- 2	10	22	26
24	2.01	5.65	6.75	4- 6	10 1/2	24	27
26	2.06	6.20	7.75	4-10	11	25	29
28	2.12	6.45	8.05	5- 2	11 1/2	27	30
30	2.17	6.70	8.40	5- 6	12	29	32
32	2.34	7.10	8.95	5-10	12	31	34
34	2.39	7.40	9.35	6- 2	12 1/2	33	36
36	2.46	8.00	10.10	6- 6	13	35	38
38	2.49	8.00	10.15	6-10	13 1/2	36	39
40	2.67	8.75	11.00	7- 2	14	37	40
16x16	1.91	4.70	5.40	3- 1x3- 2	9	17	18
18	1.97	4.95	5.75	3- 6	9	20	21
20	2.03	5.40	6.35	3-10	9 1/2	20	23
22	2.08	5.75	6.85	4- 2	10	22	26
24	2.14	5.95	7.10	4- 6	10 1/2	24	27
26	2.20	6.55	8.15	4-10	10 1/2	24	27
28	2.25	6.80	8.50	5- 2	11 1/2	27	31
30	2.31	7.05	8.90	5- 6	12 1/2	29	32
32	2.37	7.35	9.35	5-10	12 1/2	30	34
34	2.42	7.70	9.80	6- 2	13	34	38
36	2.48	8.00	10.15	6- 6	13 1/2	36	39
38	2.54	8.40	10.70	6-10	13 1/2	37	40
40	2.72	9.20	11.65	7- 2	14	38	41
18x16	2.00	5.00	5.75	3- 5x3- 2	9 1/2	20	22
18	2.06	5.50	6.50	3- 6	10	23	25
20	2.11	5.80	6.90	3-10	10	23	26
22	2.17	6.35	7.90	4- 2	10 1/2	24	27
24	2.23	6.60	8.20	4- 6	11	27	31
26	2.28	7.00	8.85	4-10	11	29	33
28	2.34	7.35	9.30	5- 2	12	31	35
30	2.40	7.65	9.80	5- 6	13	33	37
32	2.45	7.75	9.85	5-10	13	34	38
34	2.51	8.35	10.65	6- 2	14	36	42
36	2.57	8.80	11.30	6- 6	14 1/2	40	44
38	2.63	9.10	11.55	6-10	14 1/2	41	45
40	2.81	9.80	12.50	7- 2	15	42	46
20x26	2.49	7.50	9.50	3- 9x4-10	13	34	38
28	2.54	7.85	9.95	5- 2	13 1/2	37	41
30	2.61	8.25	10.55	5- 6	14	39	43
32	2.66	8.95	11.45	5-10	14 1/2	41	45
22x30	2.70	9.00	11.50	4- 1x5- 6	14 1/2	40	45

1 Lt. Sash
and
Transoms
35

Cellar, Barn
and Hot Bed
Sash
39

Cupboard
Sash
Casement
Sash
53

Extras,
Windows
and Sash
79

Door Lists,
Panel and
Cupboard,
Pine
87

Sash Door
Lists
Pine
93

Side Lights,
Toilet and
Blind Doors
Pine
139

Extras,
Pine
Doors
147

Combination
Doors and
Extras
161

Window
Screens
183

Various
Four Light
and Extra
181

Flush Door
Lists and
Extras
183

Six Light Check Rail Windows

1 3/8" Thick, Open and Glazed

STANDARD LAYOUT



Opening sizes shown are based on 4" of wood in width, 6" of wood in height, over glass size.

Stiles not over 1 15/16" wide overall, not over 1 3/4" face.

Top Rail not over 2 3/16" wide overall, not over 2" face.

Check Rail not over 1 5/16" high overall, not over 1 5/16" between glass.

Bottom Rail not over 3 3/16" wide overall, not over 3 1/8" face.

Bars not over 9/16" wide overall, not over 3/16" face.

Glass Size	Open List	List Glazed SS	Standard Opening	Approximate Weights	
				Open	Glazed SS
8x10.....	\$1.54	\$3.25	2- 4x2- 2	6	10
12.....	1.59	3.45	2- 6	6 1/2	11
9x12.....	1.66	3.65	2- 7x2- 6	7	13
13.....	1.66	3.75	2- 8	7	13
14.....	1.69	3.85	2-10	7 1/2	14
10x12.....	1.72	3.85	2-10x2- 6	7 1/2	14
14.....	1.75	4.05	2-10	7 1/2	15
15.....	1.78	4.20	3- 0	8	16
16.....	1.82	4.45	3- 2	8 1/2	17
18.....	1.88	4.70	3- 6	9	18
20.....	1.94	4.95	3-10	9 1/2	19

Eight Light Plain Rail Windows

1 1/8" Thick, Open and Glazed, Not Ploughed or Bored

STANDARD LAYOUT



Opening sizes shown are based on 4 1/2" of wood in width, 6" of wood in height over glass size.

Stiles and Top Rail not over 2" wide overall, not over 1 13/16" face.

Meeting Rail not over 1 5/16" high overall, not over 1 5/16" between glass.

Bottom Rail not over 3 3/16" wide overall, not over 3" face.

Vertical Bars not over 1 5/16" wide overall, not over 1 5/16" face.

Horizontal Bars not over 9/16" wide overall, not over 3/16" face.

Glass Size	Open List	List Glazed SS	Standard Opening	Approximate Weights	
				Open	Glazed SS
7x 9.....	\$1.50	\$3.40	1- 6 1/2x3- 6	5	10
8x10.....	1.61	3.70	1- 8 1/2x3-10	5	10
12.....	1.70	4.00	4- 6	5 1/2	12
9x12.....	1.73	4.20	1-10 1/2x4- 6	6	14
14.....	1.84	4.55	5- 2	7	17
10x12.....	1.78	4.40	2- 0 1/2x4- 6	7 1/2	15
14.....	1.88	4.75	5- 2	8	18
16.....	2.06	5.60	5-10	9	20
18.....	2.15	5.95	6- 6	9	20
12x14.....	1.96	5.55	2- 4 1/2x5- 2	9	19
16.....	2.14	6.05	5-10	11	22
18.....	2.23	6.50	6- 6	12	25
14x16.....	2.24	6.60	2- 8 1/2x5-10	10	25
18.....	2.32	7.00	6- 6	10 1/2	28
20.....	2.46	7.50	7- 2	11	31

For Texas Layout, use this list.

Eight Light Check Rail Windows

1 3/8" Thick, Open and Glazed

STANDARD LAYOUT

Opening sizes shown are based on 5" of wood in width, 6" of wood in height, over glass size.

Stiles not over 2 3/16" wide overall, not over 2" face.

Top Rail not over 1 15/16" wide overall, not over 1 3/4" face.

Check Rail not over 1 5/16" high overall, not over 1 5/16" between glass.

Bottom Rail not over 3 3/16" wide overall, not over 3" face.

Vertical Bars not over 1 1/4" wide overall, not over 7/8" face.

Horizontal Bars not over 9/16" wide overall, not over 3/16" face.



Glass Size	Open List	List Glazed SS	Standard Opening	Approximate Weights	
				Open	Glazed SS
7x 9	\$1.70	\$3.70	1- 7x3- 6	7	13
8x10	1.83	4.10	1- 9x3-10	7 1/2	13
12	1.93	4.40	4- 6	8	14
13	1.99	4.55	4-10	9	15
9x12	1.97	4.60	1-11x4- 6	8 1/2	17
13	2.03	4.75	4-10	9	18
14	2.09	4.95	5- 2	9	18
10x10	1.92	4.45	2- 1x3-10	8 1/2	17
12	2.02	4.80	4- 6	9	18
13	2.08	5.00	4-10	9 1/2	20
14	2.14	5.20	5- 2	10	19
15	2.18	5.35	5- 6	10 1/2	21
16	2.34	6.05	5-10	11	22
18	2.44	6.40	6- 6	11 1/2	21
12x12	2.11	5.20	2- 5x4- 6	10	21
14	2.23	6.00	5- 2	11 1/2	23
16	2.43	6.50	5-10	12	24
18	2.53	7.00	6- 6	13	27
14x16	2.54	7.10	2- 9x5-10	13	28
18	2.64	7.50	6- 6	14	31
20	2.80	8.05	7- 2	15	35

Nine Light Plain Rail Windows

**1 1/8" Thick, Open and Glazed,
Not Ploughed or Bored**

STANDARD LAYOUT

Opening sizes shown are based on 4 1/2" of wood in width, 6 1/4" of wood in height over glass size.

Stiles and Top Rail not over 2" wide overall, not over 1 25/32" face.

Meeting Rail not over 1 5/16" high overall, not over 1 5/16" between glass.

Bottom Rail not over 3 3/16" wide overall, not over 3" face.

Bars not over 3/4" wide overall, not over 3/8" face.



Glass Size	Open List	List Glazed SS	Standard Opening	Approximate Weights	
				Open	Glazed SS
8x10	\$1.60	\$3.75	2- 4 1/2 x3- 0 1/4	7	15

Unless otherwise ordered, 9 light windows will be made with 6 lights in the bottom sash.

Lt. Sash
and Transoms
35

Cellar, Barn
and Hot Bed
Sash
39

Cupboard
Sash
Casement
Sash
53

Extras,
Windows
and Sash
79

Door Lists,
Panel and
Cupboard,
Pine
87

Sash Door
Lists
Pine
93

Side Lights,
Toilet and
Blind Doors
Pine
139

Extras,
Pine
Doors
147

Combination
Doors and
Extras
161

Window
Screens
183

Various
Door Lists
and Extras
197

Flush Door
List and
Extras
229



Twelve Light Plain Rail Windows

1 1/8" Thick, Open and Glazed, Not Ploughed or Bored

STANDARD LAYOUT

Opening sizes shown are based on 4" of wood in width, 6" of wood in height over glass size.

Stiles and Top Rail not over 2" wide overall, not over 1 13/16" face.

Meeting Rail not over 1 5/16" high overall, not over 1 5/16" between glass.

Bottom Rail not over 3 3/16" wide overall, not over 3" face.

Bars not over 9/16" wide overall, not over 3/16" face.

Glass Size	Open List	List Glazed SS	Standard Opening	Approximate Weights	
				Open	Glazed SS
6x 8.....	\$1.60	\$3.80	1-10x3- 2	5	12
7x 9.....	1.77	4.30	2- 1x3- 6	6	15
8x10.....	1.91	4.75	2- 4x3-10	7	17
12.....	2.00	5.15	4- 6	8	18
14.....	2.09	5.55	5- 2	9	19
9x12.....	2.04	5.40	2- 7x4- 6	9	20
13.....	2.09	5.60	4-10	9 1/2	21
14.....	2.13	5.85	5- 2	10	22
15.....	2.20	6.10	5- 6	11	23
10x12.....	2.11	5.70	2-10x4- 6	9	21
14.....	2.20	6.20	5- 2	9 1/2	23
15.....	2.27	6.45	5- 6	10	25
16.....	2.39	7.25	5-10	11	26
18.....	2.48	7.75	6- 6	12	29
12x12.....	2.28	6.35	3- 4x4- 6	10	24
14.....	2.37	7.35	5- 2	11	25
16.....	2.56	8.00	5-10	12	28
18.....	2.65	8.65	6- 6	13	31

For Texas Layout, use this list.

NOTE

To avoid errors and misunderstandings, always specify both glass and opening sizes on your orders; also width of bars wanted.

State whether open or glazed, SS or DS. It will be understood same are to be glazed unless specifically ordered otherwise.

Twelve Light Check Rail Windows

**13/8" Thick, Open and Glazed, With 3/16" Bars
Between Glass**



STANDARD LAYOUT

Opening sizes shown are based on 4 1/2" of wood in width, 6" of wood in height over glass size.

Stiles not over 2 3/16" wide overall, not over 2" face.

Top Rail not over 1 5/16" wide overall, not over 1 3/4" face.

Check Rail not over 1 5/16" high overall, not over 1 5/16" between glass.

Bottom Rail not over 3 3/16" wide overall, not over 3" face.

Bars not over 3/16" wide overall, not over 3/16" face.

Glass Size	Open List	List Glazed SS	Standard Opening	Approximate Weights	
				Open	Glazed SS
6x 8.....	\$1.82	\$4.20	1-10 1/2x3- 2	7	14
7x 9.....	2.01	4.70	2- 1 1/2x3- 6	8	14
8x 8.....	2.01	4.70	2- 4 1/2x3- 2	8	15
9.....	2.11	5.30	3- 6	8	16
10.....	2.17	5.35	3-10	8	19
11.....	2.23	5.75	4- 2	9	20
12.....	2.27	5.75	4- 6	9	20
13.....	2.33	5.80	4-10	10	22
14.....	2.37	6.00	5- 2	10	22
9x 8.....	2.06	5.25	2- 7 1/2x3- 2	8 1/2	16
9.....	2.16	5.25	3- 6	9	18
10.....	2.22	5.80	3-10	9 1/2	19
11.....	2.28	5.85	4- 2	10	21
12.....	2.32	5.85	4- 6	10	22
13.....	2.38	6.10	4-10	10 1/2	23
14.....	2.42	6.30	5- 2	11	24
15.....	2.50	6.60	5- 6	11 1/2	26
16.....	2.64	6.90	5-10	12 1/2	28
10x 8.....	2.14	5.15	2-10 1/2x3- 2	8 1/2	20
9.....	2.24	5.60	3- 6	9 1/2	21
10.....	2.30	5.70	3-10	10	21
11.....	2.36	6.40	4- 2	10 1/2	22
12.....	2.40	6.40	4- 6	11	23
13.....	2.46	6.45	4-10	11	25
14.....	2.50	6.70	5- 2	12	26
15.....	2.58	6.95	5- 6	12 1/2	27
16.....	2.72	7.85	5-10	13	29
17.....	2.78	8.65	6- 2	13 1/2	31
18.....	2.82	8.70	6- 6	14	32
11x15.....	2.72	7.90	3-1 1/2x5- 6	12 1/2	31
16.....	2.86	8.30	5-10	13	33
17.....	2.92	9.25	6- 2	13 1/2	34
18.....	2.96	9.30	6- 6	14 1/2	37
12x12.....	2.59	6.85	3- 4 1/2x4- 6	12	26
14.....	2.69	7.95	5- 2	13	32
15.....	2.77	8.25	5- 6	13 1/2	33
16.....	2.91	8.60	5-10	14	36
18.....	3.01	9.25	6- 6	15	38
20.....	3.12	9.80	7- 2	16	40

1 Lt. Sash
and
Transoms
35

Cellar, Barn
and Hot Bed
Sash
39

Cupboard
Sash
Casement
Sash
53

Extras,
Windows
and Sash
79

Door Lists,
Panel and
Cupboard,
Pine
87

Sash Door
Lists
Pine
93

Side Lights,
Toilet and
Blind Doors
Pine
139

Extras,
Pine
Doors
147

Combination
Doors and
Extras
161

Window
Screens
183

Yankee
Door Lids
and Extras
197

French Door
Lids and
Extras
229



Twelve Light Check Rail Windows

13/8" Thick. Open and Glazed, With 3/8" Bars Between Glass

STANDARD LAYOUT

Opening sizes shown are based on 4 1/2" of wood in width, 6" of wood in height over glass size.

Stiles not over 2" wide overall, not over 1 7/8" face.

Top Rail not over 1 3/4" wide overall, not over 1 5/16" face.

Check Rail not over 1 5/16" high overall, not over 1 5/16" between glass.

Bottom Rail not over 3" wide overall, not over 2 3/4" face.

Bars not over 3/4" wide overall, not over 3/8" face.

Glass Size	Open List	List Glazed SS	Standard Opening	Approximate Weights	
				Open	Glazed SS
6x 8	\$1.94	\$4.35	1-10 1/2x3- 2	7	14
7x 8	2.15	4.90	2- 1 1/2x3- 6	8	14
8x 8	2.15	4.90	2- 4 1/2x3- 2	8	15
9	2.25	5.50	3- 6	8	16
10	2.31	5.55	3-10	8	19
11	2.39	5.95	4- 2	9	20
12	2.43	5.95	4- 6	9	20
13	2.49	6.00	4-10	10	22
14	2.55	6.25	5- 2	10	22
9x 8	2.20	5.45	2- 7 1/2x3- 2	8 1/2	16
9	2.30	5.45	3- 6	9	18
10	2.36	5.95	3-10	9 1/2	19
11	2.44	6.05	4- 2	10	21
12	2.48	6.05	4- 6	10	22
13	2.54	6.30	4-10	10 1/2	23
14	2.59	6.55	5- 2	11	24
15	2.64	6.85	5- 6	11 1/2	26
16	2.77	7.15	5-10	12 1/2	28
10x 8	2.28	5.35	2-10 1/2x3- 2	8 1/2	20
9	2.38	5.80	3- 6	9 1/2	21
10	2.44	5.90	3-10	10	21
11	2.52	6.60	4- 2	10 1/2	22
12	2.56	6.60	4- 6	11	23
13	2.62	6.65	4-10	11	25
14	2.68	6.95	5- 2	12	26
15	2.76	7.20	5- 6	12 1/2	27
16	2.86	8.10	5-10	13	29
17	2.98	8.90	6- 2	13 1/2	31
18	3.02	8.95	6- 6	14	32
11x15	2.86	8.15	3- 1 1/2x5- 6	12 1/2	31
16	2.90	8.55	5-10	13	33
17	3.14	9.55	6- 2	13 1/2	34
18	3.18	9.60	6- 6	14 1/2	37
12x12	2.77	7.10	3- 4 1/2x4- 6	12	26
14	2.89	8.20	5- 2	13	32
15	2.97	8.50	5- 6	13 1/2	33
16	3.11	8.85	5-10	14	36
18	3.23	9.55	6- 6	15	38
20	3.36	10.10	7- 2	16	40

Twelve Light Check Rail Windows

1 $\frac{3}{8}$ " Thick, Open and Glazed

With $\frac{3}{16}$ " Bars Between Glass To Fill 2 Light Openings



STANDARD LAYOUT

Opening sizes shown are based on 4" of wood in width, 6" of wood in height over glass size.

Stiles not over 1 $\frac{15}{16}$ " wide overall, not over 1 $\frac{3}{4}$ " face.

Top Rail not over 1 $\frac{15}{16}$ " wide overall, not over 1 $\frac{3}{4}$ " face.

Check Rail not over 1 $\frac{5}{16}$ " high overall, not over 1 $\frac{5}{16}$ " between glass.

Bottom Rail not over 3 $\frac{5}{16}$ " wide overall, not over 3 $\frac{3}{8}$ " face.

Bars not over $\frac{9}{16}$ " wide overall, not over $\frac{3}{16}$ " face.

Glass Size	Open List	List Glazed SS	Standard Opening	Approximate Weights	
				Open	Glazed SS
6 $\frac{5}{8}$ x 7 $\frac{1}{2}$	\$1.86	\$4.80	2- 0x3- 0	7	14
8.....	1.86	4.80	3- 2	7	14
9.....	1.96	4.85	3- 6	8	14
10.....	2.02	5.20	3-10	8	15
11.....	2.08	5.35	4- 2	8	16
12.....	2.12	5.65	4- 6	8 $\frac{1}{2}$	17
13.....	2.18	5.85	4-10	9	19
14.....	2.22	6.05	5- 2	9	21
15.....	2.30	6.50	5- 6	9 $\frac{1}{2}$	22
8 x 9.....	2.08	5.25	2- 4x3- 6	8	16
10.....	2.14	5.25	3-10	8	19
11.....	2.20	5.70	4- 2	9	20
12.....	2.24	5.75	4- 6	9	20
13.....	2.30	5.80	4-10	10	22
14.....	2.34	6.00	5- 2	10	22
15.....	2.42	6.20	5- 6	11	26
8 $\frac{5}{8}$ x 9.....	2.11	5.30	2- 6x3- 6	9	18
10.....	2.17	5.95	3-10	9 $\frac{1}{2}$	19
11.....	2.23	6.00	4- 2	10	21
12.....	2.27	6.05	4- 6	10	22
13.....	2.33	6.25	4-10	10 $\frac{1}{2}$	23
14.....	2.37	6.50	5- 2	11	24
15.....	2.45	6.80	5- 6	11 $\frac{1}{2}$	26
9 $\frac{5}{16}$ x10.....	2.22	5.80	2- 8x3-10	10	21
12.....	2.32	6.35	4- 6	11	23
13.....	2.38	6.65	4-10	11	25
14.....	2.42	6.85	5- 2	12	26
15.....	2.50	7.15	5- 6	12 $\frac{1}{2}$	26
10 x10.....	2.26	5.65	2-10x3-10	10	21
12.....	2.36	6.15	4- 6	11	23
13.....	2.42	6.40	4-10	11	25
14.....	2.46	6.65	5- 2	12	26
15.....	2.54	6.90	5- 6	12 $\frac{1}{2}$	27
10 $\frac{5}{8}$ x10.....	2.37	6.40	3- 0x3-10	10 $\frac{1}{2}$	22
12.....	2.47	6.75	4- 6	11	24
13.....	2.53	7.00	4-10	11 $\frac{1}{2}$	26
14.....	2.57	7.30	5- 2	12	27
15.....	2.65	7.75	5- 6	12 $\frac{1}{2}$	31
11 $\frac{5}{16}$ x10.....	2.43	6.45	3- 2x3-10	11	24
12.....	2.53	7.05	4- 6	12	26
13.....	2.59	7.40	4-10	12 $\frac{1}{2}$	27
14.....	2.63	8.20	5- 2	13	32
15.....	2.71	8.55	5- 6	13 $\frac{1}{2}$	33

1 Lt. Sash
and Hot Bed
Sash
39

Cupboard
Sash
Casement
Sash
53

Extras,
Windows
and Sash
79

Door Lists,
Panel and
Cupboard,
Pine
87

Sash Door
Lists
Pine
93

Side Lights
Toilet and
Blind Doors
Pine
139

Extras,
Pine
Doors
147

Combination
Doors and
Extras
161

Window
Screens
183

Various
Door Lists
and Extras
187

Flush Door
Lists and
Extras
193



Twelve Light Check Rail Windows

13/8" Thick, Open and Glazed
With 3/8" Bars Between Glass To Fill 2 Light Openings
STANDARD LAYOUT

Opening sizes shown are based on 4" of wood in width, 6" of wood in height over glass size.

Stiles not over 1 13/16" wide overall, not over 1 5/8" face.

Top Rail not over 1 13/16" wide overall, not over 1 5/8" face.

Check Rail not over 1 5/16" high overall, not over 1 5/16" face.

Bottom Rail not over 3 1/8" wide overall, not over 2 3/4" face.

Bars not over 3/4" wide overall, not over 3/8" face.

Glass Size	Open List	List Glazed SS	Standard Opening	Approximate Weights	
				Open	Glazed SS
6 5/8 x 7 1/2	\$1.96	\$4.60	2- 0x3- 0	7	14
8	1.98	4.65	3- 2	7	14
9	2.03	4.85	3- 6	8	14
10	2.14	5.20	3-10	8	15
11	2.22	5.40	4- 2	8	16
12	2.26	5.60	4- 6	8 1/2	17
13	2.32	5.75	4-10	9	19
14	2.38	5.95	5- 2	9	21
15	2.46	6.15	5- 6	9 1/2	22
8 x 9	2.22	5.35	2- 4x3- 6	8	16
10	2.28	5.45	3-10	8	19
11	2.36	5.75	4- 2	9	20
12	2.40	5.95	4- 6	9	20
13	2.46	6.00	4-10	10	22
14	2.52	6.25	5- 2	10	22
15	2.60	6.45	5- 6	11	26
8 5/8 x 9	2.25	5.50	2- 6x3- 6	9	18
10	2.31	6.15	3-10	9 1/2	19
11	2.39	6.20	4- 2	10	21
12	2.43	6.25	4- 6	10	22
13	2.49	6.45	4-10	10 1/2	23
14	2.55	6.75	5- 2	11	24
15	2.63	7.05	5- 6	11 1/2	26
9 5/16 x 10	2.36	5.95	2- 8x3-10	10	21
12	2.48	6.50	4- 6	11	23
13	2.54	6.85	4-10	11	25
14	2.60	7.10	5- 2	12	26
15	2.68	7.30	5- 6	12 1/2	26
10 x 10	2.40	5.85	2-10x3-10	10	21
12	2.52	6.35	4- 6	11	23
13	2.58	6.60	4-10	11	25
14	2.64	6.90	5- 2	12	26
15	2.72	7.15	5- 6	12 1/2	27
10 5/8 x 10	2.51	6.60	3- 0x3-10	10 1/2	22
12	2.63	6.95	4- 6	11	24
13	2.69	7.20	4-10	11 1/2	26
14	2.75	7.55	5- 2	12	27
15	2.83	8.00	5- 6	12 1/2	31
11 5/16 x 10	2.59	6.65	3- 2x3-10	11	24
12	2.71	7.30	4- 6	12	26
13	2.77	7.65	4-10	12 1/2	27
14	2.83	8.30	5- 2	13	32
15	2.91	8.80	5- 6	13 1/2	33

Fifteen Light Plain Rail Windows

1 1/8" Thick, Open and Glazed, Not Ploughed or Bored



STANDARD LAYOUT

Opening sizes shown are based on 4 15/16" of wood in width, 7 7/16" of wood in height, over glass size.

Stiles and Top Rail not over 2 3/16" wide overall, not over 2" face.

Meeting Rail not over 1 5/16" high overall, not over 1 5/16" between glass.

Bottom Rail not over 3 5/16" wide overall, not over 3 1/8" face.

Bars not over 3/4" wide overall, not over 3/8" face.

Glass Size	Open List	List Glazed SS	Standard Opening
6x 8	\$2.16	\$4.80	1-10 15/16x3-11 7/16
7x 9	2.25	5.25	2- 1 15/16x4- 4 7/16
8x10	2.36	5.75	2- 4 15/16x4- 9 7/16
12	2.53	6.30	5- 7 7/16
14	2.62	6.80	6- 5 7/16
9x12	2.59	6.65	2- 7 15/16x5- 7 7/16
13	2.63	6.90	6- 0 7/16
14	2.76	7.25	6- 5 7/16
16	2.86	7.80	7- 3 7/16
10x12	2.64	7.00	2-10 15/16x5- 7 7/16
14	2.82	7.65	6- 5 7/16
15	2.87	7.90	6-10 7/16
16	2.93	8.80	7- 3 7/16
18	3.42	9.90	8- 1 7/16
12x12	2.75	7.65	3- 4 15/16x5- 7 7/16
14	2.95	9.00	6- 5 7/16
16	3.04	9.65	7- 3 7/16
18	3.55	10.95	8- 1 7/16

Unless otherwise ordered, 15 Light Windows will be made with 6 lights in the Bottom Sash.

If above windows are made with 3/16" bars between glass, 9/16" wide overall, making the opening 3/8" narrower and 9/16" shorter, deduct from the open list..... \$0.14
from the glazed list.... .18

Fifteen Light Check Rail Windows

1 3/8" Thick, Open and Glazed

STANDARD LAYOUT

Opening sizes shown are based on 4 15/16" of wood in width, 7 7/16" of wood in height, over glass size.

Stiles and Top Rail not over 2 3/16" wide overall, not over 2" face.

Check Rail not over 1 5/16" high overall, not over 1 5/16" between glass.

Bottom Rail not over 3 5/16" wide overall, not over 3 1/8" face.

Bars not over 3/4" wide overall, not over 3/8" face.



Glass Size	Open List	List Glazed SS	Standard Opening
6x 8	\$2.45	\$5.30	1-10 15/16x3-11 7/16
7x 9	2.56	5.80	2- 1 15/16x4- 4 7/16
8x10	2.68	6.30	2- 4 15/16x4- 9 7/16
12	2.87	6.90	5- 7 7/16
14	2.98	7.40	6- 5 7/16
9x12	2.94	7.20	2- 7 15/16x5- 7 7/16
13	2.99	7.45	6- 0 7/16
14	3.14	7.90	6- 5 7/16
16	3.25	8.40	7- 3 7/16

1 Lt. Sash
and Transoms
35

Cellar, Barn
and Hot Bed
Sash
39

Cupboard
Sash
Casement
Sash
53

Extras,
Windows
and Sash
79

Door Lists,
Panel and
Cupboard,
Pine
87

Sash Door
Lists
Pine
93

Side Lights,
Toilet and
Blind Doors
Pine
139

Extras,
Pine
Doors
147

Combination
Doors and
Extras
161

Window
Carpenter
183

Window
and Extras
197

Flush Door
List and
Extras
229

Fifteen Light Check Rail Windows

1 3/8" Thick, Open and Glazed—Continued

Class Size	Open List	List Glazed SS	Standard Opening
10x12.....	\$3.00	\$ 7.55	2-10 15/16x5- 7 7/16
14.....	3.21	8.30	6- 5 7/16
15.....	3.26	8.55	6-10 7/16
16.....	3.33	9.55	7- 3 7/16
18.....	3.89	10.70	8- 1 7/16
12x12.....	3.13	8.25	3- 4 15/16x5- 7 7/16
14.....	3.35	9.75	6- 5 7/16
16.....	3.46	10.35	7- 3 7/16
18.....	4.03	11.75	8- 1 7/16

Unless otherwise ordered, 15 Light Windows will be made with 6 lights in the Bottom Sash.

If above windows are made with 3/16" bars between glass, 9/16" wide overall making the opening 3/8" narrower and 9/16" shorter, deduct from the open list..... \$0.16
from the glazed list..... .20



Sixteen Light Check Rail Windows

1 3/8" Thick, Open and Glazed

STANDARD LAYOUT

Opening sizes shown are based on 5 3/8" of wood in width, 7" of wood in height, over glass size.

Stiles and Top Rail not over 2 3/16" wide overall, not over 2" face.

Check Rail not over 1 5/16" high overall, not over 1 5/16" between glass.

Bottom Rail not over 3 5/16" wide overall, not over 3 1/8" face.

Bars not over 3/4" wide overall, not over 3/8" face.

Class Size	Open List	List Glazed SS	Standard Opening
6x 8.....	\$2.58	\$5.60	2-5 3/8x3- 3
7x 9.....	2.71	6.15	2-9 3/8x3- 7
8x10.....	2.92	6.80	3-1 3/8x3-11
12.....	3.01	7.25	4- 7
14.....	3.09	7.75	5- 3
9x12.....	3.09	7.65	3-5 3/8x4- 7
13.....	3.14	7.90	4-11
14.....	3.18	8.20	5- 3
16.....	3.27	8.70	5-11
10x12.....	3.28	8.15	3-9 3/8x4- 7
13.....	3.32	8.45	4-11
14.....	3.38	8.80	5- 3
15.....	3.42	9.05	5- 7
16.....	3.46	9.95	5-11
18.....	4.03	11.20	6- 7
12x12.....	3.46	8.95	4-5 3/8x4- 7
14.....	3.55	10.25	5- 3
16.....	3.65	10.95	5-11
18.....	4.22	12.35	6- 7

If above windows are made with 3/16" bars between glass, 9/16" wide overall, making opening 3/16" narrower and 3/8" shorter, deduct from the open list..... \$0.17
from the glazed list..... .21

Eighteen Light Plain Rail Windows

1 1/8" Thick, Open and Glazed, Not Ploughed or Bored

STANDARD LAYOUT



Opening sizes shown are based on 4 15/16" of wood in width, 7 7/8" of wood in height, over glass size.

Stiles and Top Rail not over 2 3/16" wide overall, not over 2" face.

Meeting Rail not over 1 5/16" high overall, not over 1 5/16" between glass.

Bottom Rail not over 3 5/16" wide overall, not over 3 1/8" face.

Bars not over 3/4" wide overall, not over 3/8" face.


Glass Size	Open List	List Glazed SS	Standard Opening
6x 8.....	\$2.43	\$5.55	1-10 15/16x4-7 7/8
7x 9.....	2.54	6.10	2- 1 15/16x5-1 7/8
8x10.....	2.65	6.65	2- 4 15/16x5-7 7/8
12.....	2.84	7.30	6-7 7/8
14.....	3.04	8.00	7-7 7/8
9x12.....	2.90	7.70	2- 7 15/16x6-7 7/8
13.....	2.96	8.00	7-1 7/8
14.....	3.12	8.45	7-7 7/8
16.....	3.23	9.05	8-7 7/8
10x12.....	2.96	8.10	2-10 15/16x6-7 7/8
14.....	3.17	8.90	7-7 7/8
15.....	3.23	9.20	8-1 7/8
16.....	3.29	10.25	8-7 7/8
18.....	4.10	11.80	9-7 7/8
12x12.....	3.08	8.85	3- 4 15/16x6-7 7/8
14.....	3.29	10.45	7-7 7/8
16.....	3.41	11.20	8-7 7/8
18.....	4.22	13.00	9-7 7/8

If above windows are made with 3/16" bars between glass 3/16" wide overall, making opening 3/8" narrower and 3/4" shorter, deduct from the open list..... \$0.19
from the glazed list..... .23

Eighteen Light Check Rail Windows

1 3/8" Thick, Open and Glazed

STANDARD LAYOUT



Opening sizes shown are based on 4 15/16" of wood in width, 7 7/8" of wood in height, over glass size.

Stiles and Top Rail not over 2 3/16" wide overall, not over 2" face.

Check Rail not over 1 5/16" high overall, not over 1 5/16" between glass.

Bottom Rail not over 3 5/16" wide overall, not over 3 1/8" face.

Bars not over 3/4" wide overall, not over 3/8" face.

Glass Size	Open List	List Glazed SS	Standard Opening
6x 8.....	\$2.76	\$6.10	1-10 15/16x4-7 7/8
7x 9.....	2.89	6.70	2- 1 15/16x5-1 7/8
8x10.....	3.01	7.25	2- 4 15/16x5-7 7/8
12.....	3.23	7.95	6-7 7/8
14.....	3.46	8.70	7-7 7/8
9x12.....	3.30	8.35	2- 7 15/16x6-7 7/8

1 Lt. Sash
and
Transoms
35

Cellar, Barn
and Hot Bed
Sash
39

Cupboard
Sash
Casement
Sash
53

Extras,
Windows
and Sash
79

Door Lists,
Panel and
Cupboard,
Pine
87

Sash Door
Lists
Pine
93

Side Lights,
Toilet and
Blind Doors
Pine
139

Extras,
Pine
Doors
147

Combination
Doors and
Extras
161

Window
Screens
183

Unvarnished
Door Lists
and Extras
187

Thin Door
Lists and
Extras
223

Eighteen Light Check Rail Windows

$1\frac{3}{8}$ " Thick, Open and Glazed—Continued

Glass Size	Open List	List Glazed SS	Standard Opening
9x13.....	\$3.36	\$ 8.65	2- $7\frac{15}{16}$ x7-1 $\frac{7}{8}$
14.....	3.54	9.15	7-7 $\frac{7}{8}$
16.....	3.67	9.75	8-7 $\frac{7}{8}$
10x12.....	3.36	8.75	2-10 $\frac{15}{16}$ x6-7 $\frac{7}{8}$
14.....	3.60	9.60	7-7 $\frac{7}{8}$
15.....	3.67	9.90	8-1 $\frac{7}{8}$
16.....	3.74	11.05	8-7 $\frac{7}{8}$
18.....	4.66	12.75	9-7 $\frac{7}{8}$
12x12.....	3.50	9.55	3- 4 $\frac{15}{16}$ x6-7 $\frac{7}{8}$
14.....	3.75	11.25	7-7 $\frac{7}{8}$
16.....	3.88	12.00	8-7 $\frac{7}{8}$
18.....	4.80	13.95	9-7 $\frac{7}{8}$

If above windows are made with $\frac{3}{16}$ " bars between glass, $\frac{9}{16}$ " wide overall, making opening $\frac{3}{8}$ " narrower and $\frac{3}{4}$ " shorter, deduct from the open list..... \$0.17
from the glazed list..... .21



Twenty Light Check Rail Windows

$1\frac{3}{8}$ " Thick, Open and Glazed

STANDARD LAYOUT

Opening sizes shown are based on $5\frac{3}{8}$ " of wood in width, $7\frac{7}{16}$ " of wood in height, over glass size.

Stiles and Top Rail not over $2\frac{3}{16}$ " wide overall, not over 2" face.

Check Rail not over $1\frac{1}{16}$ " high overall, not over $\frac{15}{16}$ " between glass.

Bottom Rail not over $3\frac{5}{16}$ " wide overall, not over $3\frac{1}{8}$ " face.

Bars not over $\frac{3}{4}$ " wide overall, not over $\frac{3}{8}$ " face.

Glass Size	Open List	List Glazed SS	Standard Opening
6x 8.....	\$2.95	\$6.65	2-5 $\frac{3}{8}$ x3-11 $\frac{7}{16}$
7x 9.....	3.08	7.25	2-9 $\frac{3}{8}$ x4- 4 $\frac{7}{16}$
8x10.....	3.31	8.05	3-1 $\frac{3}{8}$ x4- 9 $\frac{7}{16}$
12.....	3.42	8.65	5- 7 $\frac{7}{16}$
14.....	3.53	9.25	6- 5 $\frac{7}{16}$
9x12.....	3.50	9.10	3-5 $\frac{3}{8}$ x5- 7 $\frac{7}{16}$
13.....	3.56	9.40	6- 0 $\frac{7}{16}$
14.....	3.72	9.90	6- 5 $\frac{7}{16}$
16.....	3.83	10.55	7- 3 $\frac{7}{16}$
10x12.....	3.70	9.70	3-9 $\frac{3}{8}$ x5- 7 $\frac{7}{16}$
14.....	3.81	10.45	6- 5 $\frac{7}{16}$
15.....	3.86	10.75	6-10 $\frac{7}{16}$
16.....	3.93	12.00	7- 3 $\frac{7}{16}$
18.....	4.88	13.80	8- 1 $\frac{7}{16}$
12x12.....	3.88	10.60	4-5 $\frac{3}{8}$ x5- 7 $\frac{7}{16}$
14.....	4.00	12.30	6- 5 $\frac{7}{16}$
16.....	4.55	13.70	7- 3 $\frac{7}{16}$
18.....	5.56	15.80	8- 1 $\frac{7}{16}$

Unless otherwise ordered, 20 Light Windows will be made with 8 Lights in the Bottom Sash.

Twenty-Four Light Check Rail Windows

13/8" Thick, Open and Glazed

STANDARD LAYOUT

Opening sizes shown are based on 5 3/8" of wood in width, 7 7/8" of wood in height, over glass size.


Stiles and Top Rail not over 2 3/16" wide overall, not over 2" face.

Check Rail not over 1 5/16" high overall, not over 1 5/16" between glass.

Bottom Rail not over 3 5/16" wide overall, not over 3 1/8" face.

Bars not over 3/4" wide overall, not over 3/8" face.

Glass Size	Open List	List Glazed SS	Standard Opening
6x 8	\$3.33	\$7.65	2-5 3/8x4-7 7/8
7x 9	3.48	8.35	2-9 3/8x5-1 7/8
8x10	3.72	9.25	3-1 3/8x5-7 7/8
12	3.85	9.95	6-7 7/8
14	4.09	10.85	7-7 7/8
9x12	3.94	10.45	3-5 3/8x6-7 7/8
13	4.00	10.85	7-1 7/8
14	4.19	11.45	7-7 7/8
16	4.32	12.20	8-7 7/8
10x12	4.13	11.15	3-9 3/8x6-7 7/8
14	4.28	12.05	7-7 7/8
15	4.34	12.45	8-1 7/8
16	4.41	13.90	8-7 7/8
18	5.53	16.00	9-7 7/8
12x12	4.32	12.20	4-5 3/8x6-7 7/8
14	4.46	14.40	7-7 7/8
16	5.04	15.75	8-7 7/8
18	6.22	18.30	9-7 7/8



Thirty Light Check Rail Windows

13/8" Thick, Open and Glazed

STANDARD LAYOUT

Opening sizes shown are based on 5 13/16" of wood in width, 7 7/8" of wood in height, over glass size.

Stiles and Top Rail not over 2 3/16" wide overall, not over 2" face.

Check Rail not over 1 5/16" high overall, not over 1 5/16" between glass.

Bottom Rail not over 3 5/16" wide overall, not over 3 1/8" face.

Bars not over 3/4" wide overall, not over 3/8" face.

Glass Size	Open List	List Glazed SS	Standard Opening
6x 8	\$3.97	\$ 9.30	2-11 13/16x4-7 7/8
7x 9	4.14	10.20	3- 4 13/16x5-1 7/8
8x10	4.42	11.30	3- 9 13/16x5-7 7/8



1 Lt. Sash
and
Transoms
35

Cellar, Barn
and Hot Bed
Sash
39

Cupboard
Sash
Casement
Sash
53

Extras,
Windows
and Sash
79

Door Lists,
Panel and
Cupboard,
Pine
87

Sash Door
Lists
Pine
93

Side Lights,
Toilet and
Blind Doors
Pine
139

Extras,
Pine
Doors
147

Combination
Doors and
Extras
161

Window
Scynas
183

Varnished
Door Lists
and Extras
197

Flush Door
Lists and
Extras
229

Thirty Light Check Rail Windows

1 $\frac{3}{8}$ " Thick, Open and Glazed—Continued

Glass Size	Open List	List Glazed SS	Standard Opening
8x12.....	\$4.55	\$12.15	3-9 $\frac{13}{16}$ x6-7 $\frac{7}{8}$
14.....	4.70	13.05	7-7 $\frac{7}{8}$
9x12.....	4.67	12.80	4-2 $\frac{13}{16}$ x6-7 $\frac{7}{8}$
13.....	4.74	13.25	7-1 $\frac{7}{8}$
14.....	4.81	13.80	7-7 $\frac{7}{8}$
16.....	5.39	15.30	8-7 $\frac{7}{8}$
10x12.....	5.03	13.80	4-7 $\frac{13}{16}$ x6-7 $\frac{7}{8}$
14.....	5.18	14.90	7-7 $\frac{7}{8}$
15.....	5.74	16.00	8-1 $\frac{7}{8}$
16.....	5.81	17.75	8-7 $\frac{7}{8}$
18.....	7.03	20.20	9-7 $\frac{7}{8}$
12x12.....	5.28	15.15	5-5 $\frac{13}{16}$ x6-7 $\frac{7}{8}$
14.....	5.44	17.65	7-7 $\frac{7}{8}$
16.....	6.04	19.40	8-7 $\frac{7}{8}$
18.....	7.29	22.25	9-7 $\frac{7}{8}$



Thirty-Two Light Check Rail Windows

1 $\frac{3}{8}$ " Thick, Open and Glazed

STANDARD LAYOUT

Opening sizes shown are based on 5 $\frac{3}{8}$ " of wood in width, 8 $\frac{3}{4}$ " of wood in height, over glass size.

Stiles and Top Rail not over 2 $\frac{3}{16}$ " wide overall, not over 2" face.

Check Rail not over 1 $\frac{5}{16}$ " high overall, not over 1 $\frac{5}{16}$ " between glass.

Bottom Rail not over 3 $\frac{5}{16}$ " wide overall, not over 3 $\frac{1}{8}$ " face.

Bars not over $\frac{3}{4}$ " wide overall, not over $\frac{3}{8}$ " face.

Glass Size	Open List	List Glazed SS	Standard Opening
6x 8.....	\$4.15	\$ 9.85	2-5 $\frac{3}{8}$ x 6-0 $\frac{3}{4}$
7x 9.....	4.32	10.80	2-9x $\frac{5}{8}$ x6-8 $\frac{3}{4}$
8x10.....	4.61	11.90	3-1 $\frac{3}{8}$ x 7-4 $\frac{3}{4}$
12.....	4.79	12.90	8-8 $\frac{3}{4}$
14.....	5.22	14.20	9-4 $\frac{3}{4}$
9x12.....	4.88	13.55	3-5 $\frac{3}{8}$ x 8-8 $\frac{3}{4}$
13.....	5.22	14.35	9-4 $\frac{3}{4}$
14.....	5.32	14.95	10-0 $\frac{3}{4}$
16.....	5.52	16.05	11-4 $\frac{3}{4}$
10x12.....	4.97	14.25	3-9 $\frac{3}{8}$ x 8-8 $\frac{3}{4}$
14.....	5.42	15.75	10-0 $\frac{3}{4}$
15.....	5.52	16.30	10-8 $\frac{3}{4}$
16.....	5.62	18.25	11-4 $\frac{3}{4}$
18.....	6.93	20.85	12-8 $\frac{3}{4}$
12x12.....	5.60	16.15	4-5 $\frac{3}{8}$ x 8-8 $\frac{3}{4}$
14.....	6.10	19.20	10-0 $\frac{3}{4}$
16.....	6.30	20.55	11-4 $\frac{3}{4}$
18.....	7.64	23.60	12-8 $\frac{3}{4}$

Thirty-Six Light Check Rail Windows

13/8" Thick, Open and Glazed

STANDARD LAYOUT


Opening sizes shown are based on 5 3/8" of wood in width, 9 3/16" of wood in height, over glass size.

Stiles and Top Rail not over 2 3/16" wide overall, not over 2" face.

Check Rail not over 1 5/16" high overall, not over 1 5/16" between glass.

Bottom Rail not over 3 3/16" wide overall, not over 3 1/8" face.

Bars not over 3/4" wide overall, not over 3/8" face.



Glass Size	Open List	List Glazed SS	Standard Opening
6x 8.....	\$4.61	\$11.05	2-5 3/8x 6-9 3/16
7x 9.....	4.81	12.05	2-9 3/8x 7-6 3/16
8x10.....	5.00	13.20	3-1 3/8x 8-3 3/16
12.....	5.20	14.30	9-9 3/16
14.....	5.68	15.75	11-3 3/16
9x12.....	5.29	15.00	3-5 3/8x 9-9 3/16
13.....	5.66	15.90	10-6 3/16
14.....	5.77	16.55	11-3 3/16
16.....	6.00	17.80	12-9 3/16
10x12.....	5.39	15.75	3-9 3/8x 9-9 3/16
14.....	5.88	17.50	11-3 3/16
15.....	5.99	18.10	12-0 3/16
16.....	6.10	20.30	12-9 3/16
18.....	7.56	23.20	14-3 3/16
12x12.....	6.01	17.80	4-5 3/8x 9-9 3/16
14.....	6.55	21.25	11-3 3/16
16.....	6.78	22.75	12-9 3/16
18.....	8.28	26.20	14-3 3/16

Unless otherwise ordered, 36 Light Windows will be made with 16 Lights in the Bottom Sash.

Forty Light Check Rail Windows

13/8" Thick, Open and Glazed

STANDARD LAYOUT


Opening sizes shown are based on 5 13/16" of wood in width, 8 3/4" of wood in height, over glass size.

Stiles and Top Rail not over 2 3/16" wide overall, not over 2" face.

Check Rail not over 1 5/16" high overall, not over 1 5/16" between glass.

Bottom Rail not over 3 3/16" wide overall, not over 3 1/8" face.

Bars not over 3/4" wide overall, not over 3/8" face.



Glass Size	Open List	List Glazed SS	Standard Opening
6x 8.....	\$4.84	\$11.85	2-11 13/16x 6-0 3/4
7x 9.....	5.04	13.00	3- 4 13/16x 6-8 3/4
8x10.....	5.24	14.20	3- 9 13/16x 7-4 3/4
12.....	5.53	15.50	8-8 3/4
14.....	5.98	17.00	10-0 3/4
9x12.....	6.09	16.85	4- 2 13/16x 8-8 3/4

1 Lt. Sash and Transoms 35

Cellar, Barn and Hot Bed Sash 39

Cupboard Sash Casement Sash 53

Extras, Windows and Sash 79

Door Lists, Panel and Cupboard, Pine 87

Sash Door Lists Pine 93

Side Lights, Toilet and Blind Doors Pine 139

Extras, Pine Doors 147

Combination Doors and Extras 161

Window Screens 183


Varnished Door Lists and Extras 187

Flush Door Lists and Extras 223

Forty Light Check Rail Windows

1³/₈" Thick, Open and Glazed—Continued

Glass Size	Open List	List Glazed SS	Standard Opening
9x13.....	\$6.18	\$17.50	4- 2 ¹³ / ₁₆ x 9-4 ³ / ₄
14.....	6.58	18.55	10-0 ³ / ₄
16.....	6.78	19.85	11-4 ³ / ₄
10x12.....	6.51	18.10	4- 7 ¹³ / ₁₆ x 8-8 ³ / ₄
14.....	6.88	19.80	10-0 ³ / ₄
15.....	6.98	20.45	10-8 ³ / ₄
16.....	7.06	22.80	11-4 ³ / ₄
18.....	8.67	26.05	12-8 ³ / ₄
12x12.....	6.76	19.80	5- 5 ¹³ / ₁₆ x 8-8 ³ / ₄
14.....	7.14	23.35	10-0 ³ / ₄
16.....	7.34	24.95	11-4 ³ / ₄
18.....	8.94	28.70	12-8 ³ / ₄



Front Windows

1³/₈" Thick, Open and Glazed

STANDARD LAYOUT

Opening sizes shown are based on 4" of wood in width, 6" of wood in height, over glass size.

Stiles and Top Rail not over 2³/₁₆" wide overall, not over 2" face.

Check Rail not over 1⁵/₁₆" high overall, not over 1¹⁵/₁₆" between glass.

Bottom Rail not over 3⁵/₁₆" wide overall, not over 3¹/₈" face.

No. 14

Bottom Light	Glass Size Top Light	Open List	List Glazed DS	List Glazed DS Bot. Glazed SS Top	Standard Opening
36x34	36x14.....	\$2.10	\$ 8.85	\$ 8.35	3-4x4- 6
36x36	36x16.....	2.13	9.00	8.50	4-10
36x40	36x16.....	2.29	9.95	9.45	5- 2
36x36	36x20.....	2.17	9.55	8.85	5- 2
40x34	40x14.....	2.29	9.95	9.45	3-8x4- 6
40x36	40x16.....	2.32	10.30	9.70	4-10
40x40	40x16.....	2.37	10.35	9.75	5- 2
40x44	40x16.....	2.42	11.75	11.15	5- 6
40x48	40x16.....	2.46	12.30	11.65	5-10
40x40	40x20.....	2.42	10.85	10.10	5- 6
40x44	40x20.....	2.46	12.20	11.45	5-10
44x34	44x14.....	2.38	10.25	9.70	4-0x4- 6
44x36	44x16.....	2.43	10.65	10.00	4-10
44x40	44x16.....	2.46	12.00	11.30	5- 2
44x44	44x16.....	2.51	13.20	12.50	5- 6
44x40	44x20.....	2.51	12.70	11.85	5- 6
44x44	44x20.....	2.55	13.95	13.05	5-10
48x34	48x14.....	2.48	12.00	11.35	4-4x4- 6
48x36	48x16.....	2.52	12.45	11.70	4-10
48x40	48x16.....	2.55	13.00	12.20	5- 2
48x42	48x18.....	2.60	14.10	13.20	5- 6
48x46	48x18.....	2.64	16.45	15.60	5-10
48x50	48x18.....	2.70	18.35	17.45	6- 2

Front Sash

13/8" Thick, Open and Glazed


STANDARD LAYOUT

Opening sizes shown are based on 4" of wood in width,
6" of wood in height, over glass size.

Stiles and Top Rail not over 2 3/16" wide overall, not
over 2" face.

Horizontal Bar not over 1 5/16" high overall, not over
1 5/16" between glass.

Bottom Rail not over 3 5/16" wide overall, not over
3 1/8" face.



No. 15

Bottom Light	Glass Size Top Light	Open List	List Glazed DS	List Glazed DS Bot. Glazed SS Top	Standard Opening
36x34	36x14	\$1.94	\$ 8.65	\$ 8.15	3-4x4- 6
36x36	36x16	1.98	8.85	8.30	4-10
36x40	36x16	2.02	9.65	9.10	5- 2
36x36	36x20	2.02	9.35	8.65	5- 2
40x34	40x14	2.00	9.60	9.10	3-8x4- 6
40x36	40x16	2.05	9.95	9.35	4-10
40x40	40x16	2.09	10.60	9.40	5- 2
40x44	40x16	2.15	11.40	10.80	5- 6
40x48	40x16	2.19	11.95	11.35	5-10
40x40	40x20	2.15	10.55	9.80	5- 6
40x44	40x20	2.19	11.90	11.15	5-10
44x34	44x14	2.07	9.90	9.35	4-0x4- 6
44x36	44x16	2.11	10.25	9.60	4-10
44x40	44x16	2.17	11.60	10.95	5- 2
44x44	44x16	2.21	12.80	12.15	5- 6
44x40	44x20	2.21	12.35	11.45	5- 6
44x44	44x20	2.26	13.60	12.70	5-10
48x34	48x14	2.15	11.60	10.95	4-4x4- 6
48x36	48x16	2.19	12.05	11.30	4-10
48x40	48x16	2.23	12.60	11.80	5- 2
48x42	48x18	2.28	13.70	12.80	5- 6
48x46	48x18	2.32	16.25	15.40	5-10
48x50	48x18	2.37	18.15	17.25	6- 2

Lt. Sash
and
Transoms
35

Cellar, Barn
and Hot Bed
Sash
39

Cupboard
Sash
Casement
Sash
53

Extras,
Windows
and Sash
79

Door Lists,
Panel and
Cupboard,
Pine
87

Sash Door
Lists
Pine
93

Side Lights,
Toilet and
Blind Doors
Pine
139

Extras,
Pine
Doors
147

Combination
Doors and
Extras
161

Window
Screens
183

Various
Jury Lists
and Extras
197

Flush Door
Lists and
Extras
220



One Light Sash

1³/₈" Thick, Open and Glazed

STANDARD LAYOUT

Opening sizes shown are based on 4" of wood in width, 5" of wood in height over glass size.

Stiles and Top Rail not over 2³/₁₆" wide overall, not over 2" face.

Bottom Rail not over 3⁵/₁₆" wide overall, not over 3¹/₈" face.

Glass Size	Open List	List Glazed SS	List Glazed DS	Standard Opening
10x12.....	\$0.67	\$1.20	1- 2x1- 5
14.....	.69	1.25	1- 7
16.....	.71	1.40	1- 9
12x14.....	.71	1.40	\$1.50	1- 4x1- 7
16.....	.73	1.45	1.60	1- 9
18.....	.75	1.55	1.70	1-11
20.....	.77	1.60	1.75	2- 1
24.....	.79	1.75	1.95	2- 5
16x16.....	.75	1.60	1.75	1- 8x1- 9
18.....	.77	1.65	1.85	1-11
20.....	.79	1.80	2.05	2- 1
24.....	.81	1.90	2.20	2- 5
18x18.....	.79	1.80	2.05	1-10x1-11
20.....	.81	1.90	2.15	2- 1
24.....	.83	2.10	2.50	2- 5
26.....	.85	2.25	2.70	2- 7
28.....	.87	2.30	2.80	2- 9
30.....	.89	2.40	2.95	2-11
32.....	.92	2.45	3.00	3- 1
36.....	.97	2.75	3.35	3- 5
20x16.....	.79	1.80	2.05	2- 0x1- 9
18.....	.81	1.90	2.15	1-11
20.....	.83	2.10	2.45	2- 1
24.....	.85	2.25	2.70	2- 5
26.....	.87	2.30	2.80	2- 7
28.....	.89	2.40	2.95	2- 9
30.....	.91	2.50	3.10	2-11
32.....	.95	2.70	3.35	3- 1
36.....	.99	2.95	3.65	3- 5
24x16.....	.81	1.95	2.30	2- 4x1- 9
18.....	.83	2.10	2.50	1-11
20.....	.85	2.25	2.70	2- 1
24.....	.87	2.45	3.05	2- 5
26.....	.89	2.50	3.05	2- 7
28.....	.91	2.65	3.30	2- 9
30.....	.93	2.80	3.50	2-11
32.....	1.00	3.10	3.85	3- 1
36.....	1.04	3.35	4.20	3- 5
26x16.....	.81	2.10	2.50	2- 6x1- 9
18.....	.83	2.20	2.65	1-11
20.....	.87	2.30	2.80	2- 1
24.....	.90	2.50	3.05	2- 5
26.....	.92	2.65	3.30	2- 7
28.....	.94	2.90	3.55	2- 9
30.....	.96	3.05	3.80	2-11
32.....	1.05	3.15	3.90	3- 1
36.....	1.07	3.65	4.55	3- 5
28x16.....	.84	2.15	2.60	2- 8x1- 9
18.....	.86	2.30	2.80	1-11
20.....	.88	2.40	2.95	2- 1

One Light Sash—1 $\frac{3}{8}$ " Thick—Continued

Glass Size	Open List	List Glazed SS	List Glazed DS	Standard Opening
28x24.....	\$.92	\$2.65	\$3.30	2- 8x2- 5
28.....	.96	3.05	3.80	2- 9
30.....	.98	3.10	3.85	2-11
32.....	1.05	3.60	4.50	3- 1
36.....	1.10	3.95	4.95	3- 5
30x16.....	.86	2.25	2.70	2-10x1- 9
18.....	.88	2.40	2.95	1-11
20.....	.90	2.50	3.05	2- 1
24.....	.95	2.80	3.50	2- 5
26.....	.97	3.05	3.80	2- 7
28.....	.99	3.10	3.85	2- 9
30.....	1.00	3.55	4.45	2-11
32.....	1.08	3.65	4.55	3- 1
36.....	1.12	3.95	4.95	3- 5
32x16.....	.91	2.35	2.85	3- 0x1- 9
18.....	.93	2.45	3.00	1-11
20.....	.96	2.70	3.35	2- 1
24.....	1.00	3.10	3.85	2- 5
26.....	1.02	3.15	3.90	2- 7
28.....	1.04	3.60	4.50	2- 9
30.....	1.06	3.65	4.50	2-11
32.....	1.09	3.90	4.90	3- 1
36.....	1.13	4.30	5.45	3- 5
34x16.....	.93	2.45	3.00	3- 2x1- 9
18.....	.96	2.65	3.20	1-11
20.....	.99	2.75	3.40	2- 1
24.....	1.03	3.15	3.90	2- 5
26.....	1.05	3.50	4.35	2- 7
28.....	1.07	3.65	4.55	2- 9
30.....	1.09	3.90	4.90	2-11
32.....	1.11	3.95	4.95	3- 1
36.....	1.16	4.70	5.90	3- 5
40.....	1.25	5.35	6.75	3- 9
36x16.....	.99	2.60	3.10	3- 4x1- 9
18.....	1.01	2.80	3.40	1-11
20.....	1.03	3.00	3.70	2- 1
24.....	1.07	3.40	4.20	2- 5
26.....	1.09	3.65	4.55	2- 7
28.....	1.11	3.95	4.95	2- 9
30.....	1.14	4.00	5.00	2-11
32.....	1.16	4.35	5.50	3- 1
36.....	1.21	4.80	5.95	3- 5
40.....	1.29	5.40	6.80	3- 9
48.....	1.38	8.25	4- 5
40x16.....	1.09	2.95	3.60	3- 8x1- 9
18.....	1.11	3.10	3.80	1-11
20.....	1.13	3.25	4.00	2- 1
24.....	1.18	3.80	4.65	2- 5
28.....	1.23	5.60	2- 9
30.....	1.25	5.60	2-11
32.....	1.27	6.00	3- 1
36.....	1.32	6.85	3- 5
40.....	1.36	6.90	3- 9
44.....	1.39	8.25	4- 1
48.....	1.43	8.85	4- 5
52.....	1.61	9.25	4- 9
56.....	1.67	13.20	5- 1

 Lt. Sash
and
Transoms
35

 Cellar, Barn
and Hot Bed
Sash
39

 Cupboard
Sash
Casement
Sash
53

 Extras,
Windows
and Sash
79

 Door Lists,
Panel and
Cupboard,
Pine
87

 Sash Door
Lists
Pine
93

 Side Lights,
Toilet and
Blind Doors
Pine
139

 Extras,
Pine
Doors
147

 Combination
Doors and
Extras
161

 Window
Screens
183


 Unvarnished
Door Lists
and Extras
197

 Flush Door
Lists and
Extras
229

One Light Sash—13¹/₈" Thick—Continued

Glass Size	Open List	List Glazed SS	List Glazed DS	Standard Opening
40x60.....	\$1.72	\$13.20	3- 8x5- 5
64.....	1.76	14.05	5- 9
68.....	1.89	18.80	6- 1
44x16.....	1.14	3.80	4- 0x1- 9
18.....	1.17	4.35	1-11
20.....	1.19	4.70	2- 1
24.....	1.24	5.10	2- 5
28.....	1.29	6.05	2- 9
30.....	1.31	6.85	2-11
32.....	1.33	6.85	3- 1
36.....	1.38	6.90	3- 5
40.....	1.40	8.25	3- 9
44.....	1.44	8.85	4- 1
48.....	1.55	11.30	4- 5
52.....	1.74	13.25	4- 9
56.....	1.80	13.35	5- 1
60.....	1.85	16.40	5- 5
64.....	1.90	18.80	5- 9
68.....	2.03	20.80	6- 1
48x16.....	1.18	4.35	4- 4x1- 9
18.....	1.20	4.70	1-11
20.....	1.22	4.70	2- 1
24.....	1.27	6.00	2- 5
28.....	1.34	6.85	2- 9
30.....	1.36	6.90	2-11
32.....	1.38	6.90	3- 1
36.....	1.43	8.30	3- 5
40.....	1.45	8.85	3- 9
44.....	1.56	11.35	4- 1
48.....	1.84	13.40	4- 5
52.....	2.05	13.65	4- 9
54.....	2.07	14.45	4-11
56.....	2.11	16.70	5- 1
60.....	2.16	19.20	5- 5
64.....	2.21	21.00	5- 9
68.....	2.31	29.25	6- 1
50x40.....	1.47	8.90	4- 6x3- 9
44.....	1.60	11.40	4- 1
48.....	1.87	13.45	4- 5
52.....	2.00	14.35	4- 9
56.....	2.05	19.00	5- 1
60.....	2.10	19.05	5- 5
64.....	2.15	20.95	5- 9
68.....	2.35	29.30	6- 1
54x54.....	2.26	24.10	4-10x4-11
56x40.....	1.78	13.30	5- 0x3- 9
44.....	1.83	13.40	4- 1
48.....	2.13	16.75	4- 5
52.....	2.26	19.25	4- 9
56.....	2.33	24.25	5- 1
60.....	2.38	29.35	5- 5
64.....	2.43	29.40	5- 9
68.....	2.58	32.40	6- 1
60x54.....	2.35	29.20	5- 4x4-11
66x54.....	2.46	29.45	5-10x4-11
72x54.....	2.62	35.30	6- 4x4-11

For divided lights, add extra per Rule 10, page 80.



One Light Transoms

1 $\frac{3}{8}$ " Thick, Open and Glazed

STANDARD LAYOUT

Opening sizes shown are based on 4" of wood in width, 4" of wood in height, over glass size.

Stiles and Top Rail not over 2 $\frac{3}{16}$ " wide overall, not over 2" face.

Bottom Rail not over 2 $\frac{3}{16}$ " wide overall, not over 2" face.

Glass Size	Open List	List Glazed SS	List Glazed DS	Standard Opening
26x 6.....	\$0.64	\$1.35	2- 6x0-10
8.....	.64	1.40	1- 0
10.....	.66	1.55	1- 2
12.....	.68	1.65	1- 4
14.....	.70	1.75	1- 6
16.....	.72	2.00	1- 8
18.....	.74	2.10	1-10
20.....	.76	2.20	2- 0
28x 6.....	.66	1.40	2- 8x0-10
8.....	.66	1.50	1- 0
10.....	.68	1.60	1- 2
12.....	.70	1.70	1- 4
14.....	.72	1.95	1- 6
16.....	.74	2.05	1- 8
18.....	.76	2.20	1-10
20.....	.78	2.25	2- 0
30x 8.....	.68	1.60	2-10x1- 0
10.....	.70	1.65	1- 2
12.....	.72	1.85	1- 4
14.....	.74	2.00	1- 6
16.....	.76	2.10	1- 8
18.....	.78	2.25	1-10
20.....	.80	2.40	2- 0
32x 8.....	.74	1.70	3- 0x1- 0
10.....	.76	1.85	1- 2
12.....	.78	2.00	1- 4
14.....	.80	2.10	1- 6
16.....	.82	2.25	1- 8
18.....	.84	2.35	1-10
20.....	.87	2.60	2- 0
36x 8.....	.78	1.85	3- 4x1- 0
10.....	.80	1.95	1- 2
12.....	.82	2.10	1- 4
14.....	.84	2.30	1- 6
16.....	.87	2.45	1- 8
18.....	.89	2.65	1-10
20.....	.91	2.85	2- 0
40x 8.....	.86	2.10	3- 8x1- 0
10.....	.88	2.20	1- 2
12.....	.91	2.35	1- 4
14.....	.94	2.50	1- 6
16.....	.96	2.80	1- 8
18.....	.98	2.95	1-10
20.....	1.00	3.10	\$3.85	2- 0
22.....	1.02	3.60	4.45	2- 2
24.....	1.05	3.65	4.50	2- 4
26.....	1.07	3.90	4.90	2- 6

Cellar, Barn
and Hot Bed
Sash
39

Cupboard
Sash
Cassment
Sash
53

Extras,
Windows
and Sash
79

Door Lists,
Panel and
Cupboard,
Pine
87

Sash Door
Lists
Pine
93

Side Lights,
Toilet and
Blind Doors
Pine
139

Extras,
Pine
Doors
147

Combination
Doors and
Extras
161

Window
Screws
183

Unvarnished
Door Lists
and Extras
197

Flush Door
List and
Extras
253

One Light Transoms

$1\frac{3}{8}$ " Thick—Continued

Glass Size	Open List	List Glazed SS	List Glazed DS	Standard Opening
44x 8.....	\$0.91	\$2.55	4- 0x1- 0
10.....	.94	2.80	1- 2
12.....	.96	3.05	1- 4
14.....	.98	3.30	1- 6
16.....	1.00	3.65	1- 8
18.....	1.02	4.15	1-10
20.....	1.05	4.50	2- 0
22.....	1.07	4.90	2- 2
24.....	1.09	4.90	2- 4
26.....	1.11	5.45	2- 6
56x12.....	1.24	4.25	5- 0x1- 4
14.....	1.26	4.75	1- 6
16.....	1.29	5.15	1- 8
18.....	1.31	5.60	1-10
20.....	1.34	6.20	2- 0
22.....	1.38	6.25	2- 2
24.....	1.40	7.05	2- 4
26.....	1.43	7.15	2- 6
68x12.....	1.51	6- 0x1- 4
14.....	1.54	1- 6
16.....	1.57	1- 8
18.....	1.59	1-10
20.....	1.62	2- 0
22.....	1.65	2- 2
24.....	1.67	2- 4
26.....	1.70	2- 6
80x12.....	1.67	7- 0x1- 4
14.....	1.70	1- 6
16.....	1.73	1- 8
18.....	1.76	1-10
20.....	1.78	2- 0
22.....	1.82	2- 2
24.....	1.85	2- 4
26.....	1.87	2- 6
92x12.....	1.99	8- 0x1- 4
14.....	2.02	1- 6
16.....	2.04	1- 8
18.....	2.07	1-10
20.....	2.10	2- 0
22.....	2.13	2- 2
24.....	2.16	2- 4
26.....	2.19	2- 6

For divided lights, add extra per Rule 10, page 80.

Transoms 68x12 and larger are not listed glazed, as they are usually divided into smaller lights. Figure these open, and add for divided lights, glass and glazing.

Two Light Cellar Sash

1 $\frac{1}{8}$ " and 1 $\frac{3}{8}$ " Thick, Open and Glazed



STANDARD LAYOUT

Opening sizes shown are based on 5" of wood in width, 5" of wood in height, over glass size.

Stiles and Top Rail not over 2 $\frac{3}{16}$ " wide overall, not over 2" face.

Bottom Rail not over 3 $\frac{3}{16}$ " wide overall, not over 3" face.

Bar not over 1 $\frac{1}{4}$ " wide overall, not over $\frac{7}{8}$ " face.

Glass Size	1 $\frac{1}{8}$ " Thick			1 $\frac{3}{8}$ " Thick			Standard Opening
	Open List	List Single Glazed SS	List Double Glazed SS	Open List	List Single Glazed SS	List Double Glazed SS	
7x 9	\$0.59	\$1.20	\$1.95	\$0.66	\$1.30	\$ 2.05	1- 7x1- 2
8x1062	1.30	2.10	.70	1.40	2.20	1- 9x1- 3
1264	1.35	2.20	.72	1.45	2.35	1- 5
9x1266	1.40	2.30	.75	1.55	2.45	1-11x1- 5
1367	1.45	2.35	.76	1.55	2.50	1- 6
1469	1.50	2.45	.78	1.65	2.60	1- 7
10x1268	1.45	2.40	.77	1.60	2.55	2- 1x1- 5
1471	1.55	2.55	.80	1.70	2.70	1- 7
1572	1.60	2.60	.81	1.75	2.75	1- 8
1673	1.80	2.90	.83	1.90	3.05	1- 9
1875	1.85	3.00	.86	2.00	3.20	1- 11
2077	1.95	3.15	.88	2.10	3.35	2- 1
2280	2.05	3.30	.91	2.20	3.50	2- 3
2482	2.15	3.50	.94	2.30	3.65	2- 5
12x 868	1.40	2.25	.77	1.55	2.40	2- 5x1- 1
1273	1.60	2.60	.82	1.75	2.75	1- 5
1475	1.85	2.95	.85	1.95	3.10	1- 7
1576	1.90	3.05	.86	2.00	3.20	1- 8
1677	1.95	3.10	.88	2.10	3.25	1- 9
1879	2.05	3.30	.91	2.20	3.50	1-11
2082	2.15	3.50	.93	2.30	3.65	2- 1
2284	2.25	3.65	.96	2.40	3.85	2- 3
2486	2.45	4.00	.99	2.65	4.20	2- 5
14x1479	1.95	3.15	.90	2.10	3.35	2- 9x1- 7
1681	2.10	3.35	.93	2.25	3.55	1- 9
1884	2.20	3.55	.96	2.35	3.75	1-11
2086	2.30	3.75	.98	2.45	3.95	2- 1
2288	2.60	4.20	1.01	2.75	4.40	2- 3
2490	2.70	4.40	1.04	2.90	4.60	2- 5
2895	3.05	5.00	1.09	3.25	5.25	2- 9
15x1279	1.90	3.05	.90	2.05	3.25	2-11x1- 5
1481	2.15	3.55	.93	2.35	3.70	1- 7
1683	2.15	3.50	.95	2.30	3.65	1- 9
1886	2.25	3.70	.98	2.45	3.85	1-11
2088	2.55	4.10	1.00	2.70	4.30	2- 1
2290	2.65	4.30	1.03	2.85	4.50	2- 3
2492	2.80	4.55	1.06	2.95	4.75	2- 5
2695	3.05	5.00	1.09	3.25	5.25	2- 7
2897	3.15	5.20	1.12	3.35	5.40	2- 9
16x1281	2.00	3.15	.92	2.15	3.30	3- 1x1- 5
1483	2.10	3.40	.95	2.25	3.60	1- 7
1685	2.25	3.60	.98	2.40	3.80	1- 9

Cellar, Barn
and Hot Bed
Sash
39

Cupboard
Sash
Casement
Sash
53

Extras,
Windows
and Sash
79

Door Lists,
Panel and
Cupboard,
Pine
87

Sash Door
Lists
Pine
93

Side Lights,
Toilet and
Blind Doors
Pine
139

Extras,
Pine
Doors
147

Combination
Doors and
Extras
161

Window
Screens
183

Varnished
Door Lists
and Extras
197

Flush Door
Lists and
Extras
223

Two Light Cellar Sash

$1\frac{1}{8}"$ and $1\frac{3}{8}"$ Thick, Open and Glazed—Continued

Glass Size	$1\frac{1}{8}"$ Thick			$1\frac{3}{8}"$ Thick			Standard Opening
	Open List	List Single Glazed SS	List Double Glazed SS	Open List	List Single Glazed SS	List Double Glazed SS	
16x18.....	\$0.88	\$2.35	\$3.85	\$1.00	\$2.55	\$4.05	3- 1x1-11
20.....	.90	2.60	4.20	1.03	2.80	4.40	2- 1
22.....	.92	2.80	4.55	1.06	2.95	4.75	2- 3
24.....	.95	2.90	4.70	1.09	3.05	4.90	2- 5
26.....	.97	3.15	5.20	1.11	3.35	5.40	2- 7
28.....	.99	3.30	5.40	1.14	3.45	5.60	2- 9



Three Light Cellar Sash

$1\frac{1}{8}"$ and $1\frac{3}{8}"$ Thick, Open and Glazed

STANDARD LAYOUT

Opening sizes shown are based on 4" of wood in width, 5" of wood in height, over glass size.

Stiles not over $1\frac{5}{16}"$ wide overall, not over $1\frac{3}{4}"$ face.

Top Rail not over $2\frac{3}{16}"$ wide overall, not over 2" face.

Bottom Rail not over $3\frac{3}{16}"$ wide overall, not over 3" face.

Bars not over $\frac{9}{16}"$ wide overall, not over $\frac{3}{16}"$ face.

Glass Size	$1\frac{1}{8}"$ Thick			$1\frac{3}{8}"$ Thick			Standard Opening
	Open List	List Single Glazed SS	List Double Glazed SS	Open List	List Single Glazed SS	List Double Glazed SS	
6x 8.....	\$0.65	\$1.35	\$2.45	\$0.72	\$1.45	\$2.55	1-10x1- 1
7x 9.....	.69	1.45	2.60	.77	1.60	2.75	2- 1x1- 2
8x10.....	.73	1.60	2.80	.82	1.70	2.95	2- 4x1- 3
12.....	.75	1.70	3.00	.85	1.80	3.15	1- 5
14.....	.78	1.80	3.15	.87	1.90	3.30	1- 7
16.....	.80	1.90	3.30	.90	2.00	3.50	1- 9
9x 7.....	.73	1.50	2.65	.82	1.65	2.80	2- 7x1- 0
9.....	.76	1.65	2.85	.85	1.75	3.00	1- 2
10.....	.77	1.75	3.15	.86	1.90	3.25	1- 3
11.....	.78	1.80	3.20	.88	1.85	3.30	1- 4
12.....	.78	1.80	3.20	.89	1.90	3.30	1- 5
13.....	.80	1.85	3.25	.90	1.95	3.35	1- 6
14.....	.81	1.90	3.30	.91	2.05	3.45	1- 7
15.....	.82	1.95	3.40	.93	2.10	3.60	1- 8
16.....	.83	2.00	3.50	.94	2.15	3.65	1- 9
18.....	.85	2.25	3.95	.97	2.45	4.15	1-11
20.....	.87	2.35	4.10	.99	2.55	4.30	2- 1
10x 8.....	.78	1.65	2.85	.87	1.75	3.00	2-10x1- 1
10.....	.80	1.75	3.05	.90	1.90	3.25	1- 3
12.....	.82	1.85	3.25	.92	2.00	3.45	1- 5
14.....	.84	2.00	3.50	.95	2.15	3.65	1- 7
16.....	.86	2.25	3.90	.98	2.45	4.10	1- 9
18.....	.88	2.40	4.10	1.00	2.55	4.30	1-11
20.....	.91	2.50	4.35	1.03	2.70	4.55	2- 1
24.....	.95	2.75	4.75	1.09	2.95	5.00	2- 5
11x15.....	.93	2.35	4.05	1.06	2.55	4.25	3- 1x1- 8
16.....	.95	2.45	4.15	1.07	2.60	4.35	1- 9

Three Light Cellar Sash

$1\frac{1}{8}$ " and $1\frac{3}{8}$ " Thick, Open and Glazed—Continued

Glass Size	$1\frac{1}{8}$ " Thick			$1\frac{3}{8}$ " Thick			Standard Opening
	Open List	List Single Glazed SS	List Double Glazed SS	Open List	List Single Glazed SS	List Double Glazed SS	
11x17.....	\$0.96	\$2.65	\$4.60	\$1.09	\$2.85	\$4.80	3- 1x1-10
18.....	.97	2.65	4.65	1.10	2.85	4.85	1-11
12x12.....	.92	2.10	3.60	1.05	2.30	3.80	3- 4x1- 5
14.....	.95	2.40	4.10	1.08	2.60	4.30	1- 7
15.....	.97	2.50	4.25	1.10	2.70	4.45	1- 8
16.....	.97	2.55	4.30	1.10	2.70	4.55	1- 9
18.....	1.00	2.70	4.60	1.13	2.90	4.85	1-11
20.....	1.02	2.85	4.85	1.17	3.05	5.10	2- 1
24.....	1.06	3.20	5.55	1.22	3.45	5.80	2- 5

Four Light Sash, Four Lights Wide

$1\frac{1}{8}$ " and $1\frac{3}{8}$ " Thick, Open and Glazed



STANDARD LAYOUT

Opening sizes shown are based on $5\frac{3}{8}$ " of wood in width, 5" of wood in height, over glass size.

Stiles and Top Rail not over $2\frac{3}{16}$ " wide overall, not over 2" face.

Bottom Rail not over $3\frac{3}{16}$ " wide overall, not over 3" face.

Bars not over $\frac{3}{4}$ " wide overall, not over $\frac{3}{8}$ " face.

Glass Size	$1\frac{1}{8}$ " Thick		$1\frac{3}{8}$ " Thick		Standard Opening
	Open List	List Glazed SS	Open List	List Glazed SS	
6x 8.....	\$0.80	\$1.65	\$0.89	\$1.80	2-5 $\frac{3}{8}$ x1- 1
7x 9.....	.85	1.80	.95	1.95	2-9 $\frac{3}{8}$ x1- 2
8x10.....	.96	2.05	1.08	2.20	3-1 $\frac{3}{8}$ x1- 3
12.....	.99	2.15	1.11	2.35	1- 5
9x12.....	1.03	2.30	1.17	2.45	3-5 $\frac{3}{8}$ x1- 5
13.....	1.04	2.35	1.19	2.55	1- 6
14.....	1.06	2.45	1.20	2.60	1- 7
16.....	1.08	2.55	1.24	2.75	1- 9
10x12.....	1.12	2.45	1.28	2.70	3-9 $\frac{3}{8}$ x1- 5
14.....	1.16	2.65	1.31	2.85	1- 7
16.....	1.19	3.00	1.35	3.20	1- 9
18.....	1.21	3.15	1.39	3.40	1-11
20.....	1.24	3.30	1.42	3.55	2- 1
12x12.....	1.21	2.70	1.39	2.95	4-5 $\frac{3}{8}$ x1- 5
14.....	1.24	3.10	1.42	3.35	1- 7
16.....	1.28	3.30	1.46	3.55	1- 9
18.....	1.31	3.50	1.50	3.75	1-11
20.....	1.33	3.65	1.53	3.95	2- 1
24.....	1.40	3.95	1.61	4.25	2- 5

Cupboard Sash
Casement Sash
53

Extras,
Windows
and Sash
79

Door Lists,
Panel and
Cupboard,
Pine
87

Sash Door
Lists
Pine
93

Side Lights,
Toilet and
Blind Doors
Pine
139

Extras,
Pine
Doors
147

Combination
Doors and
Extras
161

Window
Screens
183

Removed
Door Lists
and Extras
187

Flush Door
List and
Extras
223



Four Light Sash, Two Lights Wide

**1 $\frac{1}{8}$ " and 1 $\frac{3}{8}$ " Thick, Heavy Vertical Bar
Open and Glazed**

STANDARD LAYOUT

Opening sizes shown are based on 4 $\frac{1}{2}$ " of wood in width, 5" of wood in height, over glass size.

Stiles and Top Rail not over 2" wide overall, not over 1 $\frac{1}{16}$ " face.

Bottom Rail not over 3 $\frac{5}{16}$ " wide overall, not over 3 $\frac{1}{8}$ " face.

Vertical Bar not over 1 $\frac{1}{4}$ " wide overall, not over $\frac{7}{8}$ " face.

Horizontal Bars not over $\frac{9}{16}$ " wide overall, not over $\frac{3}{16}$ " face.

Glass Size	1 $\frac{1}{8}$ " Thick		1 $\frac{3}{8}$ " Thick		Standard Opening
	Open List	List Glazed SS	Open List	List Glazed SS	
6x 8.....	\$0.75	\$1.60	\$0.83	\$1.70	1- 4 $\frac{1}{2}$ x1- 9
7x 9.....	.79	1.70	.89	1.85	1- 6 $\frac{1}{2}$ x1-11
8x10.....	.84	1.90	.94	2.05	1- 8 $\frac{1}{2}$ x2- 1
12.....	.88	2.05	1.00	2.20	2- 5
14.....	.93	2.20	1.05	2.35	2- 9
16.....	1.02	2.40	1.16	2.60	3- 1
9x12.....	.91	2.15	1.02	2.30	1-10 $\frac{1}{2}$ x2- 5
13.....	.93	2.20	1.05	2.35	2- 7
14.....	.95	2.30	1.08	2.45	2- 9
15.....	.98	2.40	1.11	2.55	2-11
16.....	1.05	2.50	1.19	2.70	3- 1
10x10.....	.89	2.05	1.00	2.20	2- 0 $\frac{1}{2}$ x2- 1
12.....	.93	2.25	1.05	2.40	2- 5
14.....	.98	2.40	1.11	2.60	2- 9
15.....	1.00	2.50	1.13	2.65	2-11
16.....	1.07	2.85	1.22	3.05	3- 1
18.....	1.12	3.05	1.28	3.25	3- 5
20.....	1.22	3.30	1.40	3.55	3- 9
12x12.....	.98	2.45	1.11	2.60	2- 4 $\frac{1}{2}$ x2- 5
14.....	1.02	2.85	1.16	3.05	2- 9
16.....	1.12	3.10	1.28	3.30	3- 1
18.....	1.17	3.30	1.33	3.55	3- 5
20.....	1.28	3.60	1.46	3.85	3- 9
24.....	1.38	3.95	1.57	4.20	4- 5

If 1 $\frac{1}{8}$ " sash are made with vertical bar not over $\frac{3}{16}$ " or $\frac{1}{2}$ " face, thereby making the opening $\frac{1}{2}$ " narrower, deduct \$.05 list per sash from the open list. Deduct \$.06 list per sash from the glazed list.

If 1 $\frac{3}{8}$ " sash are made with vertical bar not over $\frac{3}{16}$ " or $\frac{1}{2}$ " face, thereby making the opening $\frac{1}{2}$ " narrower, deduct \$.06 list per sash from the open list. Deduct \$.08 list per sash from the glazed list.

Note: The above deduction on $\frac{1}{2}$ " vertical bar applies only when the stiles are made narrower, to provide even width opening mentioned.

Five Light Sash

1 $\frac{3}{8}$ " Thick, Open and Glazed

STANDARD LAYOUT



Opening sizes shown are based on 4 $\frac{1}{4}$ " of wood in width, 5 $\frac{3}{4}$ " of wood in height, over glass size.

Stiles and Top Rail not over 2 $\frac{3}{16}$ " wide overall, not over 2" face.

Bottom Rail not over 3 $\frac{5}{16}$ " wide overall, not over 3 $\frac{1}{8}$ " face.

Cross Bar not over 1 $\frac{1}{8}$ " wide overall, not over $\frac{3}{4}$ " face.

Vertical Bars not over $\frac{3}{4}$ " wide overall, not over $\frac{3}{8}$ " face.

Class Size Bottom Light	Open List	List Glazed SS	Standard Opening
19 $\frac{1}{2}$	\$1.15	\$4.25	1- 8 $\frac{1}{4}$ x2-11 $\frac{3}{4}$
32.....	1.47	4.15	4- 5 $\frac{3}{4}$
36.....	1.69	4.70	5- 1 $\frac{3}{4}$
32.....	1.51	4.45	1-10 $\frac{1}{4}$ x4- 5 $\frac{3}{4}$
36.....	1.72	5.20	5- 1 $\frac{3}{4}$
26.....	1.47	4.30	2- 0 $\frac{1}{4}$ x4- 0
32.....	1.54	4.75	4- 5 $\frac{3}{4}$
36.....	1.76	5.45	5- 1 $\frac{3}{4}$
32.....	1.57	5.00	2- 2 $\frac{1}{4}$ x4- 5 $\frac{3}{4}$
36.....	1.79	5.65	5- 1 $\frac{3}{4}$
26.....	1.54	4.60	2- 4 $\frac{1}{4}$ x4- 0
32.....	1.61	5.10	4- 5 $\frac{3}{4}$
36.....	1.82	5.80	5- 1 $\frac{3}{4}$
32.....	1.64	5.40	2- 6 $\frac{1}{4}$ x4- 5 $\frac{3}{4}$
36.....	1.86	6.30	5- 1 $\frac{3}{4}$
32.....	1.67	5.60	2- 8 $\frac{1}{4}$ x4- 5 $\frac{3}{4}$
36.....	1.90	6.35	5- 1 $\frac{3}{4}$
32.....	1.71	5.95	2-10 $\frac{1}{4}$ x4- 5 $\frac{3}{4}$
36.....	1.94	6.80	5- 1 $\frac{3}{4}$
32.....	1.74	6.20	3- 0 $\frac{1}{4}$ x4- 5 $\frac{3}{4}$
36.....	1.97	6.90	5- 1 $\frac{3}{4}$

Six Light Sash, Two Lights Wide

1 $\frac{1}{8}$ " and 1 $\frac{3}{8}$ " Thick, Open and Glazed

STANDARD LAYOUT



Opening sizes shown are based on 4 $\frac{1}{4}$ " of wood in width, 5 $\frac{1}{2}$ " of wood in height, over glass size.

Stiles and Top Rail not over 2 $\frac{3}{16}$ " wide overall, not over 2" face.

Bottom Rail not over 3 $\frac{5}{16}$ " wide overall, not over 3 $\frac{1}{8}$ " face.

Bars not over $\frac{9}{16}$ " wide overall, not over $\frac{3}{16}$ " face.

Glass Size	1 $\frac{1}{8}$ " Thick		1 $\frac{3}{8}$ " Thick		Standard Opening
	Open List	List Glazed SS	Open List	List Glazed SS	
6x 8.....	\$0.88	\$2.00	\$0.99	\$2.15	1- 4 $\frac{1}{4}$ x2- 5 $\frac{1}{2}$
10.....	.94	2.25	1.05	2.40	2-11 $\frac{1}{2}$
7x 9.....	.93	2.20	1.04	2.35	1- 6 $\frac{1}{4}$ x2- 8 $\frac{1}{2}$
12.....	1.07	2.70	1.22	2.90	3- 5 $\frac{1}{2}$
8x10.....	.99	2.40	1.11	2.60	1- 8 $\frac{1}{4}$ x2-11 $\frac{1}{2}$
12.....	1.10	2.70	1.25	2.90	3- 5 $\frac{1}{2}$
14.....	1.22	3.00	1.39	3.25	3-11 $\frac{1}{2}$
16.....	1.28	3.20	1.46	3.45	4- 5 $\frac{1}{2}$
9x12.....	1.12	2.80	1.28	3.05	1-10 $\frac{1}{4}$ x3- 5 $\frac{1}{2}$
14.....	1.25	3.15	1.42	3.40	3-11 $\frac{1}{2}$

Cupboard
Sash
Casement
Sash
53

Extras,
Windows
and Sash
79

Door Lists,
Panel and
Cupboard,
Pine
87

Sash Door
Lists
Pine
93

Side Lights,
Toilet and
Blind Doors
Pine
139

Extras,
Pine
Doors
147

Combination
Doors and
Extras
161

Window
Screens
183

Veneered
Door Lists
and Extras
197

Flash Door
Lists and
Extras
223

Six Light Sash, Two Lights Wide

1 1/8" and 1 3/8" Thick, Open and Glazed—Continued

Glass Size	1 1/8" Thick		1 3/8" Thick		Standard Opening
	Open List	List Glazed SS	Open List	List Glazed SS	
9x16.....	\$1.32	\$3.40	\$1.49	\$3.65	1-10 1/4x4- 5 1/2
10x12.....	1.15	2.95	1.30	3.20	2- 0 1/4x3- 5 1/2
14.....	1.28	3.30	1.44	3.55	3-11 1/2
16.....	1.35	3.95	1.55	4.25	4- 5 1/2
18.....	1.51	4.35	1.71	4.65	4-11 1/2
12x14.....	1.35	4.05	1.53	4.30	2- 4 1/4x3-11 1/2
16.....	1.41	4.30	1.61	4.60	4- 5 1/2
18.....	1.55	4.75	1.77	5.10	4-11 1/2



Six Light Sash, Two Lights Wide

1 1/8" and 1 3/8" Thick. Open and Glazed

Heavy Vertical Bars

STANDARD LAYOUT

Opening sizes shown are based on 4 1/2" of wood in width, 5 1/2" of wood in height, over glass size.

Stiles and Top Rail not over 2 3/16" wide overall, not over 2" face.

Bottom Rail not over 3 5/16" wide overall, not over 3 1/8" face.

Vertical Bar not over 1 1/4" wide overall, not over 7/8" face.

Munts not over 9/16" wide overall, not over 3/16" face.

Glass Size	1 1/8" Thick		1 3/8" Thick		Standard Opening
	Open List	List Glazed SS	Open List	List Glazed SS	
6x 8.....	\$0.91	\$2.05	\$1.02	\$2.20	1- 4 1/2x2- 5 1/2
10.....	.97	2.30	1.10	2.45	2-11 1/2
7x 9.....	.97	2.25	1.09	2.45	1- 6 1/2x2- 8 1/2
12.....	1.12	2.75	1.27	2.95	3- 5 1/2
8x10.....	1.03	2.45	1.16	2.65	1- 8 1/2x2-11 1/2
12.....	1.16	2.75	1.30	2.95	3- 5 1/2
14.....	1.28	3.05	1.45	3.30	3-11 1/2
16.....	1.35	3.30	1.55	3.55	4- 5 1/2
9x12.....	1.18	2.90	1.33	3.10	1-10 1/2x3- 5 1/2
14.....	1.31	3.20	1.50	3.50	3-11 1/2
16.....	1.39	3.50	1.58	3.75	4- 5 1/2
10x12.....	1.21	3.05	1.38	3.30	2- 0 1/2x3- 5 1/2
14.....	1.34	3.40	1.53	3.65	3-11 1/2
15.....	1.38	3.50	1.57	3.80	4- 2 1/2
16.....	1.41	4.05	1.62	4.35	4- 5 1/2
18.....	1.55	4.40	1.78	4.75	4-11 1/2
12x14.....	1.40	4.10	1.60	4.40	2- 4 1/2x3-11 1/2
16.....	1.47	4.40	1.68	4.70	4- 5 1/2
18.....	1.61	4.80	1.85	5.20	4-11 1/2

Note: If 1 1/8" sash are made with vertical bar not over 3/16" or 1/2" face, thereby making the opening 1/2" narrower, deduct \$0.05 list per sash from the open list. Deduct \$0.06 list per sash from the glazed list.

If 1 3/8" sash are made with vertical bar not over 3/16" or 1/2" face, thereby making the opening 1/2" narrower, deduct \$0.06 list per sash from the open list. deduct \$0.08 list per sash from the glazed list.

The above deduction on 1/2" vertical bar applies only when the stiles are made narrower, to provide even width opening mentioned.

Six Light Sash, Two Lights Wide

$1\frac{3}{8}$ " Thick, Open and Glazed

STANDARD LAYOUT



Opening sizes shown are based on 4" of wood in width, 6" of wood in height, over glass size.

Stiles not over $2\frac{1}{16}$ " wide overall, not over $1\frac{7}{8}$ " face.

Top Rail not over $2\frac{3}{16}$ " wide overall, not over 2" face.

Bottom Rail not over $3\frac{5}{8}$ " wide overall, not over $3\frac{7}{16}$ " face.

Bars not over $\frac{9}{16}$ " wide overall, not over $\frac{3}{16}$ " face.

Class Size	Open List	List Glazed SS	Standard Opening
7x 8.....	\$1.01	\$2.40	1-6x2-6
10.....	1.08	2.55	3-0
12.....	1.22	2.90	3-6
14.....	1.36	3.20	4-0
16.....	1.43	3.45	4-6
8x 8.....	1.09	2.45	1-8x2-6
10.....	1.12	2.60	3-0
12.....	1.25	2.90	3-6
14.....	1.39	3.25	4-0
16.....	1.47	3.45	4-6
10x 6.....	1.04	2.40	2-0x2-0
8.....	1.11	2.60	2-6
10.....	1.18	2.85	3-0
12.....	1.32	3.20	3-6
14.....	1.46	3.55	4-0
16.....	1.55	4.25	4-6

Six Light Sash, Three Lights Wide

$1\frac{3}{8}$ " Thick, Open and Glazed

STANDARD LAYOUT



Opening sizes shown are based on $4\frac{1}{2}$ " of wood in width, $5\frac{1}{4}$ " of wood in height over glass size.

Stiles and Top Rail not over $2\frac{3}{16}$ " wide overall, not over 2" face.

Bottom Rail not over $3\frac{5}{16}$ " wide overall, not over $3\frac{1}{8}$ " face.

Bars not over $\frac{9}{16}$ " wide overall, not over $\frac{3}{16}$ " face.

Class Size	Open List	List Glazed SS	Standard Opening
6 $\frac{1}{2}$ x 6 $\frac{3}{8}$	\$0.94	\$2.25	2-0x1-6
9 $\frac{3}{8}$	1.02	2.55	2-0
12 $\frac{3}{8}$	1.10	3.00	2-6
15 $\frac{3}{8}$	1.25	3.35	3-0
8 $\frac{1}{2}$ x 9 $\frac{3}{8}$	1.11	3.00	2-6x2-0
12 $\frac{3}{8}$	1.19	3.40	2-6
15 $\frac{3}{8}$	1.33	3.80	3-0
10 $\frac{1}{2}$ x 6 $\frac{3}{8}$	1.17	3.00	3-0x1-6
9 $\frac{3}{8}$	1.23	3.35	2-0
12 $\frac{3}{8}$	1.33	3.85	2-6
15 $\frac{3}{8}$	1.43	4.55	3-0

Cupboard Sash
Casement Sash
53

Extras,
Windows
and Sash
79

Door Lists,
Panel and
Cupboard,
Pine
87

Sash Door
Lists
Pine
93

Side Lights,
Toilet and
Blind Doors
Pine
139

Extras,
Pine
Doors
147

Combination
Doors and
Extras
161

Window
Screens
183

Veneered
Door Lists
and Extras
197

Flush Door
Lists and
Extras
209



Six Light Sash, Three Lights Wide

$1\frac{1}{8}"$ and $1\frac{3}{8}"$ Thick, Open and Glazed

Heavy Vertical Bars

STANDARD LAYOUT

Opening sizes shown are based on $5\frac{1}{2}"$ of wood in width, 5" of wood in height, over glass size.

Stiles and Top Rail not over 2" wide overall, not over $1\frac{13}{16}"$ face.

Bottom Rail not over $3\frac{5}{16}"$ wide overall, not over $3\frac{1}{8}"$ face.

Vertical Bars not over $1\frac{1}{4}"$ wide overall, not over $\frac{7}{8}"$ face.

Munts not over $\frac{9}{16}"$ wide overall, not over $\frac{3}{16}"$ face.

Glass Size	$1\frac{1}{8}"$ Thick		$1\frac{3}{8}"$ Thick		Standard Opening
	Open List	List Glazed SS	Open List	List Glazed SS	
6x 8.....	\$0.92	\$2.05	\$1.03	\$2.20	1-11 $\frac{1}{2}$ x1- 9
10.....	.97	2.30	1.09	2.45	2- 1
7x 9.....	.98	2.25	1.10	2.45	2- 2 $\frac{1}{2}$ x1-11
10.....	1.01	2.45	1.14	2.65	2- 1
8x10.....	1.04	2.50	1.18	2.70	2- 5 $\frac{1}{2}$ x2- 1
12.....	1.10	2.70	1.25	2.90	2- 5
14.....	1.15	2.90	1.31	3.15	2- 9
16.....	1.27	3.20	1.45	3.45	3- 1
9x12.....	1.13	2.85	1.29	3.05	2- 8 $\frac{1}{2}$ x2- 5
13.....	1.16	2.95	1.32	3.20	2- 7
14.....	1.19	3.05	1.35	3.30	2- 9
15.....	1.22	3.20	1.39	3.45	2-11
16.....	1.30	3.35	1.49	3.65	3- 1
10x10.....	1.11	2.75	1.26	2.95	2-11 $\frac{1}{2}$ x2- 1
12.....	1.17	3.00	1.33	3.20	2- 5
14.....	1.22	3.25	1.40	3.50	2- 9
15.....	1.25	3.35	1.43	3.60	2-11
16.....	1.34	3.95	1.53	4.25	3- 1
18.....	1.41	4.20	1.61	4.55	3- 5
20.....	1.46	4.45	1.68	4.80	3- 9
12x12.....	1.30	3.35	1.49	3.65	3- 5 $\frac{1}{2}$ x2- 5
14.....	1.37	4.05	1.55	4.35	2- 9
16.....	1.42	4.30	1.63	4.65	3- 1
18.....	1.48	4.65	1.70	5.00	3- 5
20.....	1.61	5.00	1.85	5.40	3- 9
24.....	1.73	5.75	2.00	6.30	4- 5

If $1\frac{1}{8}"$ sash are made with vertical bar not over $\frac{3}{16}"$ or $\frac{1}{2}"$ face, thereby making the opening $1\frac{1}{2}"$ narrower, deduct \$0.10 list per sash from the open list, deduct \$0.12 list per sash from the glazed list.

If $1\frac{3}{8}"$ sash are made with vertical bar not over $\frac{3}{16}"$ or $\frac{1}{2}"$ face, thereby making the opening $1\frac{1}{2}"$ narrower, deduct \$0.12 list per sash from the open list, deduct \$0.15 list per sash from the glazed list.

Note: The above deduction on $\frac{1}{2}"$ vertical bar applies only when the stiles are made narrower to provide even width opening mentioned.

Eight Light Sash, Two Lights Wide

$1\frac{3}{8}$ " Thick, Open and Glazed

STANDARD LAYOUT



Opening sizes shown are based on 4" of wood in width, 6" of wood in height, over glass size.

Stiles not over $2\frac{1}{16}$ " wide overall, not over $1\frac{7}{8}$ " face.

Top Rail not over $2\frac{3}{16}$ " wide overall, not over 2" face.

Bottom Rail not over $3\frac{5}{16}$ " wide overall, not over $3\frac{1}{8}$ " face.

Bars not over $\frac{9}{16}$ " wide overall, not over $\frac{3}{16}$ " face.

Glass Size	Open List	List Glazed SS	Standard Opening
7x 9	\$1.31	\$3.20	1-6x3-6
10 $\frac{1}{2}$	1.45	4.05	4-0
12	1.54	4.10	4-6
8x10 $\frac{1}{2}$	1.51	3.95	1-8x4-0
12	1.57	4.00	4-6
10x 9	1.43	3.90	2-0x3-6
10 $\frac{1}{2}$	1.57	4.35	4-0
12	1.65	4.40	4-6

Eight Light Sash, Two Lights Wide

$1\frac{3}{8}$ " Thick, Open and Glazed

STANDARD LAYOUT



Opening sizes shown are based on $4\frac{1}{4}$ " of wood in width, $5\frac{3}{4}$ " of wood in height, over glass size.

Stiles and Top Rail not over $2\frac{3}{16}$ " wide overall, not over 2" face.

Bottom Rail not over $3\frac{5}{16}$ " wide overall, not over $3\frac{1}{8}$ " face.

Bars not over $\frac{9}{16}$ " wide overall, not over $\frac{3}{16}$ " face.

Glass Size	Open List	List Glazed SS	Standard Opening
7x10	\$1.44	\$3.55	1- $6\frac{1}{4}$ x3-9 $\frac{3}{4}$
12	1.55	3.90	4-5 $\frac{3}{4}$
13	1.61	4.20	4-9 $\frac{3}{4}$
8x10	1.49	3.65	1- $8\frac{1}{4}$ x3-9 $\frac{3}{4}$
12	1.58	3.95	4-5 $\frac{3}{4}$
13	1.64	4.10	4-9 $\frac{3}{4}$
14	1.69	4.25	5-1 $\frac{3}{4}$
15	1.75	4.40	5-5 $\frac{3}{4}$
9x12	1.63	4.10	1-10 $\frac{1}{4}$ x4-5 $\frac{3}{4}$
14	1.73	4.45	5-1 $\frac{3}{4}$
10x12	1.66	4.30	2- 0 $\frac{1}{4}$ x4-5 $\frac{3}{4}$
13	1.72	4.50	4-9 $\frac{3}{4}$
14	1.77	4.70	5-1 $\frac{3}{4}$
15	1.83	4.85	5-5 $\frac{3}{4}$
16	1.88	5.50	5-9 $\frac{3}{4}$
12x14	1.85	5.55	2- $4\frac{1}{4}$ x5-1 $\frac{3}{4}$

Cupboard Sash
Casement Sash
53

Extras,
Windows
and Sash
79

Door Lists,
Panel and
Cupboard,
Pine
87

Sash Door
Lists
Pine
93

Side Lights,
Toilet and
Blind Doors
Pine
139

Extras,
Pine
Doors
147

Combination
Doors and
Extras
161

Window
Screens
183

Veneered
Door Lists
and Extras
197

Flush Door
List and
Extras
223



Eight Light Sash, Two Lights Wide

$1\frac{1}{8}"$ and $1\frac{3}{8}"$ Thick, Open and Glazed

STANDARD LAYOUT

Opening sizes shown are based on $4\frac{1}{2}"$ of wood in width, $6\frac{3}{8}"$ of wood in height, over glass size.

Stiles and Top Rail not over $2\frac{3}{16}"$ wide overall, not over 2" face.

Bottom Rail not over $3\frac{5}{16}"$ wide overall, not over $3\frac{1}{8}"$ face.

Bars not over $\frac{3}{4}"$ wide overall, not over $\frac{3}{8}"$ face.

Glass Size	$1\frac{1}{8}"$ Thick		$1\frac{3}{8}"$ Thick		Standard Opening
	Open List	List Glazed SS	Open List	List Glazed SS	
6x 8.....	\$1.14	\$2.75	\$1.26	\$2.95	1- $4\frac{1}{2}$ x3- $2\frac{3}{8}$
10.....	1.29	3.15	1.47	3.45	3- $10\frac{3}{8}$
7x 9.....	1.22	3.05	1.37	3.30	1- $6\frac{1}{2}$ x3- $6\frac{3}{8}$
8x10.....	1.36	3.40	1.53	3.70	1- $8\frac{1}{2}$ x3- $10\frac{3}{8}$
12.....	1.45	3.70	1.66	4.05	4- $6\frac{3}{8}$
14.....	1.54	4.00	1.75	4.35	5- $2\frac{3}{8}$
16.....	1.64	4.30	1.87	4.65	5- $10\frac{3}{8}$
9x12.....	1.49	3.90	1.69	4.20	1- $10\frac{1}{2}$ x4- $6\frac{3}{8}$
13.....	1.53	4.05	1.73	4.35	4- $10\frac{3}{8}$
14.....	1.57	4.20	1.80	4.55	5- $2\frac{3}{8}$
16.....	1.67	4.55	1.90	4.90	5- $10\frac{3}{8}$
10x12.....	1.52	4.05	1.72	4.40	2- $0\frac{1}{2}$ x4- $6\frac{3}{8}$
14.....	1.62	4.45	1.84	4.80	5- $2\frac{3}{8}$
16.....	1.72	5.25	1.93	5.55	5- $10\frac{3}{8}$
18.....	1.79	5.55	2.06	5.95	6- $6\frac{3}{8}$
20.....	1.89	5.95	2.17	6.35	7- $2\frac{3}{8}$
12x12.....	1.60	4.45	1.85	4.80	2- $4\frac{1}{2}$ x4- $6\frac{3}{8}$
14.....	1.68	5.25	1.94	5.65	5- $2\frac{3}{8}$
16.....	1.77	5.65	2.03	6.05	5- $10\frac{3}{8}$
18.....	1.87	6.15	2.17	6.60	6- $6\frac{3}{8}$
20.....	1.96	6.50	2.26	6.95	7- $2\frac{3}{8}$
22.....	2.05	6.95	2.38	7.45	7- $10\frac{3}{8}$
24.....	2.15	7.70	2.47	8.20	8- $6\frac{3}{8}$
14x16.....	1.84	6.15	2.13	6.60	2- $8\frac{1}{2}$ x5- $10\frac{3}{8}$
18.....	1.94	6.60	2.22	7.00	6- $6\frac{3}{8}$
20.....	2.02	7.05	2.31	7.45	7- $2\frac{3}{8}$
22.....	2.11	8.00	2.44	8.50	7- $10\frac{3}{8}$
24.....	2.21	8.50	2.54	9.00	8- $6\frac{3}{8}$



Eight Light Sash, Four Lights Wide

$1\frac{1}{8}"$ and $1\frac{3}{8}"$ Thick, Open and Glazed

STANDARD LAYOUT

Opening sizes shown are based on $5\frac{3}{8}"$ of wood in width, $5\frac{1}{2}"$ of wood in height, over glass size.

Stiles and Top Rail not over $2\frac{3}{16}"$ wide overall, not over 2" face.

Bottom Rail not over $3\frac{5}{16}"$ wide overall, not over $3\frac{1}{8}"$ face.

Bars not over $\frac{3}{4}"$ wide overall, not over $\frac{3}{8}"$ face.

Glass Size	$1\frac{1}{8}"$ Thick		$1\frac{3}{8}"$ Thick		Standard Opening
	Open List	List Glazed SS	Open List	List Glazed SS	
6x 8.....	\$1.09	\$2.70	\$1.22	\$2.90	2-5 $\frac{3}{8}$ x1- $9\frac{1}{2}$
10.....	1.14	3.00	1.28	3.20	2- $1\frac{1}{2}$
7x 9.....	1.16	2.95	1.31	3.20	2-9 $\frac{3}{8}$ x1- $11\frac{1}{2}$

Eight Light Sash, Four Lights Wide

$1\frac{1}{8}"$ and $1\frac{3}{8}"$ Thick, Open and Glazed—Continued

Glass Size	$1\frac{1}{8}"$ Thick		$1\frac{3}{8}"$ Thick		Standard Opening
	Open List	List Glazed SS	Open List	List Glazed SS	
8x10.....	\$1.30	\$3.35	\$1.47	\$3.60	3-1 $\frac{3}{8}$ x2- 1 $\frac{1}{2}$
12.....	1.35	3.60	1.54	3.90	2- 5 $\frac{1}{2}$
14.....	1.42	3.85	1.61	4.15	2- 9 $\frac{1}{2}$
16.....	1.48	4.10	1.68	4.45	3- 1 $\frac{1}{2}$
9x12.....	1.41	3.80	1.60	4.10	3-5 $\frac{3}{8}$ x2- 5 $\frac{1}{2}$
13.....	1.44	3.95	1.64	4.25	2- 7 $\frac{1}{2}$
14.....	1.47	4.10	1.67	4.40	2- 9 $\frac{1}{2}$
16.....	1.52	4.35	1.74	4.70	3- 1 $\frac{1}{2}$
10x12.....	1.53	4.10	1.74	4.40	3-9 $\frac{3}{8}$ x2- 5 $\frac{1}{2}$
14.....	1.60	4.40	1.82	4.75	2- 9 $\frac{1}{2}$
16.....	1.65	5.15	1.89	5.50	3- 1 $\frac{1}{2}$
18.....	1.72	5.45	1.96	5.85	3- 5 $\frac{1}{2}$
20.....	1.77	5.80	2.04	6.20	3- 9 $\frac{1}{2}$
12x12.....	1.64	4.50	1.87	4.85	4-5 $\frac{3}{8}$ x2- 5 $\frac{1}{2}$
14.....	1.69	5.30	1.95	5.70	2- 9 $\frac{1}{2}$
16.....	1.76	5.65	2.01	6.05	3- 1 $\frac{1}{2}$
18.....	1.83	6.10	2.09	6.50	3- 5 $\frac{1}{2}$
20.....	1.88	6.40	2.17	6.85	3- 9 $\frac{1}{2}$
22.....	1.95	6.80	2.23	7.25	4- 1 $\frac{1}{2}$
24.....	2.00	7.55	2.31	8.00	4- 5 $\frac{1}{2}$
14x16.....	1.87	6.20	2.15	6.65	5-1 $\frac{3}{8}$ x3- 1 $\frac{1}{2}$
18.....	1.93	6.55	2.22	7.00	3- 5 $\frac{1}{2}$
20.....	1.99	7.00	2.26	7.40	3- 9 $\frac{1}{2}$
22.....	2.05	7.90	2.37	8.40	4- 1 $\frac{1}{2}$
24.....	2.11	8.35	2.44	8.85	4- 5 $\frac{1}{2}$

Nine Light Sash, Three Lights Wide

$1\frac{1}{8}"$ and $1\frac{3}{8}"$ Thick, Open and Glazed

STANDARD LAYOUT

Opening sizes shown are based on 4" of wood in width, 5" of wood in height, over glass size.

Stiles and Top Rail not over $1\frac{29}{32}"$ wide overall, not over $1\frac{23}{32}"$ face.

Bottom Rail not over $2\frac{29}{32}"$ wide overall, not over $2\frac{23}{32}"$ face.

Bars not over $\frac{9}{16}"$ wide overall, not over $\frac{3}{16}"$ face.

Glass Size	$1\frac{1}{8}"$ Thick		$1\frac{3}{8}"$ Thick		Standard Opening
	Open List	List Glazed SS	Open List	List Glazed SS	
6x 8.....	\$1.09	\$2.80	\$1.22	\$3.00	1-10x2- 5
7x 9.....	1.15	3.05	1.29	3.30	2- 1x2- 8
8x10.....	1.23	3.35	1.38	3.60	2- 4x2-11
12.....	1.35	3.75	1.53	4.00	3- 5
14.....	1.50	4.15	1.69	4.45	3-11
16.....	1.57	4.45	1.78	4.75	4- 5
9x12.....	1.40	3.95	1.58	4.25	2- 7x3- 5
13.....	1.51	4.20	1.69	4.50	3- 8
14.....	1.54	4.35	1.75	4.70	3-11



Cupboard Sash
Casement Sash
53

Extras,
Windows
and Sash
79

Door Lists,
Panel and
Cupboard,
Pine
87

Sash Door
Lists
Pine
93

Side Lights,
Toilet and
Blind Doors
Pine
139

Extras,
Pine
Doors
147

Combination
Doors and
Extras
161

Window
Screens
183

Various
Door Lists
and Extras
197

Flush Door
Lists and
Extras
229

Nine Light Sash, Three Lights Wide

1 $\frac{1}{8}$ " and 1 $\frac{3}{8}$ " Thick, Open and Glazed—Continued

Glass Size	1 $\frac{1}{8}$ " Thick		1 $\frac{3}{8}$ " Thick		Standard Opening
	Open List	List Glazed SS	Open List	List Glazed SS	
9x15	\$1.57	\$4.50	\$1.79	\$4.85	2- 7x4- 2
16	1.62	4.70	1.84	5.05	4- 5
18	1.69	5.45	1.93	5.85	4-11
10x10	1.30	3.70	1.47	4.00	2-10x2-11
12	1.44	4.15	1.63	4.45	3- 5
14	1.58	4.60	1.79	4.95	3-11
15	1.62	4.75	1.84	5.10	4- 2
16	1.66	5.40	1.88	5.75	4- 5
18	1.74	5.75	1.97	6.15	4-11
12x12	1.52	4.55	1.62	4.75	3- 4x3- 5
14	1.67	5.50	1.72	5.65	3-11
16	1.75	5.90	1.90	6.15	4- 5
18	1.82	6.40	1.99	6.70	4-11



Twelve Light Sash, Three Lights Wide

1 $\frac{1}{8}$ " and 1 $\frac{3}{8}$ " Thick, Open and Glazed

STANDARD LAYOUT

Opening sizes shown are based on 4" of wood in width, 5" of wood in height, over glass size.

Stiles and Top Rail not over 1 $\frac{29}{32}$ " wide overall, not over 1 $\frac{23}{32}$ " face.


Bottom Rail not over 2 $\frac{25}{32}$ " wide overall, not over 2 $\frac{19}{32}$ " face.

Bars not over $\frac{3}{16}$ " wide overall, not over $\frac{3}{16}$ " face.

Glass Size	1 $\frac{1}{8}$ " Thick		1 $\frac{3}{8}$ " Thick		Standard Opening
	Open List	List Glazed SS	Open List	List Glazed SS	
6x 8	\$1.44	\$3.65	\$1.60	\$3.90	1-10x3-1
7x 9	1.52	4.00	1.69	4.30	2- 1x3-5
8x10	1.69	4.50	1.88	4.80	2- 4x3-9
12	1.78	4.90	2.00	5.25	4-5
14	1.89	5.30	2.12	5.70	5-1
16	1.99	5.75	2.24	6.10	5-9
9x12	1.84	5.15	2.06	5.55	2- 7x4-5
13	1.88	5.35	2.12	5.75	4-9
14	1.94	5.65	2.18	6.00	5-1
15	1.98	5.85	2.24	6.25	5-5
16	2.04	6.05	2.30	6.45	5-9
18	2.13	7.10	2.42	7.55	6-5
10x10	1.78	4.95	2.00	5.30	2-10x3-9
12	1.88	5.45	2.12	5.80	4-5
14	1.98	5.95	2.24	6.35	5-1
15	2.04	6.15	2.30	6.55	5-5
16	2.08	6.95	2.35	7.40	5-9
18	2.18	7.45	2.48	7.90	6-5
12x12	1.98	6.00	2.23	6.35	3- 4x4-5
14	2.08	7.10	2.35	7.50	5-1
16	2.18	7.60	2.46	8.05	5-9
18	2.28	8.25	2.59	8.75	6-5

Twelve Light Sash, Four Lights Wide

1 1/8" and 1 3/8" Thick, Open and Glazed



STANDARD LAYOUT

Opening sizes shown are based on 5" of wood in width, 5 1/2" of wood in height, over glass size.

Stiles and Top Rail not over 2" wide overall, not over 1 13/16" face.

Bottom Rail not over 2 15/16" wide overall, not over 2 3/4" face.

Vertical Bars not over 3/4" wide overall, not over 3/8" face.

Muntins not over 3/4" wide overall, not over 3/8" face.

Class Size	1 1/8" Thick		1 3/8" Thick		Standard Opening
	Open List	List Glazed SS	Open List	List Glazed SS	
6x 8.....	\$1.46	\$3.65	\$1.62	\$3.95	2-5x2- 5 1/2
7x 9.....	1.56	4.05	1.74	4.35	2-9x2- 8 1/2
8x10.....	1.73	4.55	1.95	4.90	3-1x2-11 1/2
12.....	1.83	4.95	2.06	5.35	3- 5 1/2
14.....	2.00	5.45	2.27	5.90	3-11 1/2
16.....	2.09	5.85	2.38	6.30	4- 5 1/2
9x12.....	1.88	5.20	2.12	5.60	3-5x3- 5 1/2
13.....	1.92	5.40	2.17	5.80	3- 8 1/2
14.....	2.07	5.80	2.33	6.20	3-11 1/2
15.....	2.11	6.00	2.39	6.45	4- 2 1/2
16.....	2.16	6.20	2.44	6.65	4- 5 1/2
18.....	2.24	7.20	2.55	7.70	4-11 1/2
10x10.....	1.95	5.20	2.19	5.55	3-9x2-11 1/2
12.....	2.04	5.65	2.30	6.05	3- 5 1/2
14.....	2.12	6.10	2.41	6.55	3-11 1/2
15.....	2.17	6.35	2.46	6.75	4- 2 1/2
16.....	2.22	7.10	2.52	7.60	4- 5 1/2
18.....	2.31	7.60	2.63	8.10	4-11 1/2
12x12.....	2.16	6.20	2.44	6.65	4-5x3- 5 1/2
14.....	2.24	7.30	2.55	7.75	3-11 1/2
16.....	2.34	7.80	2.66	8.30	4- 5 1/2
18.....	2.43	8.45	2.77	9.00	4-11 1/2

1 1/8" sash, if made with bars not over 9/16" wide overall, making the opening 1/2" narrower and 1/2" shorter, deduct \$0.08 list per sash from the open list, deduct \$0.10 list per sash from the glazed list.

1 3/8" sash, if made with bars not over 9/16" wide overall, making the opening 1/2" narrower and 1/2" shorter, deduct \$0.09 list per sash from the open list, deduct \$0.11 list per sash from the glazed list.

Cupboard Sash
Casement Sash
53

Extras,
Windows
and Sash
79

Door Lists,
Panel and
Cupboard,
Pine
87

Sash Door
Lists
Pine
93

Side Lights,
Toilet and
Blind Doors
Pine
139

Extras,
Pine
Doors
147

Combination
Doors and
Extras
161

Window
Screens
183

Veneered
Door Lists
and Extras
197

Flush Door
Lists and
Extras
221



Hot Bed Sash

1 $\frac{3}{8}$ " and 1 $\frac{3}{4}$ " Thick, Open and Glazed

STANDARD LAYOUT

Stiles and Top Rail not over 2 $\frac{3}{16}$ " wide overall, not over 2" face.
 Bottom Rail on 1 $\frac{3}{8}$ " Hot Bed Sash, not over $\frac{3}{4}$ "x3 $\frac{1}{8}$ " wide overall.
 Bottom Rail on 1 $\frac{3}{4}$ " Hot Bed Sash, not over 1 $\frac{1}{8}$ "x3 $\frac{1}{8}$ " wide overall.

Bars in the following widths:

- 3-0, with 3 rows of glass 10" wide not over 1 $\frac{5}{16}$ " wide overall, not over 1 $\frac{5}{16}$ " face.
- 3-0, 3-4 and 4-0, with 4 rows of glass 7, 8, and 10 inches wide, not over 1 $\frac{3}{8}$ " wide overall, not over 1 $\frac{1}{4}$ " face.
- 3-2, with 4 rows of glass 8" wide, not over 2 $\frac{5}{32}$ " wide overall, not over 1 $\frac{9}{32}$ " face.
- 3-0, with 5 rows of glass 6" wide, not over 1 $\frac{13}{16}$ " wide overall, not over 1 $\frac{7}{16}$ " face.
- 3-6, with 5 rows of glass 7" wide, not over 1 $\frac{11}{16}$ " wide overall, not over 1 $\frac{11}{16}$ " face.
- 4-0, with 5 rows of glass 8" wide, not over 1 $\frac{15}{16}$ " wide overall, not over 1 $\frac{15}{16}$ " face.
- 3-6, with 6 rows of glass 6" wide, not over 1 $\frac{11}{16}$ " wide overall, not over 1 $\frac{5}{16}$ " face.

Standard Opening	1 $\frac{3}{8}$ " Thick		1 $\frac{3}{4}$ " Thick		Rows of Glass	Width of Glass
	Open List	List Glazed SS	Open List	List Glazed SS		
3-0x4-0.....	\$2.68	\$ 7.00	\$3.34	\$ 7.95	3	10
3-0x6-0.....	3.15	8.85	4.04	10.15	3	10
3-0x6-0.....	3.61	9.30	4.66	10.85	4	7
3-2x6-0.....	3.28	9.30	4.18	10.70	4	8
3-4x6-0.....	3.67	9.85	4.73	11.40	4	8
4-0x7-0.....	4.32	13.30	5.68	15.35	4	10
3-0x6-0.....	3.55	9.75	4.51	11.25	5	6
3-0x7-0.....	3.82	11.75	4.92	13.45	5	6
3-6x6-0.....	3.78	10.65	4.87	12.30	5	7
3-6x7-0.....	4.34	11.95	5.64	13.95	5	7
4-0x6-0.....	4.04	12.55	5.25	14.40	5	8
3-6x7-0.....	4.25	13.60	5.49	15.55	6	6

All Hot Bed Sash are furnished with one hardwood Cross-bar, not over $\frac{3}{8}$ "x1 $\frac{1}{2}$ ".

	Open	Glazed
If additional Hardwood Cross-bars are wanted, add for each extra bar, per bar, list.....	\$0.40	\$0.50
If Hardwood Cross-bar is omitted, deduct from above list.....	.40	.50
If Stiles are extended not over 2" beyond rails, at each end, forming lugs, not shaped or sticking removed, add for 1 $\frac{3}{8}$ " sash.....	.07	.09
Add for 1 $\frac{3}{4}$ " sash.....	.10	.13



Skylight Sash

1 $\frac{3}{8}$ " Thick, Open and Glazed

STANDARD LAYOUT

Stiles and Top Rail not over 2 $\frac{3}{16}$ " wide overall, not over 2" face.
 Bottom Rail not over 3 $\frac{3}{16}$ " wide overall, not over 3 $\frac{1}{8}$ " face.
 Bars not over $\frac{3}{4}$ " wide overall, not over $\frac{3}{8}$ " face.

Standard Opening	Open List	List Glazed Lapped Glass SS	List Glazed Strip Glass SS
2-0x2-6.....	\$1.02	\$3.05	\$ 3.20
3-0.....	1.17	3.80	3.85
2-2x3-2.....	1.22	3.80	4.05
2-4x3-4.....	1.28	4.55	4.70
2-6x3-0.....	1.24	4.50	4.55
3-6.....	1.44	5.25	5.40
4-0.....	1.85	6.00	6.75
3-0x4-0.....	1.93	6.40	7.55
5-0.....	2.34	8.05	10.05

Cupboard Sash

1 1/8" Thick, Open and Glazed

No Beads for Glass

STANDARD LAYOUT

Opening sizes shown are based on 4" of wood in width, 5"
of wood in height, over glass size.

Stiles and Top Rail not over 2 3/16" wide overall, not over 2" face.

Bottom Rail not over 3 3/16" wide overall, not over 3" face.

Bars not over 3/4" wide overall, not over 3/8" face.

Standard Opening	1 Light High			2 Lights High		
	Open List	List Glazed SS	List Glazed DS	Open List	List Glazed SS	List Glazed DS
1- 4x3-0	\$0.74	\$1.85	\$2.25	\$0.82	\$2.00	\$2.25
3-679	2.05	2.50	.87	2.20	2.55
4-088	2.40	2.85	.96	2.40	2.75
4-694	2.80	3.40	1.02	2.75	3.20
5-0	1.10	3.40	4.00	1.21	3.05	3.60
5-6	1.17	4.50	1.28	3.60	4.30
6-0	1.28	5.35	1.39	3.80	4.55
1- 6x3-076	2.00	2.45	.84	2.15	2.45
3-681	2.25	2.75	.89	2.35	2.75
4-090	2.55	3.15	.98	2.70	3.15
4-697	3.10	3.80	1.05	2.95	3.50
5-0	1.12	3.80	4.50	1.23	3.60	4.35
5-6	1.19	5.20	1.30	3.85	4.70
6-0	1.30	6.00	1.41	4.10	5.00
1- 8x3-078	2.15	2.65	.86	2.25	2.60
3-683	2.40	3.00	.91	2.60	3.10
4-092	2.80	3.50	1.00	2.85	3.40
4-699	3.25	4.05	1.07	3.45	4.30
5-0	1.16	4.85	1.27	3.80	4.65
5-6	1.21	5.35	1.32	4.10	5.05
6-0	1.33	5.55	1.45	4.40	5.45
1-10x3-080	2.25	2.75	.88	2.35	2.75
3-685	2.60	3.20	.93	2.80	3.35
4-096	3.20	4.00	1.04	3.05	3.65
4-6	1.01	3.50	4.35	1.09	3.70	4.60
5-0	1.18	5.30	1.29	4.05	5.05
5-6	1.23	5.95	1.34	4.25	5.30
6-0	1.36	6.50	1.47	4.70	5.80
2- 0x3-082	2.50	3.10	.90	2.60	3.05
3-687	2.90	3.65	.95	2.95	3.55
4-098	3.45	4.30	1.06	3.55	4.40
4-6	1.03	3.75	4.75	1.11	3.80	4.80
5-0	1.20	5.90	1.31	4.20	5.25
5-6	1.25	6.00	1.36	4.70	5.95
6-0	1.38	7.35	1.50	4.90	6.15

See page 55 for Rabbeting, etc., Cupboard Sash.

See page 64 for Rabbeting, etc., Casement Sash.

Cupboard
Sash
Casement
Sash
53

Extras,
Windows
and Sash
79

Door Lists,
Panel and
Cupboard,
Pine
87

Sash Door
Lists
Pine
93

Side Lights,
Toilet and
Blind Doors
Pine
139

Extras,
Pine
Doors
147

Combination
Doors and
Extras
161

Window
Screens
183

Veneered
Door Lists
and Extras
197

Flush Door
Lists and
Extras
223

Cupboard Sash

1 1/8" Thick (No Beads for Glass)

Same Layout as shown on page 53

Standard Opening	3 Lights High		4 Lights High	
	Open List	List Glazed SS	Open List	List Glazed SS
1- 4x3-0.....	\$0.86	\$1.95	\$0.90	\$2.15
3-6.....	.91	2.10	.95	2.30
4-0.....	1.00	2.60	1.04	2.55
4-6.....	1.06	2.80	1.10	2.70
5-0.....	1.27	3.20	1.32	3.45
5-6.....	1.33	3.35	1.39	3.70
6-0.....	1.45	3.65	1.51	4.05
1- 6x3-0.....	.88	2.05	.92	2.25
3-6.....	.93	2.55	.97	2.40
4-0.....	1.02	2.75	1.06	2.70
4-6.....	1.09	3.00	1.13	3.20
5-0.....	1.29	3.35	1.34	3.65
5-6.....	1.35	3.55	1.41	3.95
6-0.....	1.47	4.00	1.53	4.25
1- 8x3-0.....	.90	2.45	.94	2.40
3-6.....	.95	2.65	.99	2.55
4-0.....	1.04	2.95	1.08	3.20
4-6.....	1.11	3.15	1.15	3.40
5-0.....	1.32	3.55	1.38	3.95
5-6.....	1.38	3.90	1.43	4.20
6-0.....	1.51	4.30	1.56	4.60
1-10x3-0.....	.92	2.55	.96	2.85
3-6.....	.97	2.80	1.01	3.05
4-0.....	1.08	3.10	1.12	3.45
4-6.....	1.13	3.35	1.17	3.65
5-0.....	1.34	3.90	1.40	4.10
5-6.....	1.40	4.15	1.45	4.45
6-0.....	1.53	4.65	1.59	5.00
2- 0x3-0.....	.94	2.70	.98	3.00
3-6.....	.99	2.95	1.03	3.20
4-0.....	1.10	3.25	1.14	3.60
4-6.....	1.15	3.60	1.19	3.80
5-0.....	1.36	4.10	1.42	4.35
5-6.....	1.42	4.55	1.47	4.80
6-0.....	1.55	4.95	1.61	5.30

Cupboard Sash

1 1/8" Thick (No Beads for Glass)

Same Layout as shown on page 53

Standard Opening	4 Lights 2 Lights Wide		6 Lights 2 Lights Wide		8 Lights 2 Lights Wide	
	Open List	List Glazed SS	Open List	List Glazed SS	Open List	List Glazed SS
1- 4x3-0.....	\$0.94	\$2.35	\$1.04	\$2.45	\$1.14	\$2.95
3-6.....	.99	2.60	1.09	2.60	1.19	3.10
4-0.....	1.12	3.05	1.24	3.00	1.36	3.60
4-6.....	1.18	3.35	1.30	3.20	1.42	3.70
5-0.....	1.41	3.75	1.56	3.65	1.66	4.20
5-6.....	1.47	4.20	1.63	4.20	1.73	4.50
6-0.....	1.60	4.45	1.76	4.50	1.92	4.95
1- 6x3-0.....	.96	2.50	1.06	2.55	1.16	3.20
3-6.....	1.01	2.95	1.11	2.80	1.21	3.30
4-0.....	1.14	3.30	1.26	3.15	1.38	3.85
4-6.....	1.21	3.60	1.33	3.40	1.45	3.95
5-0.....	1.43	4.10	1.58	3.85	1.68	4.45
5-6.....	1.50	4.55	1.65	4.40	1.75	4.80
6-0.....	1.62	4.85	1.78	4.85	1.94	5.25
1- 8x3-0.....	.98	2.65	1.08	2.70	1.18	3.25
3-6.....	1.03	3.15	1.13	2.95	1.23	3.60
4-0.....	1.16	3.55	1.28	3.30	1.40	4.05
4-6.....	1.23	3.75	1.35	3.55	1.47	4.15
5-0.....	1.46	4.45	1.62	4.45	1.72	4.70
5-6.....	1.52	4.85	1.67	4.70	1.77	4.90
6-0.....	1.66	5.30	1.82	5.20	1.98	5.60
1-10x3-0.....	1.00	2.80	1.10	2.85	1.20	3.55
3-6.....	1.05	3.35	1.15	3.10	1.25	3.60
4-0.....	1.20	3.70	1.32	3.50	1.44	4.15
4-6.....	1.25	4.20	1.37	3.75	1.49	4.35
5-0.....	1.49	4.85	1.64	4.70	1.74	4.95
5-6.....	1.54	5.05	1.69	4.95	1.79	5.15
6-0.....	1.68	5.60	1.84	5.35	2.00	6.30
2- 0x3-0.....	1.02	3.00	1.12	2.95	1.22	3.55
3-6.....	1.07	3.50	1.17	3.25	1.27	3.90
4-0.....	1.22	3.85	1.34	3.70	1.46	4.15
4-6.....	1.27	4.30	1.39	4.35	1.51	4.35
5-0.....	1.51	4.95	1.66	4.90	1.76	4.95
5-6.....	1.56	5.40	1.72	5.20	1.81	5.20
6-0.....	1.70	5.95	1.86	5.60	2.02	6.35

- (A) For Cupboard Sash 3/4" Thick, deduct 5%.
- (B) For Cupboard Sash rabbeted plain or rabbeted and beaded, add per pair, open, list (This includes extra for wide meeting stiles)..... \$0.35
 Add per pair, glazed, list (This includes extra for wide meeting stiles) .44
- (C) For Cupboard Sash made with wide meeting stiles to permit of rabbeting, but not rabbeted, add to the proper list for a pair, one cent per lineal foot list, open, for each 1/4" wider of meeting stiles, that is, figure twice the length of a single stile.
 If sash is glazed add \$0.01 1/4 per lineal foot list for each 1/4" wider of meeting stiles, that is, figure twice the length of a single stile.
- (D) If beads are wanted, add as per Rule 11, page 81.

Extras,
Windows
and Sash
79

Door Lists,
Panel and
Cupboard,
Pine
87

Sash Door
Lists
Pine
93

Side Lights,
Toilet and
Blind Doors
Pine
139

Extras,
Pine
Doors
147

Combination
Doors and
Extras
161

Window
Screens
183

Veneered
Door Lists
and Extras
197

Flush
Doors
and
Extras
223



Casement Sash

1 $\frac{3}{8}$ " Thick, Open and Glazed

STANDARD LAYOUT



Opening sizes shown are based on 4" of wood in width, 5" of wood in height, over glass size.

Stiles and Top Rail not over 2 $\frac{3}{16}$ " wide overall, not over 2" face.

Bottom Rail not over 3 $\frac{3}{16}$ " wide overall, not over 3" face.

Bars not over $\frac{3}{4}$ " wide overall, not over $\frac{3}{8}$ " face.

Standard Opening	1 Light			6 Lights, 2 Lights Wide	
	Open List	List Glazed SS	List Glazed DS	Open List	List Glazed SS
1-0x2- 6.....	\$0.71	\$1.45	\$1.60	\$1.01	\$2.10
3- 0.....	.77	1.75	2.00	1.07	2.30
3- 6.....	.88	2.00	2.30	1.24	2.60
4- 0.....	.95	2.20	2.55	1.37	2.85
4- 2.....	.97	2.35	2.70	1.39	2.95
4- 6.....	1.01	2.55	2.95	1.43	3.05
4-10.....	1.17	3.25	3.60	1.59	3.40
5- 2.....	1.22	3.70	1.64	3.55
5- 6.....	1.28	4.00	1.70	3.55
5-10.....	1.35	4.15	1.77	4.25
6- 2.....	1.46	4.75	1.94	4.45
6- 6.....	1.52	4.85	2.00	4.45
1-2x2- 6.....	.74	1.65	1.85	1.04	2.25
3- 0.....	.80	1.90	2.20	1.10	2.45
3- 6.....	.90	2.15	2.50	1.26	2.75
4- 0.....	.98	2.40	2.85	1.40	3.05
4- 2.....	1.00	2.50	2.95	1.42	3.10
4- 6.....	1.05	2.70	3.20	1.47	3.25
4-10.....	1.20	3.45	3.90	1.62	3.65
5- 2.....	1.24	4.25	1.66	3.80
5- 6.....	1.30	4.40	1.72	3.80
5-10.....	1.37	5.10	1.79	4.45
6- 2.....	1.50	5.25	1.98	4.80
6- 6.....	1.55	5.40	2.03	4.75
1-4x2- 6.....	.76	1.75	2.00	1.06	2.35
3- 0.....	.83	2.05	2.40	1.13	2.55
3- 6.....	.94	2.30	2.75	1.30	2.90
4- 0.....	1.00	2.65	3.10	1.42	3.25
4- 2.....	1.02	2.75	3.25	1.44	3.40
4- 6.....	1.07	3.15	3.75	1.49	3.45
4-10.....	1.22	3.75	4.30	1.68	3.95
5- 2.....	1.29	4.60	1.75	4.20
5- 6.....	1.33	5.05	1.79	4.45
5-10.....	1.40	5.10	1.88	4.85
6- 2.....	1.53	6.10	2.09	5.30
6- 6.....	1.57	6.80	2.14	5.20
1-6x2- 6.....	.78	1.90	2.15	1.08	2.45
3- 0.....	.85	2.20	2.65	1.15	2.70
3- 6.....	.96	2.50	3.00	1.32	3.10
4- 0.....	1.03	2.85	3.40	1.45	3.40
4- 2.....	1.06	3.00	3.60	1.48	3.75
4- 6.....	1.10	3.45	4.15	1.52	3.70
4-10.....	1.25	4.55	1.72	4.20
5- 2.....	1.31	4.95	1.77	4.80

Casement Sash

1³/₈" Thick, Open and Glazed—Continued

Standard Opening	1 Light			6 Lights, 2 Lights Wide	
	Open List	List Glazed SS	List Glazed DS	Open List	List Glazed SS
1- 6x5- 6	\$1.35	\$5.75	\$1.82	\$4.70
5-10	1.44	5.95	1.91	5.25
6- 2	1.56	6.75	2.13	5.55
6- 6	1.62	7.60	2.19	5.60
1- 8x2- 680	\$2.10	2.50	1.10	2.50
3- 088	2.35	2.85	1.18	2.75
3- 699	2.70	3.30	1.35	3.15
4- 0	1.06	3.10	3.80	1.48	3.45
4- 2	1.08	3.40	4.10	1.50	3.70
4- 6	1.12	3.65	4.40	1.54	3.70
4-10	1.29	5.25	1.75	4.65
5- 2	1.34	5.35	1.80	4.90
5- 6	1.40	5.85	1.86	4.95
5-10	1.47	6.00	1.95	5.45
6- 2	1.59	7.10	2.15	5.70
6- 6	1.65	7.15	2.21	5.75
1-10x2- 682	2.20	2.70	1.12	2.70
3- 090	2.45	3.00	1.20	3.00
3- 6	1.01	2.90	3.55	1.37	3.40
4- 0	1.09	3.60	4.35	1.51	3.80
4- 2	1.11	3.60	4.40	1.53	4.05
4- 6	1.16	4.75	1.58	4.45
4-10	1.32	5.75	1.78	5.10
5- 2	1.36	5.80	1.83	5.40
5- 6	1.42	6.45	1.88	5.45
5-10	1.46	6.55	1.93	5.75
6- 2	1.63	7.15	2.20	6.30
6- 6	1.68	8.25	2.24	6.35
2- 0x2- 684	2.30	2.80	1.14	2.70
3- 093	2.75	3.35	1.23	3.05
3- 6	1.05	3.25	4.00	1.41	3.45
4- 0	1.11	3.80	4.70	1.53	3.80
4- 2	1.13	3.85	4.75	1.55	4.05
4- 6	1.18	5.20	1.60	4.50
4-10	1.34	5.80	1.80	5.15
5- 2	1.41	6.45	1.87	5.45
5- 6	1.45	6.55	1.91	5.30
5-10	1.49	7.85	1.96	5.75
6- 2	1.66	8.05	2.22	6.35
6- 6	1.70	8.25	2.27	6.40
2- 2x2- 686	2.40	2.95	1.16	2.90
3- 096	2.90	3.60	1.26	3.25
3- 6	1.07	3.30	4.05	1.43	3.70
4- 0	1.14	4.15	5.15	1.56	3.95
4- 2	1.17	4.15	5.15	1.59	4.70
4- 6	1.21	5.55	1.63	4.70
4-10	1.38	6.40	1.84	5.40
5- 2	1.43	6.50	1.89	5.70
5- 6	1.47	7.40	1.94	5.75
5-10	1.53	7.90	1.99	6.05
6- 2	1.66	8.20	2.25	6.80

See page 64 for rabbeting, etc.

Extras,
Windows
and Sash
79

Door Lists,
Panel and
Cupboard,
Pine
87

Sash Door
Lists
Pine
93

Side Lights,
Toilet and
Blind Doors
Pine
139

Extras,
Pine
Doors
147

Combination
Doors and
Extras
161

Window
Screens
183

Venired
Door Lists
and Extras
197

Flush Door
Lists and
Extras
223

Casement Sash

1 $\frac{3}{8}$ " Thick, Open and Glazed—Continued

Standard Opening	1 Light			6 Lights, 2 Lights Wide	
	Open List	List Glazed SS	List Glazed DS	Open List	List Glazed SS
2-2x6- 6.....	\$1.71	\$10.90	\$2.31	\$6.80
2-4x2- 6.....	.89	\$2.55	3.10	1.19	2.95
3- 0.....	.99	3.20	3.95	1.29	3.30
3- 6.....	1.10	3.80	4.70	1.56	3.75
4- 0.....	1.17	4.15	5.15	1.59	4.55
4- 2.....	1.19	4.25	5.25	1.61	4.90
4- 6.....	1.23	6.15	1.65	4.95
4-10.....	1.41	6.45	1.87	5.65
5- 2.....	1.46	7.35	1.93	6.00
5- 6.....	1.52	7.90	1.98	6.05
5-10.....	1.56	7.95	2.02	6.40
6- 2.....	1.68	9.60	2.27	7.25
6- 6.....	1.74	10.90	2.31	7.30
2-6x2- 6.....	.91	2.70	3.35	1.21	3.05
3- 0.....	1.01	3.20	3.95	1.31	3.45
3- 6.....	1.12	4.10	5.10	1.48	3.90
4- 0.....	1.20	4.55	5.75	1.62	4.85
4- 2.....	1.22	4.95	6.15	1.64	5.45
4- 6.....	1.27	6.20	1.69	5.50
4-10.....	1.44	7.30	1.90	6.05
5- 2.....	1.49	7.40	1.95	6.40
5- 6.....	1.54	9.25	2.00	6.45
5-10.....	1.58	9.45	2.05	6.95
6- 2.....	1.73	10.90	2.28	7.75
6- 6.....	1.77	10.95	2.32	7.80

For pairs of Casement Sash, rabbeting, etc., see page 64.



Casement Sash

1 $\frac{3}{8}$ " Thick, Open and Glazed

Eight Lights, Two Lights Wide

Same Layout as shown on page 56

Standard Opening	Open List	List Glazed SS	Standard Opening	Open List	List Glazed SS
1-0x2- 6.....	\$1.19	\$2.70	1-2x3- 0.....	\$1.28	\$3.05
3- 0.....	1.25	2.90	3- 6.....	1.38	3.35
3- 6.....	1.36	3.15	4- 0.....	1.46	3.60
4- 0.....	1.43	3.40	4- 2.....	1.55	3.70
4- 2.....	1.53	3.50	4- 6.....	1.60	3.80
4- 6.....	1.57	3.55	4-10.....	1.76	4.05
4-10.....	1.73	3.80	5- 2.....	1.80	4.20
5- 2.....	1.78	3.95	5- 6.....	1.86	4.35
5- 6.....	1.84	4.10	5-10.....	1.93	4.55
5-10.....	1.91	4.25	6- 2.....	2.10	4.95
6- 2.....	2.06	4.60	6- 6.....	2.15	5.00
6- 6.....	2.12	4.65	1-4x2- 6.....	1.24	3.15
1-2x2- 6.....	1.22	2.85	3- 0.....	1.31	3.25

Casement Sash

1³/₈" Thick, Open and Glazed—Continued

Eight Lights, Two Lights Wide

Standard Opening	Open List	List Glazed SS	Standard Opening	Open List	List Glazed SS
1- 4x3- 6	\$1.42	\$3.45	2- 0x3- 0	\$1.41	\$3.75
4- 0	1.48	3.80	3- 6	1.53	4.15
4- 2	1.57	3.95	4- 0	1.59	4.55
4- 6	1.62	4.00	4- 2	1.68	4.65
4-10	1.78	4.30	4- 6	1.73	4.75
5- 2	1.85	4.50	4-10	1.90	5.10
5- 6	1.89	4.65	5- 2	1.97	5.35
5-10	1.96	4.85	5- 6	2.01	5.50
6- 2	2.23	5.40	5-10	2.05	6.15
6- 6	2.28	5.45	6- 2	2.26	6.70
1- 6x2- 6	1.26	3.15	6- 6	2.30	6.75
3- 0	1.33	3.50	2- 2x2- 6	1.34	3.70
3- 6	1.44	3.65	3- 0	1.44	4.00
4- 0	1.51	4.10	3- 6	1.55	4.30
4- 2	1.61	4.20	4- 0	1.62	4.95
4- 6	1.65	4.25	4- 2	1.72	5.05
4-10	1.81	4.70	4- 6	1.76	5.10
5- 2	1.87	4.75	4-10	1.94	5.30
5- 6	1.91	5.05	5- 2	1.99	5.55
5-10	2.00	5.20	5- 6	2.03	6.20
6- 2	2.27	5.70	5-10	2.09	6.45
6- 6	2.33	5.80	6- 2	2.29	7.05
1- 8x2- 6	1.28	3.15	6- 6	2.34	7.10
3- 0	1.36	3.55	2- 4x2- 6	1.37	3.70
3- 6	1.47	3.85	3- 0	1.47	4.05
4- 0	1.54	4.15	3- 6	1.58	4.35
4- 2	1.63	4.25	4- 0	1.65	4.95
4- 6	1.67	4.30	4- 2	1.74	5.10
4-10	1.85	4.75	4- 6	1.78	5.15
5- 2	1.90	4.85	4-10	1.97	5.55
5- 6	1.96	5.10	5- 2	2.02	6.25
5-10	2.03	5.25	5- 6	2.08	6.50
6- 2	2.29	5.85	5-10	2.12	6.70
6- 6	2.35	6.30	6- 2	2.31	7.35
1-10x2- 6	1.30	3.35	6- 6	2.36	7.40
3- 0	1.38	3.75	2- 6x2- 6	1.39	3.80
3- 6	1.49	3.85	3- 0	1.49	4.20
4- 0	1.57	4.20	3- 6	1.60	4.50
4- 2	1.66	4.35	4- 0	1.68	4.95
4- 6	1.71	4.50	4- 2	1.77	5.10
4-10	1.88	4.85	4- 6	1.82	5.35
5- 2	1.92	5.05	4-10	2.00	6.60
5- 6	1.98	5.25	5- 2	2.05	6.70
5-10	2.02	5.45	5- 6	2.10	6.75
6- 2	2.19	6.40	5-10	2.14	6.95
6- 6	2.28	6.50	6- 2	2.33	7.60
2- 0x2- 6	1.32	3.45	6- 6	2.37	7.65

Extras,
Windows
and Sash
79

Door Lists,
Panel and
Cupboard,
Pine
87

Sash Door
Lists
Pine
93

Side Lights,
Toilet and
Blind Doors
Pine
139

Extras,
Pine
Doors
147

Combination
Doors and
Extras
161

Window
Screens
183

Veneered
Door Lists
and Extras
197


Faced Door
Lists and
Extras
223




Casement Sash

1 $\frac{3}{8}$ " Thick, Open and Glazed

Same Layout as shown on page 56



Standard Opening	9 Marginal Lights			9 Lights, 6 Square at Top 3 long at Bottom		
	Open List	List Glazed SS	List Glazed DS	Open List	List Glazed SS	List Glazed DS
1- 4x3- 6	\$1.66	\$4.00	\$1.66	\$4.00
4- 0	1.72	4.25	1.72	4.25
4- 2	1.83	4.45	\$4.85	1.83	4.45
4- 6	1.88	4.65	5.15	1.88	4.65
4-10	2.03	5.50	2.03	\$5.50
5- 2	2.10	5.85	2.10	5.85
5- 6	2.14	6.30	2.14	6.30
5-10	2.21	6.65	2.21	6.65
6- 2	2.43	7.35	2.43	7.35
6- 6	2.47	7.40	2.47	7.40
1- 6x2- 6	1.50	3.45	1.50	3.50
3- 0	1.57	3.70	1.57	3.80
3- 6	1.68	4.00	1.68	4.05
4- 0	1.75	4.25	1.75	4.30
4- 2	1.82	4.45	4.90	1.87	4.50	5.00
4- 6	1.91	4.65	5.15	1.91	4.70	5.25
4-10	2.06	5.50	2.06	5.60
5- 2	2.12	5.90	2.12	5.90
5- 6	2.16	6.35	2.16	6.35
5-10	2.25	7.20	2.25	7.25
6- 2	2.46	7.45	2.46	7.55
6- 6	2.52	8.30	2.52	8.40
1- 8x2- 6	1.52	3.55	1.52	3.55
3- 0	1.60	3.90	1.60	3.85
3- 6	1.71	4.20	1.71	4.15
4- 0	1.78	4.55	1.78	4.45
4- 2	1.89	4.70	5.30	1.89	4.70
4- 6	1.93	5.00	5.70	1.93	4.85	5.30
4-10	2.10	6.15	2.10	5.20	5.70
5- 2	2.15	6.60	2.15	5.95
5- 6	2.21	6.90	2.21	6.50
5-10	2.28	7.65	2.28	7.30
6- 2	2.49	7.90	2.49	7.85
6- 6	2.55	8.50	2.55	8.45
1-10x2- 6	1.54	3.55	1.54	3.85
3- 0	1.62	3.95	1.62	4.20
3- 6	1.73	4.50	1.73	4.55
4- 0	1.81	4.80	1.81	4.95
4- 2	1.92	5.05	5.70	1.92	5.15
4- 6	1.97	5.35	6.00	1.97	5.35	6.00
4-10	2.13	6.60	2.13	6.55
5- 2	2.17	7.00	2.17	6.80
5- 6	2.23	7.30	2.23	7.50
5-10	2.27	8.15	2.27	8.20
6- 2	2.53	8.50	2.53	8.90
6- 6	2.58	9.20	2.58	9.25
2- 0x2- 6	1.56	3.85	1.56	4.05
3- 0	1.65	4.30	1.65	4.40



Casement Sash

1³/₈" Thick, Open and Glazed

Continued

Standard Opening	9 Marginal Lights			9 Lights, 6 Square at Top 3 long at Bottom		
	Open List	List Glazed SS	List Glazed DS	Open List	List Glazed SS	List Glazed DS
2-0x3- 6	\$1.77	\$4.65	\$1.77	\$4.90
4- 0	1.83	5.00	1.83	5.30
4- 2	1.94	5.30	\$6.00	1.94	5.50
4- 6	1.99	5.55	6.30	1.99	5.80	\$6.50
4-10	2.15	7.00	2.15	6.15	6.95
5- 2	2.22	7.10	2.22	7.30
5- 6	2.26	8.10	2.26	8.00
5-10	2.30	8.85	2.30	8.60
6- 2	2.56	9.20	2.56	9.75
6- 6	2.60	9.25	2.60	9.80
2-2x2- 6	1.58	3.85	1.58	4.10
3- 0	1.68	4.35	1.68	4.40
3- 6	1.79	4.70	1.79	4.95
4- 0	1.86	5.20	1.86	5.35
4- 2	1.98	5.55	6.30	1.98	5.55
4- 6	2.02	6.85	2.02	5.95
4-10	2.19	7.50	2.19	6.20	7.10
5- 2	2.24	7.80	2.24	7.35
5- 6	2.28	8.75	2.28	8.05
5-10	2.34	8.85	2.34	8.65
6- 2	2.59	10.15	2.59	9.80
6- 6	2.65	10.60	2.65	9.85
2-4x2- 6	1.61	3.85	1.61	4.25
3- 0	1.71	4.40	1.71	4.65
3- 6	1.82	4.75	1.82	5.15
4- 0	1.89	5.45	1.89	5.50
4- 2	2.00	5.85	6.65	2.00	6.05
4- 6	2.04	6.90	2.04	6.35
4-10	2.22	7.55	2.22	7.80
5- 2	2.27	8.75	2.27	8.60
5- 6	2.33	8.85	2.33	8.65
5-10	2.37	9.90	2.37	9.65
6- 2	2.61	10.20	2.61	10.05
6- 6	2.67	10.65	2.67	11.05
2-6x2- 6	1.63	4.05	1.63	4.30
3- 0	1.73	4.55	1.73	4.70
3- 6	1.84	5.00	1.84	5.20
4- 0	1.92	5.80	1.92	5.65
4- 2	2.03	6.10	6.95	2.03	6.15
4- 6	2.08	7.70	2.08	6.40
4-10	2.25	8.50	2.25	7.95
5- 2	2.30	8.85	2.30	8.65
5- 6	2.35	9.80	2.35	9.15
5-10	2.39	9.95	2.39	9.70
6- 2	2.65	10.70	2.65	10.75
6- 6	2.71	12.20	2.71	10.95

Extras,
Windows
and Sash
79

Door Lists,
Panel and
Cupboard,
Pine
87

Sash Door
Lists
Pine
93

Side Lights,
Toilet and
Blind Doors
Pine
139

Extras,
Pine
Doors
147

Combination
Doors and
Extras
161

Window
Screens
183

Veneered
Door Lists
and Extras
197


Flush Door
Lists and
Extras
223



Casement Sash

1 $\frac{3}{8}$ " Thick, Open and Glazed

Same Layout as shown on page 56



Standard Opening	10 Lights 2 Lights Wide		12 Lights 3 Lights Wide	
	Open List	List Glazed SS	Open List	List Glazed SS
1- 0x3- 6	\$1.48	\$3.40
4- 0	1.55	3.65	\$1.67	\$3.90
4- 2	1.67	3.80	1.81	4.05
4- 6	1.71	3.85	1.85	4.10
4-10	1.87	4.20	2.01	4.35
5- 2	1.92	4.25	2.06	4.50
5- 6	1.98	4.35	2.12	4.60
5-10	2.05	4.50	2.19	4.80
6- 2	2.26	4.85	2.42	5.20
6- 6	2.32	5.00	2.48	5.30
1- 2x3- 6	1.50	3.55
4- 0	1.58	3.85	1.70	4.15
4- 2	1.70	4.00	1.84	4.35
4- 6	1.75	4.10	1.89	4.40
4-10	1.90	4.45	2.04	4.65
5- 2	1.94	4.50	2.08	4.80
5- 6	2.00	4.60	2.14	4.95
5-10	2.07	4.80	2.21	5.15
6- 2	2.30	5.15	2.46	5.65
6- 6	2.35	5.30	2.51	5.70
1- 4x3- 6	1.54	3.80
4- 0	1.60	3.95	1.72	4.35
4- 2	1.72	4.10	1.86	4.55
4- 6	1.77	4.30	1.91	4.60
4-10	1.92	4.60	2.06	4.90
5- 2	1.99	4.80	2.13	5.05
5- 6	2.03	4.85	2.17	5.20
5-10	2.10	5.10	2.24	5.40
6- 2	2.33	5.55	2.49	5.95
6- 6	2.37	5.70	2.53	6.00
1- 6x3- 6	1.56	4.10	1.68	4.15
4- 0	1.63	4.20	1.75	4.55
4- 2	1.76	4.35	1.90	4.75
4- 6	1.80	4.55	1.94	4.80
4-10	1.95	4.85	2.09	5.05
5- 2	2.01	5.15	2.15	5.25
5- 6	2.05	5.20	2.19	5.40
5-10	2.14	5.60	2.28	5.65
6- 2	2.36	5.85	2.52	6.25
6- 6	2.42	6.25	2.58	6.30
1- 8x3- 6	1.59	4.15	1.71	4.30
4- 0	1.66	4.40	1.78	4.60
4- 2	1.78	4.55	1.92	4.75
4- 6	1.82	4.60	1.96	4.80
4-10	1.99	5.10	2.13	5.15
5- 2	2.04	5.20	2.18	5.35
5- 6	2.10	5.25	2.24	5.50



Casement Sash

1 $\frac{3}{8}$ " Thick, Open and Glazed

Continued

Standard Opening	10 Lights 2 Lights Wide		12 Lights 3 Lights Wide	
	Open List	List Glazed SS	Open List	List Glazed SS
1- 8x5-10	\$2.17	\$5.65	\$2.31	\$5.75
6- 2	2.39	5.90	2.55	6.30
6- 6	2.45	6.30	2.61	6.35
1-10x3- 6	1.61	4.35	1.73	4.50
4- 0	1.69	4.45	1.81	5.05
4- 2	1.81	4.60	1.95	5.20
4- 6	1.86	5.00	2.00	5.30
4-10	2.02	5.20	2.16	5.65
5- 2	2.06	5.25	2.20	5.90
5- 6	2.12	5.50	2.26	6.10
5-10	2.16	5.70	2.30	6.30
6- 2	2.43	6.20	2.59	7.00
6- 6	2.48	6.45	2.64	7.05
2- 0x3- 6	1.65	4.40	1.77	4.80
4- 0	1.71	4.80	1.83	5.20
4- 2	1.83	4.95	1.97	5.35
4- 6	1.88	5.05	2.02	5.45
4-10	2.04	5.60	2.18	6.20
5- 2	2.11	5.70	2.25	6.30
5- 6	2.15	5.75	2.29	6.70
5-10	2.19	6.00	2.33	6.75
6- 2	2.46	6.50	2.62	7.40
6- 6	2.50	6.75	2.66	7.45
2- 2x3- 6	1.67	4.70	1.79	4.85
4- 0	1.74	4.85	1.86	5.45
4- 2	1.87	5.20	2.01	5.65
4- 6	1.91	5.45	2.05	5.70
4-10	2.08	5.85	2.22	6.25
5- 2	2.13	5.90	2.27	6.35
5- 6	2.17	5.95	2.31	6.75
5-10	2.23	6.25	2.37	6.80
6- 2	2.50	6.80	2.66	7.65
6- 6	2.56	7.20	2.70	7.70
2- 4x3- 6	1.70	4.75	1.82	5.10
4- 0	1.77	5.05	1.89	5.50
4- 2	1.89	5.20	2.03	5.70
4- 6	1.93	5.50	2.07	5.75
4-10	2.11	5.90	2.25	6.25
5- 2	2.16	6.50	2.30	6.40
5- 6	2.22	6.50	2.36	6.75
5-10	2.26	6.55	2.40	6.85
6- 2	2.52	7.45	2.68	7.65
6- 6	2.58	7.75	2.72	8.15
2- 6x3- 6	1.72	4.95	1.84	5.10
4- 0	1.80	5.25	1.92	5.80
4- 2	1.92	5.40	2.06	6.00
4- 6	1.97	5.70	2.11	6.05

Extras,
Windows
and Sash
79

Door Lists,
Panel and
Cupboard,
Pine
87

Sash Door
Lists
Pine
93

Side Lights,
Toilet and
Blind Doors
Pine
139

Extras,
Pine
Doors
147

Combination
Doors and
Extras
161

Window
Screens
183

Venueered
Door Lists
and Extras
187

Plank Door
Lists and
Extras
223

Casement Sash

1 $\frac{3}{8}$ " Thick, Open and Glazed—Continued

Standard Opening	10 Lights 2 Lights Wide		12 Lights 3 Lights Wide	
	Open List	List Glazed SS	Open List	List Glazed SS
2- 6x4-10.....	\$2.14	\$6.10	\$2.28	\$6.45
5- 2.....	2.19	6.45	2.33	6.70
5- 6.....	2.24	6.50	2.38	7.00
5-10.....	2.28	7.65	2.42	7.20
6- 2.....	2.57	8.00	2.73	8.60
6- 6.....	2.61	8.65	2.77	8.65

- (A) For pairs, double the list of a single Casement Sash of the size necessary to make a pair, and if rabbeted, add extra shown below.
- (B) For meeting stiles rabbeted plain or rabbeted and beaded, add per pair, if open, list..... \$0.35
 If glazed, list..... .44
 This includes extra for wide meeting stiles to permit rabbeting.
- (C) For Casement Sash made with wide meeting stiles to permit of rabbeting, but not rabbeted, add for the meeting stiles, for the sash open, one cent per lineal foot for each $\frac{1}{4}$ " wider of meeting stiles, that is, figure twice the length of a single stile.
 If sash is glazed, add \$0.01 $\frac{1}{4}$ per lineal foot list for each $\frac{1}{4}$ " wider of meeting stiles, that is, figure twice the length of a single stile.
 If beads are wanted, add as per Rule 11, page 81.

K. D. Sash Parts

**2 Light Check Rail Windows, 1 $\frac{3}{8}$ " Thick
 (Machined and Moulded—Standard Sticking)**

Stiles not over 2 $\frac{3}{16}$ " wide overall, not over 2" face.
 Top Rail not over 2 $\frac{3}{16}$ " wide overall, not over 2" face.
 Check Rail not over 1 $\frac{1}{16}$ " high overall, not over $\frac{1}{16}$ " between glass.
 Bottom Rail not over 3 $\frac{5}{16}$ " wide overall, not over 3 $\frac{1}{8}$ " face.

List Per Piece

Glass	Stile	Top Rail	Check Rail	Bottom Rail	Bars not over $\frac{1}{4}$ " overall, $\frac{1}{16}$ " between Glass
12.....	\$0.14	\$0.14	\$0.12	\$0.17	\$0.065
14.....	.15	.15	.12	.19	.07
16.....	.16	.16	.13	.21	.075
18.....	.17	.17	.14	.22	.075
20.....	.18	.18	.15	.23	.09
22.....	.19	.19	.16	.25	.095
24.....	.20	.20	.17	.26	.105
26.....	.21	.21	.17	.28	.105
28.....	.22	.22	.18	.29	.11
30.....	.23	.23	.19	.31	.115
32.....	.26	.26	.21	.34	.125
34.....	.27	.27	.22	.35	.13
36.....	.28	.28	.23	.37	.135
38.....	.29	.29	.23	.38	.135
40.....	.31	.31	.25	.42	.15
42.....	.34	.34	.26	.43	.15
44.....	.36	.36	.29	.47	.16
46.....	.37	.37	.30	.48	.17

K. D. Sash Parts**2 Light Check Rail Windows $1\frac{3}{8}$ " Thick—Continued****List Per Piece**

Glass	Stile	Top Rail	Check Rail	Bottom Rail	Bars not over $\frac{3}{4}$ " overall, $\frac{3}{8}$ " between Glass
48.....	\$0.41	\$0.41	\$0.33	\$0.55	\$0.185
50.....	.45	.45	.36	.61	.205
52.....	.49	.49	.38	.66	.215
54.....	.52	.52	.42	.70	.23
56.....	.56	.56	.45	.75	.245
58.....	.60	.60	.48	.77	.25
60.....	.62	.62	.50	.80	.255
62.....	.64	.64	.51	.81	.26
64.....	.66	.66	.53	.84	.27
66.....	.68	.68	.54	.86	.275
68.....	.70	.70	.56	.89	.28
70.....	.72	.72	.57	.90	.29
72.....	.74	.74	.59	.92	.295

For $1\frac{1}{8}$ " Thick, Plain Rail Windows, deduct 12%.

For $1\frac{3}{8}$ " Check Rail Windows, deduct 10%.

Lists on bars cover material and machining only.

K. D. Sash Parts**4 Light Check Rail Windows, $1\frac{3}{8}$ " Thick**

(Machined and Moulded—Standard Sticking)

Stiles not over $2\frac{3}{16}$ " wide overall, not over 2" face.

Top Rail not over $2\frac{3}{16}$ " wide overall, not over 2" face.

Check Rail not over $1\frac{5}{16}$ " high overall, not over $\frac{15}{16}$ " between glass.

Bottom Rail not over $3\frac{5}{16}$ " wide overall, not over $3\frac{1}{8}$ " face.

Bar not over $1\frac{1}{4}$ " wide overall, not over $\frac{7}{8}$ " face.

List Per Piece

Glass	Stiles	Bar not over $1\frac{1}{4}$ " overall, not over $\frac{7}{8}$ " between glass	Top Rail	Check Rail	Bottom Rail
9.....	\$0.12	\$0.08	\$0.18	\$0.15	\$0.23
10.....	.13	.09	.19	.16	.25
12.....	.14	.09	.21	.17	.28
14.....	.15	.10	.23	.19	.31
15.....	.15	.10	.26	.21	.32
16.....	.16	.11	.27	.22	.35
18.....	.17	.11	.29	.23	.37
20.....	.18	.12	.34	.26	.43
22.....	.19	.13	.37	.30	.47
24.....	.20	.13	.45	.36	.55
26.....	.21	.14	.52	.42	.66
28.....	.22	.15	.60	.48	.75
30.....	.23	.15	.64	.51	.80
32.....	.26	.17
34.....	.27	.17
36.....	.28	.18
38.....	.29	.19
40.....	.31	.20
42.....	.34	.21

Extras,
Windows
and Sash
79

Door Lists,
Panel and
Cupboard,
Pine
87

Sash Door
Lists
Pine
93

Side Lights,
Toilet and
Blind Doors
Pine
139

Extras,
Pine
Doors
147

Combination
Doors and
Extras
161

Window
Screens
183

Veneered
Door Lists
and Extras
197

Flush Door
Lists and
Extras
223

K. D. Sash Parts

4 Light Check Rail Windows, $1\frac{3}{8}$ " Thick—Continued

List Per Piece

Glass	Stiles	Bar not over $1\frac{1}{4}$ " overall; not over $\frac{3}{8}$ " between glass	Top Rail	Check Rail	Bottom Rail
44.....	.36	.22
46.....	.37	.23
48.....	.41	.26
50.....	.45	.28
52.....	.49	.31
54.....	.52	.33
56.....	.56	.35
58.....	.60	.36
60.....	.62	.37
62.....	.64	.38
64.....	.66	.39
66.....	.68	.39
68.....	.70	.41
70.....	.72	.42
72.....	.74	.42

For $1\frac{1}{8}$ " Thick Plain Rail Windows, deduct 12%.

For $1\frac{1}{8}$ " Thick Check Rail Windows, deduct 10%.

Lists on bars cover material and machining only.

K. D. Sash Parts

8 Light Check Rail Windows, $1\frac{3}{8}$ " Thick

(Machined and Moulded—Standard Sticking)

Stiles not over $2\frac{3}{16}$ " wide overall, not over 2" face.

Top Rail not over $1\frac{1}{16}$ " wide overall, not over $1\frac{3}{4}$ " face.

Check Rail not over $1\frac{5}{16}$ " high overall, not over $\frac{15}{16}$ " between glass.

Bottom Rail not over $3\frac{3}{16}$ " wide overall, not over 3" face.

Vertical Bar not over $1\frac{1}{4}$ " wide overall, not over $\frac{7}{8}$ " face.

Horizontal Bars not over $\frac{9}{16}$ " wide overall, not over $\frac{3}{16}$ " face.

List Per Piece

Glass	Stiles 2 Lights High	Vertical Bar, 2 Lights High	Top Rail	Check Rail	Bottom Rail	Horizontal Bar, 1 Light Wide
7.....	\$0.115	\$0.12	\$0.15	\$0.13	\$0.21	\$0.035
8.....	.165	.12	.17	.14	.22	.04
9.....	.175	.12	.18	.15	.23	.04
10.....	.185	.13	.19	.16	.25	.04
12.....	.205	.14	.21	.17	.28	.045
13.....	.215	.15	.22	.18	.29	.05
14.....	.225	.16	.23	.19	.31	.05
15.....	.235	.16	.26	.21	.32	.055
16.....	.265	.18	.27	.22	.35	.055
18.....	.285	.19	.29	.23	.37	.065
20.....	.315	.21	.34	.26	.43	.07
22.....	.365	.23	.37	.30	.47	.075
24.....	.415	.27	.45	.36	.55	.075
26.....	.495	.32	.52	.42	.66	.075
28.....	.565	.36	.60	.48	.75	.085
30.....	.625	.38	.64	.51	.80	.085

For $1\frac{1}{8}$ " Thick Plain Rail Windows, deduct 12%.

For $1\frac{1}{8}$ " Thick Check Rail Windows, deduct 10%.

Lists on bars cover material and machining only.

K. D. Sash Parts

12 Light Check Rail Windows, 1 $\frac{3}{8}$ " Thick

(Machined and Moulded—Standard Sticking)

Stiles not over 2 $\frac{3}{16}$ " wide overall, not over 2" face.

Top Rail not over 1 $\frac{15}{16}$ " wide overall, not over 1 $\frac{3}{4}$ " face.

Check Rail not over 1 $\frac{5}{16}$ " high overall, not over 1 $\frac{5}{16}$ " between glass.

Bottom Rail not over 3 $\frac{3}{16}$ " wide overall, not over 3" face.

Vertical Bars not over $\frac{9}{16}$ " wide overall, not over $\frac{3}{16}$ " face.

Horizontal Bars not over $\frac{9}{16}$ " wide overall, not over $\frac{3}{16}$ " face.

List Per Piece

Glass	Stiles 2 Lights High	Vertical Bars, 2 Lights High	Top Rail	Check Rail	Bottom Rail	Horizontal Bars, 1 Light Wide
6.....	\$0.145	\$0.06	\$0.17	\$0.14	\$0.22	\$0.035
7.....	.155	.065	.19	.16	.25	.035
8.....	.165	.07	.21	.17	.28	.04
9.....	.175	.085	.22	.18	.30	.04
10.....	.185	.09	.24	.195	.33	.04
11.....	.195	.095	.26	.22	.37	.045
12.....	.205	.095	.29	.23	.37	.045
13.....	.215	.10	.31	.25	.39	.05
14.....	.225	.10	.36	.29	.43	.05
15.....	.235	.11	.37	.30	.48	.055
16.....	.265	.115	.45	.36	.55	.055
18.....	.285	.12	.56	.45	.71	.065
20.....	.315	.13	.64	.51	.81	.07
22.....	.365	.145	.70	.56	.86	.075
24.....	.415	.15	.76	.61	.94	.075

Heavy Bars

Not over $\frac{3}{4}$ " wide overall, not over $\frac{3}{8}$ " between glass, for 12 Light Windows.

	Vertical Bars, 2 Lights High	Horizontal Bars, 1 Light Wide
6.....	\$0.07	\$0.045
7.....	.075	.045
8.....	.08	.05
9.....	.095	.05
10.....	.10	.05
11.....	.105	.055
12.....	.115	.065
13.....	.12	.07
14.....	.12	.07
15.....	.13	.075
16.....	.135	.075
18.....	.14	.075
20.....	.15	.09
22.....	.165	.095
24.....	.18	.105

For 1 $\frac{1}{8}$ " Thick Plain Rail Windows, deduct 12%.

For 1 $\frac{1}{8}$ " Thick Check Rail Windows, deduct 10%.

Lists on bars cover material and machining only.

Extras,
Windows
and Sash
79

Door Lists,
Panel and
Cupboard,
Pine
87

Sash Door
Lists
Pine
93

Side Lights,
Toilet and
Blind Doors
Pine
139

Extras,
Pine
Doors
147

Combination
Doors and
Extras
161

Window
Screens
183

Veneered
Door Lists
and Extras
197

Flash Doors
Lists and
Extras
223

K. D. Storm Sash Parts

2 Light Storm Sash, 1 1/8" Thick

(Machined and Moulded—Standard Sticking)

Stiles not over 2 3/16" wide overall, not over 2" face.

Top Rail not over 2 3/16" wide overall, not over 2" face.

Cross Bar not over 1 1/4" wide overall, not over 7/8" face.

Bottom Rail not over 4 1/16" wide overall, not over 4 1/2" face.

List Per Piece

Glass Size	Stiles Per Single Stile 2 Lights High	Top Rail	Cross Rail	Bottom Rail	Vertical Bar For 2 Light. Cut 4 Light, Not over 3/4" Wide overall, Not over 3/8" Face. Per Bar
12.....	\$0.315	\$0.14	\$0.09	\$0.25	\$0.065
14.....	.335	.15	.10	.27	.07
16.....	.355	.16	.11	.29	.075
18.....	.375	.17	.11	.31	.075
20.....	.39	.18	.12	.34	.09
22.....	.41	.19	.13	.36	.095
24.....	.44	.20	.13	.38	.105
26.....	.46	.21	.14	.40	.105
28.....	.48	.22	.15	.42	.11
30.....	.51	.23	.15	.44	.115
32.....	.57	.26	.17	.49	.125
34.....	.60	.27	.17	.51	.13
36.....	.62	.28	.18	.54	.135
38.....	.66	.29	.19	.56	.135
40.....	.705	.31	.20	.60	.15
42.....	.735	.34	.21	.63	.15
44.....	.765	.36	.22	.65	.16
46.....	.795	.37	.23	.67	.17
48.....	.825	.41	.26	.79	.185
50.....	.96	.45	.28	.88	.205
52.....	1.03	.49	.31	.94	.215
54.....	1.09	.52	.33	1.00	.23
56.....	1.17	.56	.35	1.07	.245
58.....	1.25	.60	.36	1.10	.25
60.....	1.29	.62	.37	1.13	.255
62.....	1.33	.64	.38	1.16	.26
64.....	1.37	.66	.39	1.20	.27
66.....	1.41	.68	.39	1.23	.275
68.....	1.45	.70	.41	1.26	.28
70.....	1.49	.72	.42	1.29	.29
72.....	1.53	.74	.42	1.32	.295

Lists on bars cover material and machining only.

For 5" face bottom rail not over 5 3/16" wide overall, add \$0.02 per lineal foot for length of rail, length to be figured at the full foot. Example: If rail is 2-2, 2-4, 2-6, 2-8 or 2-10 long, figure 3 feet, if over 3 foot and up to and including 3-10 figure 4 feet, etc.

K. D. Storm Sash Parts

4 Light Storm Sash, 1 1/8" Thick

(Machined and Moulded—Standard Sticking)

Stiles not over 2 3/16" wide overall, not over 2" face.

Top Rail not over 2 3/16" wide overall, not over 2" face.

Vertical and Cross Bars not over 1 1/4" wide overall, not over 7/8" face.

Bottom Rail not over 4 1/16" wide overall, not over 4 1/2" face.

List Per Piece

Glass	Stiles Per Single Stile 2 Lights High	Top Rail	Vertical Bar	Cross Rail	Bottom Rail
9.....	\$0.26	\$0.18	\$0.085	\$0.12	\$0.33
10.....	.28	.19	.09	.12	.35
12.....	.315	.21	.09	.13	.39
14.....	.335	.23	.10	.15	.43
15.....	.345	.26	.10	.15	.45
16.....	.355	.27	.11	.17	.49
18.....	.375	.29	.11	.18	.54
20.....	.39	.34	.13	.20	.62
22.....	.41	.37	.14	.22	.66
24.....	.44	.45	.14	.26	.80
26.....	.46	.52	.14	.30	.95
28.....	.48	.60	.15	.33	1.08
30.....	.51	.64	.15	.38	1.14
32.....	.5717
34.....	.6017
36.....	.6218
38.....	.6619
40.....	.70520
42.....	.73521
44.....	.76522
46.....	.79523
48.....	.82526
50.....	.9628
52.....	1.0331
54.....	1.0933
56.....	1.1735
58.....	1.2536
60.....	1.2937
62.....	1.3338
64.....	1.3739
66.....	1.4139
68.....	1.4541
70.....	1.4942
72.....	1.5342

Lists on bars cover material and machining only.

For 5" face bottom rail not over 5 3/16" wide overall, add \$0.02 per lineal foot for length of rail, length to be figured at the full foot. Example, If rail is 2-2, 2-4, 2-6, 2-8 or 2-10 long, figure 3 feet, if over 3 foot and up to and including 3-10, figure 4 feet, etc.

Extras,
Windows
and Sashes

Door Lists,
Panel and
Cupboard,
Pine
87

Sash Door
Lists
Pine
93

Side Lights,
Toilet and
Blind Doors
Pine
139

Extras,
Pine
Doors
147

Combination
Doors and
Extras
161

Window
Screens
183

Veneered
Door Lists
and Extras
197

Flush Door
Lists and
Extras
223

List of Lineal Moulded Sash Stock

Per 100 Lineal Feet

	$\frac{1\frac{1}{8}}{16}$ " Thick Gl. Rabt. List	$\frac{1\frac{3}{8}}{16}$ " Thick Gl. Rabt. List	$\frac{1\frac{3}{4}}{4}$ " Thick Gl. Rabt. List
Muntin $\frac{3}{16}$ " Bet. Gl.....	\$1.50	\$2.00	\$2.25
Muntin $\frac{1}{4}$ " Bet. Gl.....	1.50	2.00	2.25
Muntin $\frac{5}{8}$ " Bet. Gl.....	1.50	2.00	3.00
Muntin $\frac{7}{16}$ " Bet. Gl.....	1.50	2.00	3.40
Muntin $\frac{1}{2}$ " Bet. Gl.....	1.90	2.25	3.40
Muntin $\frac{5}{8}$ " Bet. Gl.....	2.15	2.50	3.75
Mull or Bar $\frac{3}{4}$ " Bet. Gl.....	2.35	2.75	4.25
Mull or Bar $\frac{13}{16}$ " Bet. Gl.....	2.75	3.00	4.25
Mull or Bar $\frac{7}{8}$ " Bet. Gl.....	2.75	3.00	4.25
Mull or Bar 1" Bet. Gl.....	2.90	3.75	4.80
Mull or Bar $1\frac{1}{8}$ " Bet. Gl.....	2.90	3.75	5.10
Stiles or Rails $1\frac{1}{2}$ " to Gl.....	3.30	4.00	5.30
Stiles or Rails $1\frac{9}{16}$ " to Gl.....	3.30	4.00	5.90
Stiles or Rails $1\frac{3}{4}$ " to Gl.....	3.75	4.50	6.20
Stiles or Rails 2" to Gl.....	4.15	5.00	6.90
Stiles or Rails $2\frac{1}{8}$ " to Gl.....	4.30	5.25	7.30
Stiles or Rails $2\frac{1}{4}$ " to Gl.....	4.55	5.50	7.55
Stiles or Rails $2\frac{1}{2}$ " to Gl.....	4.95	6.00	8.25
Stiles or Rails $2\frac{3}{4}$ " to Gl.....	5.35	6.50	8.95
Stiles or Rails 3" to Gl.....	5.80	7.00	9.65
Stiles or Rails $3\frac{1}{4}$ " to Gl.....	6.20	7.50	10.30
Stiles or Rails $3\frac{1}{2}$ " to Gl.....	6.60	8.00	11.00
Stiles or Rails $3\frac{3}{4}$ " to Gl.....	7.45	9.00	12.40
Stiles or Rails 4" to Gl.....	7.85	9.60	13.05
Stiles or Rails $4\frac{1}{4}$ " to Gl.....	8.25	10.00	13.75
Stiles or Rails $4\frac{1}{2}$ " to Gl.....	8.70	10.50	14.45
Stiles or Rails $4\frac{3}{4}$ " to Gl.....	9.10	11.00	15.15
Stiles or Rails 5" to Gl.....	9.90	12.00	16.50


Check Rails $1\frac{1}{4}$ " to $1\frac{3}{8}$ " thick for $1\frac{1}{8}$ " windows for $\frac{3}{8}$ " or $\frac{1}{2}$ " Parting Strip	\$3.60
Check Rails $1\frac{1}{4}$ " to $1\frac{3}{8}$ " thick for $1\frac{1}{4}$ " windows for $\frac{3}{8}$ " or $\frac{1}{2}$ " Parting Strip	4.00
Check Rails $1\frac{1}{4}$ " to $1\frac{3}{8}$ " thick for $1\frac{3}{8}$ " windows for $\frac{3}{8}$ " or $\frac{1}{2}$ " Parting Strip	4.00
Check Rails $1\frac{1}{4}$ " to $1\frac{3}{8}$ " thick for $1\frac{3}{4}$ " windows for $\frac{3}{8}$ " or $\frac{1}{2}$ " Parting Strip	4.75
Check Rails $1\frac{3}{8}$ " to $1\frac{3}{4}$ " thick for $1\frac{3}{8}$ " windows for $\frac{3}{8}$ " or $\frac{1}{2}$ " Parting Strip	5.50
Check Rails $1\frac{3}{8}$ " to $1\frac{3}{4}$ " thick for $1\frac{3}{4}$ " windows for $\frac{3}{8}$ " or $\frac{1}{2}$ " Parting Strip	6.55

Windows


With Divided Lights In Top Sash



A




C




E



F



J



K

For windows or sash made with divided lights similar to the above, add to proper two light window or one light sash list as follows:

"A" lights.....	Rule 10 Sections A-B or C
"B" lights.....	Rule 10 Section E
"C" lights.....	Rule 10 Section G
"D" lights.....	Rule 10 Section E

For above rules see page 80.

Extras,
Windows
and Sash
79

Door Lists,
Panel and
Cupboard,
Pine
87

Sash Door
Lists
Pine
93

Side Lights,
Toilet and
Blind Doors
Pine
139

Extras,
Pine
Doors
147

Combination
Doors and
Extras
161


Window
Screens
183

Veneered
Door Lists
and Extras
197

Flush Door
Lists and
Extras
223

Windows


With Divided Lights In Top Sash




L




M



N



O



P


For windows or sash made with divided lights similar to above, add to proper two-light window or one light sash list as follows:

"D" lights.....	Rule 10 Section E
"F" lights.....	Rule 10 Section F
"G" lights.....	Rule 10 Section G
"H" lights.....	Rule 10 Sections A-B or C
"I" lights.....	Rule 10 Sections A-plus D


For above rules see page 80.

Windows and Sash

With Divided Lights




17




18




56




57




58




59



60



61



65

For windows or sash made with divided lights similar to above, add to proper two light window or one light sash list as follows:

"A" lights.....	Rule 10 Sections A-B or C
"B" lights.....	Rule 10 Section E
"C" lights.....	Rule 10 Section G
"D" lights.....	Rule 10 Section E
"F" lights.....	Rule 10 Section F
"G" lights.....	Rule 10 Section G
"H" lights.....	Rule 10 Sections A-B or C
"I" lights.....	Rule 10 Sections A plus D
"S" lights.....	Rule 10 Section I
"T" lights.....	Rule 10 Section J
"V" Bars.....	Rule 10 Section H-4

For above rules see page 80.

Extras,
Windows
and Sash
79

Door Lists,
Panel and
Cupboard,
Pine
87

Sash Door
Lists
Pine
93

Side Lights,
Toilet and
Blind Doors
Pine
139

Extras,
Pine
Doors
147

Combination
Doors and
Extras
161


Window
Screens
183

Veneered
Door Lists
and Extras
197


Flush Door
Lists and
Extras
223

Transoms and Sash


Segment, Circle and Gothic Top




69




70




71



72




72½



73



74



75

For transoms or sash made as above add to proper transom or sash list as follows:

No. 69 Segment out Square in.....	Rule 16 Section C
No. 70 Segment out and in.....	Rule 16 Section C
No. 71 Circle out and in.....	Rule 16 Section A
No. 72 Circle out and in.....	Rule 16 Section A
No. 72½ Left hand quarter circle.....	Rule 16 Section K
No. 73 Circle out and in.....	Rule 16 Section A
No. 74 Gothic head.....	Rule 16 Section D
No. 75 Gothic head.....	Rule 16 Section D

For divided lights add as follows:

"J" lights.....	Rule 10 Section E
"L" lights.....	Rule 10 Sections A plus D
"M" lights.....	Rule 10 Section H-2
"N" lights.....	Rule 10 Section H-1


For above rules see pages 80 and 83.

Windows and Sash

Gothic, Peak Head, Half Circle and Circle




76




77




78




79




80




81



82



83



84



85

For windows or sash made as above add to proper window or sash list as follows:

No. 76 Gothic head.....	Rule 16 Section D
No. 77 Gothic head.....	Rule 16 Section D
No. 78 Peak head.....	Rule 16 Section E
No. 79 Peak head.....	Rule 16 Section E
No. 80 Gothic head.....	Rule 16 Section D
No. 81 Circle top.....	Rule 16 Section A
No. 82 Circle top.....	Rule 16 Section A
No. 83 Peak head.....	Rule 16 Section E
No. 84 Full circle.....	Rule 16 Section G
No. 85 Half circle.....	Rule 16 Section A

For divided lights add as follows:

"A" lights..Rule 10 Sections A-B or C
"D" lights..Rule 10 Section E
"M" lights..Rule 10 Section H-2
"N" lights..Rule 10 Section H-1

"O" lights.....Rule 10 Section E
"P" lights.....Rule 10 Section H-1
"S" lights.....Rule 10 Section I

For above rules see pages 80 and 83.

Extras,
Windows
and Sash
77

Door Lists,
Panel and
Cupboard,
Pine
87

Sash Door
Lists
Pine
93

Side Lights,
Toilet and
Blind Doors
Pine
139

Extras,
Pine
Doors
147

Combination
Doors and
Extras
161

Window
Screens
183

Yewwood
Door Lists
and Extras
197


Flush Door
Lists and
Extras
223

Sash

Half Circle, Quarter Circle, Peak Head, Eyebrow, and Oval




86




87



88



89



90

For Sash made as above add to proper sash list as follows:

No. 86 Half Circle	Rule 16 Section A
No. 87 Left hand Quarter Circle.....	Rule 16 Section K
No. 88 Peak head	Rule 16 Section E
No. 89 Eyebrow.....	Rule 16 Section J
No. 90 Oval.....	Rule 16 Section G

For divided lights add as follows:

"P" lights	Rule 10 Section H-1
"R" lights.....	Rule 10 Section H-2
"S" lights.....	Rule 10 Section I

For above rules see pages 80 and 83.

Windows

Circle and Segment Top




Fig. 1

Circle inside and outside. Radius one half width of sash.




Fig. 2

Circle outside, Square inside. Radius one half width of sash less width of one stile.




Fig. 3

Segment inside and outside. Radius width of sash.




Fig. 4

Segment outside square inside. Radius width of sash less width of one stile.

For segment, circle or Gothic windows always give radius if not as above. If not given it will be understood that the regular radius as indicated above will apply.

For windows made as above add to proper window list as follows:

- Fig. 1.....Rule 16 Section A
- Fig. 2.....Rule 16 Section B
- Fig. 3.....Rule 16 Section C
- Fig. 4.....Rule 16 Section C

For above rules see page 83.

Extras,
Windows
and S
7

Door Lists,
Panel and
Cupboard,
Pine
87

Sash Door
Lists
Pine
93

Side Lights,
Toilet and
Blind Doors
Pine
139

Extras,
Pine
Doors
147

Combination
Doors and
Extras
161

Window
Screens
183

Veneered
Door Lists
and Extras
197

Flush Door
Lists and
Extras
223

Rules for Sash Extras

These List Extras apply to the open and glazed lists and cover the listing of items not otherwise provided for, with standard sticking. For any type of sticking requiring special knives, an extra charge will be made.

For smaller than listed and intermediate sizes, use same list as next larger listed size.

Rule 1 Windows Larger Than Listed Sizes

	<u>Open List</u> <u>1 3/8" Thick</u>
(A)—1 3/8" open windows wider than listed sizes, use list of widest listed size of a similar window of same height, and add for each additional two inches or fraction thereof in width.....	\$0.15 List
(B)—1 3/8" open windows higher than listed sizes, use list of highest listed size of a similar window of same width, and add for each additional four inches or fraction thereof in height.....	.15 List
(C)—For 1 3/4" and thicker add extra per Rule 6.	
(D)—Glazed windows figure open as above and add for glass and glazing.	

Rule 2 Single Sash Not Listed

(A)—To make single sash list of any 1 3/8" 1 light open sash with standard layout (not over 2 3/16" Stiles and Top Rail, not over 3 5/16" Bottom Rail overall) and not listed or otherwise provided for, figure the distance around the opening, (outside measure) at per lineal inch.....	.01 List
At the above basis, no sash to be figured at less than.....	.75 List
(B)—For wood parts larger than a standard layout see Rule 3.	
(C)—For divided lights in above sash, add for such lights as per Rule 10.	
(D)—For 1 3/4" and thicker add extra per Rule 6.	
(E)—Glazed sash figure open as above and add for glass and glazing.	

Rule 3 Wide Stiles, Rails or Bars

	<u>Open</u> <u>1 3/8" Thick</u>	<u>Glazed</u> <u>1 3/8" Thick</u>
(A)—All list prices are based on standard layout shown. Stiles, top and bottom rail wider than standard layout, 1 3/8" thick, add for each additional 1/4" or fraction thereof of parts affected, per lineal foot. .	\$0.01 List	\$0.01 1/4 List
Note: Footage to be figured for full opening height and/or width, and if a fractional width or height, use the next full foot, see example Section "F".		
(B)—Check rails, higher than 1 5/16" and not higher than 1 5/8" for 1 3/8" windows, add per lineal foot for each check rail.02 List	.02 1/2 List
(C)—Check rails, not higher than 1 11/16", for 1 3/4" windows, permitted without extra charge.		
(D)—Check rails, 2 or 2 1/4" high for 1 3/4" windows, add per lineal foot for each check rail.06 List	.07 1/2 List
(E)—Bars and muntins, wider than standard layouts, 1 3/8" thick, add for each additional 1/4" or part thereof, for each bar or muntin, per lineal foot.01 List	.01 1/4 List
(F)—(Method of application for Rules A to E inclusive). Footage in all cases of fractional widths and/or heights to be figured at the next full foot.		

(Example) 10x12-12 light 1 3/8" check rail open with 2 1/2" stiles and top rail, 1 5/8" high check rail, 3 3/4" bottom rail, 1" bars, over all measurements.

Rules for Sash Extras—Continued

Use 12 light list with $\frac{9}{16}$ " bars and add as follows:

Opening 2-10 $\frac{1}{2}$ x4-6

2 Stiles 4-6 figure.....	5 ft. 10 ft. @	\$0.01	\$0.10
1 Top Rail 2-10 $\frac{1}{2}$ figure.....	3 ft. 3 ft. @	.01	.03
2 Check Rails 2-10 $\frac{1}{2}$ figure...	3 ft. 6 ft. @	.02	.12
1 Bottom Rail 2-10 $\frac{1}{2}$ figure..	3 ft. 3 ft. @	.02	.06
2 Bars 2-10 $\frac{1}{2}$ figure.....	3 ft. 6 ft. @	.02	.12
2 Bars 4-6 figure.....	5 ft. 10 ft. @	.02	.20
			<hr/>
			\$0.63

Rule 4 1 $\frac{1}{8}$ " Plain and Check Rail Windows and/or Sash

	Open 1 $\frac{1}{8}$ " Thick	Glazed 1 $\frac{1}{8}$ " Thick
(A)—1 $\frac{1}{8}$ " Plain Rail Windows and sash in sizes not listed, use 1 $\frac{3}{8}$ " check rail window or sash list for same sizes, and deduct of the open list.....	12%	15%
(B)—1 $\frac{1}{8}$ " check rail windows in sizes not listed, use 1 $\frac{3}{8}$ " check rail list for same size and deduct of the open list.....	10%	12 $\frac{1}{2}$ %

Rule 5 1 $\frac{3}{8}$ " Plain Rail Windows

Use 1 $\frac{3}{8}$ " check rail window list.

Rule 6 Thicker Than 1 $\frac{3}{8}$ "

(A)—1 $\frac{3}{4}$ " windows and sash unless otherwise provided for, add to the 1 $\frac{3}{8}$ " list, of the 1 $\frac{3}{8}$ " open list.....	40%	50%
(B)—2" or 2 $\frac{1}{4}$ " windows and sash unless otherwise provided for, add to the 1 $\frac{3}{8}$ " list, of the 1 $\frac{3}{8}$ " open list. (This includes 2" or 2 $\frac{1}{4}$ " high check rail).....	185%	230%
(C)—2 $\frac{1}{2}$ " or 2 $\frac{3}{4}$ " windows and sash, unless otherwise provided for, add to the 1 $\frac{3}{8}$ " list, of the 1 $\frac{3}{8}$ " open list. (This includes 2 $\frac{1}{2}$ " or 2 $\frac{3}{4}$ " high check rail)....	260%	325%

NOTE THAT THE PERCENTAGE ADDITIONS ARE OF THE 1 $\frac{3}{8}$ " OPEN LIST AND ARE TO BE ADDED TO THE 1 $\frac{3}{8}$ " OPEN LIST OR GLAZED LIST.

Rule 7 Cottage Style Windows

(A)—Cottage style windows (with top and bottom lights different heights) not listed, add together one-half of the list of windows of the same width containing the same or next larger glass size for both bottom and top sash and add.....	\$0.10 List	\$0.13 List
---	-------------	-------------

Rule 8 Half Windows

Half windows (either bottom or top sash) use half the list of a similar full window and add.....	.10 List	.13 List
--	----------	----------

Extras,
Windows
and Sash
7

Door Lists,
Panel and
Cupboard,
Pine
87

Sash Door
Lists
Pine
93

Side Lights,
Toilet and
Blind Doors
Pine
139

Extras,
Pine
Doors
147

Combination
Doors and
Extras
161

Window
Screens
183

Veneered
Door Lists
and Extras
197

Flush Door
Lists and
Extras
223

Rules for Sash Extras—Continued

Rule 9

Storm Sash

	Open 1 $\frac{3}{8}$ " Thick	Glazed 1 $\frac{3}{8}$ " Thick
(A)—1 $\frac{1}{8}$ " storm sash set up with stiles not over 2 $\frac{3}{16}$ " wide overall and bottom rail not over 4 $\frac{11}{16}$ " wide overall, use the list of a 1 $\frac{3}{8}$ " check rail window with an equal number of lights of same size.		
(B)—For storm sash 4 light, when made with vertical slip bar coped only, rails not mortised, bored or franked, deduct from total list per sash.....	\$0.10 List	\$0.10 List
For storm sash 4 light, when made with vertical bar coped with stub tenon, rails franked, bored or mortised, deduct from total list per sash.....	.05 List	.05 List
(C)—1 $\frac{3}{8}$ " storm sash add of the corresponding 1 $\frac{3}{8}$ " window list, to the open or glazed lists.....	20%	25%
(D)—For stiles and/or rails wider than standard width, (as shown in Rule 9, Section A), add as per Rule 3, Section A.		
(E)—For bars wider than standard width, add as per Rule 3, Section E.		
(F)—Ventilators in storm sash, add as follows:		
(1)—Cutting or boring vent opening in rails per vent.....	.06 List	.08 List
(2)—Furnishing vent cover loose, per cover....	.12 List	.15 List
(3)—Furnishing vent cover attached to sash, including cutting or boring of vent opening, per each vent.....	.30 List	.38 List
(G)—(1)—Swinging lights in storm sash including hardware.....	1.85 List	2.30 List
(2)—Swinging lights in storm sash, no hardware..	1.05 List	1.30 List
(H)—For list on K. D. storm sash see page 68.		

Rule 10

Divided Lights

Add to the list of a similar 2 light window or storm sash or 1 light sash, for each divided light as follows:

Note: These extras cover bars not over $\frac{3}{8}$ " between glass, $\frac{3}{4}$ " overall. For wider bars add extra per Rule 3-(E).

	Open List		Glazed List	
	1 $\frac{1}{8}$ "	1 $\frac{3}{8}$ "	1 $\frac{1}{8}$ "	1 $\frac{3}{4}$ "
	Per Light		Per Light	
(A)—Rectangular lights except marginal up to and including lights 16" high.....	\$0.07	\$0.09	\$0.12	\$0.15
(B)—Rectangular lights except marginal over 16" high and up to and including lights 30" high...	.10	.13	.17	.21
(C)—Rectangular lights except marginal, for lights over 30" high.....	.14	.17	.24	.28
(D)—Marginal lights if formed with vertical and horizontal bars (see sash No. 60, page 73) add to the rectangular light basis.....	.02	.02 $\frac{1}{2}$.03	.04
(E)—Lights not rectangular, but formed by straight bars on all sides, (see Window Design "P", page 72) diamond lights, except suspended diamond lights.....	.60	.65	.90	1.00
(F)—Long irregular shaped lights similar to lights shown in Top Sash of Window No. 17, page 73	.65	.70	1.00	1.10
(G)—For suspended diamond lights similar to long lights in Top Sash of Window No. 18, page 73	.90	.95	1.35	1.45

Rules for Sash Extras—Continued

	Open List		Glazed List	
	1 1/8"		1 1/8"	
	1 3/8"	1 3/4"	1 3/8"	1 3/4"
	Per Light		Per Light	
(H)—(1)—Lights formed by curved bars, 1/4" circle or smaller, (see Design No. 84, page 75) add per bar.....	\$1.30	\$1.35	\$1.95	\$2.05
(2)—1/2 circle, (see Design No. 86, page 76) add per bar.....	2.60	2.65	3.90	4.00
(3)—Full circle, add per light.....	5.25	5.30	7.90	8.00
(4)—Lights formed by serpentine bars, (see Design No. 59, page 73) add for each serpentine bar.....	4.00	4.50	5.00	5.65
And for the other lights, add per Section I.				
(I)—Lights formed by straight and curved bars or rails, (see Design No. 86, page 76) add in addition to curved bar extra per Section H, per light.....	0.75	0.80	1.00	1.10
(J)—Suspended circle lights, (see Design No. 65, page 73) add for all other divided lights per Section I and for each suspended circle light, add per light.....	6.60	6.65	9.90	10.00
(K)—Half Circle Block or Hub (see Design No. 72, page 74).....	.50	.60	.65	.75
(L)—Windows or sash with oak dividing bars, use the list of a similar 2 light window or 1 light sash, add for lights as above, then to the total extra for lights, add.....	200%			
(M)—For 2 or 2 1/4" thickness, Sections A to L add of the open 1 3/8" basis.....	75%		95%	
(N)—For 2 3/4" thickness add to the 1 3/8" basis....	85%		105%	
(O)—Sunk Bars—Sash with bars thinner than stiles and rails, add per light.....	.20	.20	.25	.25

Rule 11 Stops and Beads

For regular stock stops or beads around square lights in windows or sash not over 2 1/4" thick, add as follows:

	Open	Glazed
(A)—Rectangular lights having 5 lineal feet or less of beads around light opening.....	\$0.15 List	\$0.15 List
No light to be figured at less than \$0.15 list.		
(B)—Rectangular lights containing over 5 lineal feet of beads around light opening, at per lineal foot.....	.03 List	.03 List
Footage to be figured at the next full foot.		
(Example) A light 28x28 would have 9 1/2 lineal feet, this would be figured 10 lineal feet.		
(C)—For curved stops or beads add per light as follows:		
(1)—Quarter Circle.....	.90 List	1.10 List
(2)—Half Circle.....	1.80 List	2.15 List
(3)—Full Circle.....	3.60 List	4.35 List
(D)—For stops in lights formed by straight and curved bars.....	.90 List	1.10 List
(E)—For irregular shaped lights including diamond lights at per lineal foot.....	.05 List	.05 List
No light to be figured at less than \$0.25 list.		
(F)—Rabbeting sash for stops and beads, but no beads furnished, add for each sash rabbeted.....	.05 List	.06 List
Minimum charge on any one order.....	.25 List	.30 List

Note: Where deep rabbet or beads make necessary the use of wider stiles and rails, add in addition to above for such wider stiles and rails, per Rule 3.

Door Lists,
Panel and
Cupboard,
Pine
87

Sash Door
Lists
Pine
93

Side Lights,
Toilet and
Blind Doors
Pine
139

Extras,
Pine
Doors
147

Combination
Doors and
Extras
161

Window
Screens
183

Veneered
Door Lists
and Extras
197

Flush Door
Lists and
Extras
223

Rules for Sash Extras—Continued

Rule 12	O. G. Lugs	Open	Glazed
(A)—For windows with O. G. lugs shaped on stiles, add for each pair of lugs	$1\frac{3}{8}$ " $1\frac{3}{4}$ " $2\frac{1}{4}$ "	\$0.20 List .25 List .35 List	\$0.25 List .30 List .45 List
(B)—Removing sash sticking on that portion of stile which projects beyond check rail on extended lug stiles, add for each sash.....		.10 List	.13 List
Rule 13	Rabbeting Stiles and Rails		
(A)—For rabbeting rails other than check rails including shaping ends of stiles to match, add per rail.....		.20 List	.25 List
(B)—For rabbeting outside edge of stiles, add for each edge rabbeted.....		.10 List	.13 List
(C)—For rabbeting meeting stiles of casement, cupboard or other sash in pairs either rabbeted plain or rabbeted and beaded, add extra per pair..... This includes extra for wide meeting stiles to permit of rabbeting.		.35 List	.45 List
(D)—For sash made with wide meeting stiles to permit of rabbeting, but not rabbeted, add for each $\frac{1}{4}$ " wider, per lineal foot per stile, $1\frac{3}{8}$ " thick sash....		.01 List	.01 $\frac{1}{4}$ List
(E)—Rabbeting sash for plate or other thick glass, add for each sash rabbeted.....		.05 List	.06 List
Note:			
(F)—Minimum charge under this (Rule 13 Sections A to E) for any one type of rabbeting on one order.... This includes extra for wide meeting stiles. For any type of rabbeting requiring special knives or more than one machine operation, an extra charge will be made.		1.00 List	1.25 List
(G)—(1)—Rabbeting check rails for angle irons, no angle irons furnished, add per corner.....		.70 List	.90 List
(2)—If angle irons $\frac{1}{8}$ x $\frac{1}{2}$ or $\frac{3}{4}$ x2x2 are furnished and attached, add in addition to the above, per corner.....		.10 List	.13 List
(3)—If angle irons $\frac{1}{8}$ x $\frac{3}{4}$ or 1x4x4 are furnished and attached, add extra to the charge under G-1, per corner.....		.16 List	.20 List
(4)—If angle irons $\frac{1}{8}$ x $\frac{3}{4}$ or 1x6x6 are furnished and attached, add extra to the charge under G-1, per corner.....		.25 List	.30 List
Rule 14	Water Drips		
(A)—For bottom rail and stiles grooved to receive stock pattern water drip, add.....		.20 List	.25 List
Minimum charge on any single order.....		1.00 List	1.25 List
(B)—For furnishing stock pattern water drip loose, not over $\frac{3}{4}$ x1 $\frac{3}{4}$, for each lineal foot or fraction thereof, add.....		.06 List	.07 $\frac{1}{2}$ List
Minimum charge per sash.....		.20 List	.25 List
(C)—For water drip nailed on, add per sash in addition to above.....		.25 List	.30 List
(D)—For setting water drips in white lead, add in addition to above.....		.16 List	.20 List
Rule 15	Sash Blind Mortised		
For blind mortising sash, add per single sash.....		.07 List	.09 List

Rules for Sash Extras—Continued

Rule 16 Odd Heads or Odd Shaped Sash

Add to the list of a square head window or sash of same size as follows:

	$1\frac{3}{8}"$ or $1\frac{3}{4}"$	
	Open	Glazed
(A)—Circle head in and out, 3 feet or less in width, add Over 3 feet, add for each additional foot or part thereof, to the 3 foot extra.....	\$5.75 List 1.00 List	\$7.50 List 1.25 List
(B)—Circle head outside, square in, 3 feet or less in width, add..... Over 3 feet, add for each additional foot or part thereof, to the 3 foot extra.....	6.50 List 1.25 List	8.50 List 1.55 List
(C)—Segment heads, 3 feet or less in width, add..... Over 3 feet, add for each additional foot or part thereof, to the 3 foot extra.....	2.80 List .50 List	3.65 List .65 List
(D)—Gothic head in and out 3 feet or less in width, add.. Over 3 feet add for each additional foot or part thereof, to the 3 foot extra.....	5.75 List 1.00 List	7.50 List 1.25 List
(E)—Peak head in and out 3 feet or less in width, add.. Over 3 feet, add for each additional foot or part thereof, to the 3 foot extra.....	2.75 List .50 List	3.60 List .65 List
(F)—Sash with paneled corners at head, add in addition to the other extras.....	5.00 List	6.25 List
(G)—Sash full circle, full elliptical or full oval, in and out, add to the list of a square sash of same size, double the list for circle head in and out, as given under (A) of this rule.		
(H)—Sash full circle out, square in, add to the list of a square sash of same size, double the list for circle head out square in, as given under (B) of this rule.		
(I)—Sash diamond shaped, add to the list of a square sash of same size, double the list for peak head as given under (F) of this rule.		
(J)—Sash, kite shaped, elliptical or eyebrow figure as a half circle sash according to (A) or (B) of this rule and add.....	2.00 List	2.50 List
(K)—Quarter circle windows or sash, add to a square head window or sash of same size:		
(1)—For quarter circle in and out not over 2 feet wide base..... Over 2 feet wide, add for each additional foot or part thereof to the 2 foot extra.....	4.25 List .75 List	5.50 List .95 List
(2)—For quarter circle out, square in not over 2 feet wide base..... Over 2 feet wide, add for each additional foot or part thereof, to the 2 foot extra.....	5.00 List 1.00 List	6.50 List 1.25 List
(L)—Under Rule 16, for 2" or $2\frac{1}{4}"$ thickness, add to extras shown.....	20%	20%
(M)—Under Rule 16, for $2\frac{1}{2}"$ or $2\frac{3}{4}"$ thickness, add to extras shown.....	30%	30%
(N)—Under Rule 16, for quantities of 10 or more of a size and kind, deduct from prices shown.....	25%	25%

Door Lists,
Panel and
Cupboard,
Pine
87

Sash Door
Lists
Pine
93

Side Lights,
Toilet and
Blind Doors
Pine
139

Extras,
Pine
Doors
147

Combination
Doors and
Extras
161

Window
Screens
183

Veneered
Door Lists
and Extras
197

Flush Door
Lists and
Extras
223

Rules for Sash Extras—Continued

Rule 17 Bent Face Windows or Sash

	Open	Glazed
(A)—For square head 1 light bent face sash, either $1\frac{3}{8}$ " or $1\frac{3}{4}$ " thick, not over 3 feet wide, add to the list of a regular sash of same size and thickness.	\$15.00 List	Write for prices
(B)—For odd shaped head, 1 light bent face sash, either $1\frac{3}{8}$ " or $1\frac{3}{4}$ " thick, not over 3 feet wide, add to the list of a regular sash of same size and thickness extras per Rule 16, plus.	24.00 List	Write for prices
(C)—For each additional foot or fraction thereof in width add to the 3-0 extra.	4.00 List	
(D)—For bent bars, add as per Rule 10-H. If straight bars, add as per Rule 10-A to G.		
(E)-(1)—For bent face open windows use double the list of a bent open sash of same size and kind, Section A.		
(2)—For odd shaped head, bent open windows, figure bottom sash per Section "A" and top sash per Section "B" of Rule 17.		
(F)—For bent sash thicker than $1\frac{3}{4}$ " add to the above extras for each $\frac{1}{2}$ " extra thickness or fraction thereof	25%	

Rule 18 Wedging and Glueing

(A)—Wedging and glueing joints of stiles and rails, add per sash.35 List	.45 List
(B)—Wedging and white leading joints of stiles and rails, add per sash.35 List	.45 List

Rule 19 Dipping Tenons

(A)—Dipping tenons in white lead or water proof glue one light sash, add per sash.25 List	.30 List
(B)—Dipping tenons of bars in white lead or water proof glue, add per light.03½ List	.04½ List

Rule 20 Triple Hung or Austral Windows, 3 Sash High

(A)—Figure as one and one half double hung windows of total size to fill required opening, and add as per Rule 8, Section A.10 List	.13 List
(B)—Then add extra on account of extra labor sanding center sash.15 List	.20 List
(C)—For Austral windows, 4 sash high figure as two double hung windows of size to fill required opening, and add.30 List	.40 List

If stiles, top and bottom rail are wider than standard layout, add as per Rule 3, Section A.
If check rails are higher than standard layout, add as per Rule 3, Sections B and C.

Rules for Sash Extras—Continued

EXAMPLE:

One triple hung or austral window, 3 sash high to fill opening 3-0x13-0, use one and one half windows 3-0x4-6-1 $\frac{3}{8}$.

	Open	Glazed SS
	\$1.84	\$5.90
Per Rule 20-A.....	1 $\frac{1}{2}$	1 $\frac{1}{2}$
	1.84	5.90
	.92	2.95
	2.76	8.85
	.10	.13
Per Rule 20-B.....	.15	.20
	\$3.01	\$9.18

4 Sash high opening 3-0x16-0.
Use 2 windows 3-0x4-2-1 $\frac{3}{8}$.

	Open	Glazed SS
	\$1.80	\$ 5.40
	2	2
	3.60	10.80
Per Rule 20-C.....	.30	.40
	\$3.90	\$11.20

Rule 21

Pivot Sash

Figure as a regular sash of standard layout (if other than standard layout, add as per Rule 3) and add extra for rabbeting stiles.....

	\$0.40 List	\$0.50 List
Top Rail.....	.20 List	.25 List
Bottom Rail.....	.20 List	.20 List
Total.....	\$0.80 List	\$1.00 List

This does not include pivot strips.

If pivot strips are furnished, add extra for the pivot strips per the moulding list, discounted at the moulding discount, and \$0.40 list for rabbeting the side strips, discounted at the open sash discount.

Door Lists,
Panel and
Cupboard,
Pine
87

Sash Door
Lists
Pine
93

Side Lights,
Toilet and
Blind Doors
Pine
139

Extras,
Pine
Doors
147

Combination
Doors and
Extras
161

Window
Screens
183

Veneered
Door Lists
and Extras
197

Flush Door
Lists and
Extras
223

Standard Panel Door Lists

For Designs Containing Not Over 5 Panels

(For exceptions see Rule 6, page 147)

Standard Types of Solid Sticking

These lists apply to all doors not otherwise provided for,
regardless of arrangement of panels or grade.

Stiles and Top Rail not over 4 $\frac{3}{4}$ " wide overall.
Cross Rails and Mullions not over 4 $\frac{3}{4}$ " wide overall.
Lock Rail not over 8 $\frac{3}{4}$ " wide overall.
Bottom Rail not over 9 $\frac{3}{4}$ " wide overall.
Solid Raised or Solid Flat Panels not over $\frac{9}{16}$ " thick.
Laminated Flat Panels not over $\frac{5}{16}$ " thick.

Size	List 1 $\frac{1}{8}$ "	List 1 $\frac{3}{4}$ "	List 1 $\frac{7}{8}$ "
1- 8x6- 0	\$5.50	\$7.05	\$4.95
6- 6	5.80	7.35	5.20
6- 8	5.85	7.50	5.25
6-10	6.25	7.95	5.65
7- 0	6.30	8.10	5.70
2- 0x6- 0	6.10	7.80	5.55
6- 6	6.40	8.20	5.75
6- 8	6.50	8.35	5.90
6-10	6.95	8.85	6.25
7- 0	7.05	9.00	6.35
2- 2x6- 0	6.45	8.25	5.80
6- 6	6.75	8.60	6.10
6- 8	6.85	8.75	6.15
6-10	7.30	9.30	6.55
7- 0	7.40	9.45	6.65
2- 4x6- 0	6.80	8.70	6.10
6- 4	6.95	8.90	6.30
6- 6	7.05	9.00	6.35
6- 8	7.20	9.15	6.50
6-10	7.65	9.70	6.90
7- 0	7.75	9.90	7.00
2- 6x6- 0	7.05	9.00	6.35
6- 6	7.40	9.40	6.65
6- 8	7.50	9.55	6.80
6-10	8.00	10.20	7.20
7- 0	8.10	10.35	7.30
7- 6	8.85	11.25
8- 0	9.20	11.75
2- 8x6- 0	7.35	9.40	6.65
6- 6	7.70	9.85	6.95
6- 8	7.85	10.05	7.10
6-10	8.35	10.65	7.50
7- 0	8.45	10.80	7.65
7- 6	9.25	11.75
8- 0	9.65	12.30
2-10x6- 0	7.65	9.85	6.90
6- 6	8.05	10.25	7.25
6- 8	8.15	10.45	7.35
6-10	8.70	11.10	7.85
7- 0	8.80	11.25	7.90
7- 6	9.65	12.30
8- 0	10.05	12.80

Standard Panel Door Lists—Continued

Size	List 1 1/8"	List 1 1/4"	List 1 1/2"
3- 0x6- 0.....	\$ 7.95	\$10.25	\$7.20
6- 6.....	8.35	10.70	7.50
6- 8.....	8.50	10.85	7.65
6-10.....	9.05	11.35	8.15
7- 0.....	9.20	11.70	8.30
7- 6.....	10.00	12.75
8- 0.....	10.45	13.30
3- 4x6- 0.....	8.60	11.05
6- 6.....	9.00	11.50
6- 8.....	9.15	11.70
6-10.....	9.75	12.45
7- 0.....	9.90	12.60
7- 6.....	10.80	13.75
8- 0.....	11.30	14.30

Note: For list on doors 3/4" thick with standard layout, use 3/4" cupboard door list and add extra for wider stiles and rails.

For other than standard layouts shown, see pages 147-155.

Thick Panels

For doors with panels solid raised or solid flat, thicker than 1/2", add as follows:	4 Panel Doors	5 Regular Panel Doors	5 Cross Panel Doors
3/4" thick panels, add list per door.....	\$1.40	\$1.15	\$0.85
1 1/8" thick panels, add list per door.....	2.35	2.15	1.75
1 3/8" thick panels, add list per door.....	3.70	3.25	2.80
1 3/4" thick panels, add list per door.....	6.10	5.55	4.70

For thick panel extras on other designs, see page 150.

Moulded Extras

	4 Panel Doors	5 Regular Panel Doors	5 Cross Panel Doors
Plain Flush Mould 2 sides, not over 3/4x1 1/4, add list per door.....	\$4.00	\$4.70	\$4.70
Plain Raised Mould 2 sides, not over 3/4x1 3/4, add list per door.....	4.95	5.70	5.70

For other Flush or Raised Moulding extras, see page 153.

Extras For

Wide Stiles, Rails, Munts and Panels

(For other Extras, see pages 147-155)

	1 1/8"	1 1/4"
Rule 5-(A)—For stiles including top rail, wider than layouts shown add for each additional 1/4" wide or fraction thereof.....	\$0.16	\$0.25
(B)—Top, cross, lock or bottom rails, wider than layouts shown, and not wider than 10", add for each additional 1/4" wider or fraction thereof.....	.04	.06
Over 10" wide and up to and including 11 3/4", add for each additional 1/4" or fraction thereof.....	.05	.07 1/2
Wide rails over 11 3/4", add for each additional 1/4" or fraction thereof.....	.07 1/2	.10
(C)—For Mullions wider than layouts shown, add for each additional 1/4" wider or fraction thereof:		
For lengths not over 1'11".....	.02	.02 1/2
For lengths over 1'11" to 3'11".....	.05 1/2	.08
For lengths over 3'11" to 5'11".....	.08	.12
(D)—Solid softwood panels (not otherwise specified) wider than 11 3/4", add extra for each one inch or fraction thereof wider.....	.07 1/2	.07 1/2

Door Lists,
Panel and
Cupboard,
Pine
87

Sash Door
Lists
Pine
93

Side Lights,
Toilet and
Blind Doors
Pine
139

Extras,
Pine
Doors
147

Combination
Doors and
Extras
161

Window
Screens
183

Veneered
Door Lists
and Extras
197

Flush Door
Lists and
Extras
223

6 Panel Colonial Door Lists

Standard Types of Solid Sticking

Stiles and Top and Cross Rails not over $4\frac{3}{4}$ " wide overall.

Lock Rail not over $8\frac{3}{4}$ " wide overall.

Bottom Rail not over $9\frac{3}{4}$ " wide overall.

Mullions not over $4\frac{3}{4}$ " wide overall.

Panels solid raised or solid flat not over $\frac{9}{16}$ " thick.

Laminated Flat Panels not over $\frac{5}{16}$ " thick.

Size	List 1 $\frac{3}{8}$ "	List 1 $\frac{3}{4}$ "
1- 8x6- 0	\$ 6.40	\$ 7.95
6- 6	6.70	8.25
6- 8	6.75	8.40
6-10	7.15	8.85
7- 0	7.20	9.00
2- 0x6- 0	7.00	8.70
6- 6	7.30	9.10
6- 8	7.40	9.25
6-10	7.85	9.75
7- 0	7.95	9.90
2- 2x6- 0	7.35	9.15
6- 6	7.65	9.50
6- 8	7.75	9.65
6-10	8.20	10.20
7- 0	8.30	10.55
2- 4x6- 0	7.70	9.60
6- 4	7.85	9.80
6- 6	7.95	9.90
6- 8	8.10	10.05
6-10	8.55	10.60
7- 0	8.65	10.80
2- 6x6- 0	7.95	9.90
6- 6	8.30	10.30
6- 8	8.40	10.45
6-10	8.90	11.10
7- 0	9.00	11.25
7- 6	9.75	12.15
8- 0	10.10	12.65
2- 8x6- 0	8.25	10.30
6- 6	8.60	10.75
6- 8	8.75	10.95
6-10	9.25	11.55
7- 0	9.35	11.70
7- 6	10.15	12.65
8- 0	10.55	13.20
2-10x6- 0	8.55	10.75
6- 6	8.95	11.15
6- 8	9.05	11.35
6-10	9.60	12.00
7- 0	9.70	12.15
7- 6	10.55	13.20
8- 0	10.95	13.70
3- 0x6- 0	8.85	11.15
6- 6	9.25	11.60
6- 8	9.40	11.75
6-10	9.95	12.45
7- 0	10.10	12.60

6 Panel Colonial Doors—Continued

Size	List 1 3/8"	List 1 3/4"
3- 0x7- 6.....	\$10.90	\$13.65
8- 0.....	11.35	14.20
3- 4x6- 0.....	9.50	11.95
6- 6.....	9.90	12.40
6- 8.....	10.05	12.60
6-10.....	10.65	13.35
7- 0.....	10.80	13.50
7- 6.....	11.70	14.65
8- 0.....	12.20	15.20

NOTE: Doors under 2-0 wide are made 3 panels high and 1 panel wide.

Eight Panel Colonial Doors

TO ARRIVE AT A LIST FOR AN 8 PANEL DOOR, use the list of a 6 Panel Colonial Door of the size wanted and add \$0.40 list.

FOR LIST ON DOORS WITH MORE THAN 8 PANELS, use the list of a 6 panel door and add \$0.20 list for each panel over 6.

For other than standard layouts shown, see pages 147-155.

Thick Panels

For doors with panels solid raised or solid flat,
thicker than $\frac{3}{8}$ ", add as follows:

	6 Panel Colonial Doors	8 Panel Doors
$\frac{3}{4}$ " thick panels, add list per door.....	\$1.05	\$0.80
$1\frac{1}{8}$ " thick panels, add list per door.....	2.05	1.60
$1\frac{3}{8}$ " thick panels, add list per door.....	3.05	2.65
$1\frac{3}{4}$ " thick panels, add list per door.....	4.95	4.20

For other thick panel extras, see page 150.

Moulded Extras

	6 Panel Colonial Doors	8 Panel Doors
Plain Flush Mould 2 sides, not over $\frac{3}{4}$ x $1\frac{1}{4}$, add list per door.....	\$5.25	\$6.35
Plain Raised Mould 2 sides, not over $\frac{3}{4}$ x $1\frac{3}{4}$, add list per door.....	6.70	8.15
Plain Flush Mould 1/S C and B sticking 1/S, add list per door.....	2.85	3.40
Plain Raised Mould 1/S C and B sticking 1/S, add list per door.....	3.55	4.30

For other Flush or Raised Moulding extras, see page 153.

Sash Door
Lists
Pine
93

Side Lights,
Toilet and
Blind Doors
Pine
139

Extras,
Pine
Doors
147

Combination
Doors and
Extras
161

Window
Screens
183

Veneered
Door Lists
and Extras
197

Flush Door
Lists and
Extras
223

Standard Cupboard Door Lists

These lists apply to all panel cupboard doors regardless of arrangement of panels.

Stiles, Top and Cross Rails not over $3\frac{1}{2}$ " wide overall.

Bottom Rail not over $4\frac{1}{2}$ " wide overall.

Standard types of Solid Sticking.

Size	List $\frac{3}{4}$ "	List $1\frac{1}{8}$ "	Size	List $\frac{3}{4}$ "	List $1\frac{1}{8}$ "
1-0x1- 6.....	\$1.15	\$1.25	1- 6x5- 0.....	\$3.20	\$3.60
2- 0.....	1.25	1.40	5- 6.....	3.40	3.80
2- 6.....	1.50	1.70	5- 8.....	3.45	3.85
2- 8.....	1.55	1.75	5-10.....	3.50	3.90
2-10.....	1.60	1.80	6- 0.....	3.55	3.95
3- 0.....	1.65	1.85	1- 8x1- 6.....	1.35	1.55
3- 6.....	1.90	2.15	1- 8.....	1.40	1.60
4- 0.....	2.10	2.40	2- 0.....	1.45	1.65
4- 6.....	2.40	2.70	2- 6.....	1.90	2.10
5- 0.....	2.70	3.00	2- 8.....	1.95	2.20
5- 6.....	2.80	3.15	2-10.....	2.05	2.30
5- 8.....	2.85	3.20	3- 0.....	2.10	2.35
5-10.....	2.90	3.25	3- 6.....	2.45	2.75
6- 0.....	2.95	3.30	4- 0.....	2.70	3.05
1-2x1- 6.....	1.20	1.30	4- 6.....	3.10	3.50
2- 0.....	1.30	1.45	5- 0.....	3.45	3.90
2- 6.....	1.60	1.80	5- 6.....	3.65	4.10
2- 8.....	1.65	1.85	5- 8.....	3.70	4.20
2-10.....	1.70	1.90	5-10.....	3.80	4.25
3- 0.....	1.75	1.95	6- 0.....	3.85	4.30
3- 6.....	2.05	2.30	1-10x1- 6.....	1.40	1.60
4- 0.....	2.25	2.55	1-10.....	1.55	1.75
4- 6.....	2.55	2.90	2- 0.....	1.60	1.80
5- 0.....	2.85	3.20	2- 6.....	1.95	2.20
5- 6.....	3.00	3.40	2- 8.....	2.05	2.30
5- 8.....	3.05	3.45	2-10.....	2.15	2.40
5-10.....	3.10	3.50	3- 0.....	2.20	2.45
6- 0.....	3.15	3.55	3- 6.....	2.35	2.85
1-4x1- 6.....	1.25	1.35	4- 0.....	2.85	3.20
2- 0.....	1.40	1.50	4- 6.....	3.25	3.65
2- 6.....	1.70	1.85	5- 0.....	3.65	4.10
2- 8.....	1.75	1.90	5- 6.....	3.85	4.30
2-10.....	1.80	2.00	5- 8.....	3.90	4.40
3- 0.....	1.85	2.05	5-10.....	4.00	4.50
3- 6.....	2.15	2.40	6- 0.....	4.05	4.55
4- 0.....	2.35	2.65	2- 0x1- 6.....	1.50	1.65
4- 6.....	2.70	3.05	2- 0.....	1.70	1.90
5- 0.....	3.05	3.40	2- 6.....	2.10	2.35
5- 6.....	3.15	3.60	2- 8.....	2.15	2.45
5- 8.....	3.20	3.65	2-10.....	2.30	2.55
5-10.....	3.30	3.70	3- 0.....	2.35	2.60
6- 0.....	3.35	3.75	3- 6.....	2.70	3.05
1-6x1- 6.....	1.30	1.40	4- 0.....	3.05	3.40
2- 0.....	1.45	1.60	4- 6.....	3.45	3.85
2- 6.....	1.75	1.95	5- 0.....	3.90	4.35
2- 8.....	1.80	2.05	5- 6.....	4.10	4.60
2-10.....	1.90	2.10	5- 8.....	4.20	4.70
3- 0.....	1.95	2.15	5-10.....	4.30	4.80
3- 6.....	2.25	2.50	6- 0.....	4.35	4.85
4- 0.....	2.50	2.80
4- 6.....	2.85	3.20

Standard Cupboard Door Lists—Continued

Cross Panel Cupboard doors are made with panels as follows:

Doors up to and including 2-0 high.....	2 cross panels.
Over 2-0 up to and including 3-0 high.....	3 cross panels.
Over 3-0 up to and including 4-0 high.....	4 cross panels.
Over 4-0 high will be made.....	5 cross panels.

Note 1—For cupboard door stiles and top rail $\frac{3}{4}$ " or $1\frac{1}{8}$ " thick, wider or narrower than $3\frac{1}{2}$ ", add or deduct as follows:

Doors up to and including 2-0 high \$0.02 list for each $\frac{1}{4}$ " wider or narrower.

Doors over 2-0 high and up to and including 4-0 high, \$0.02½ list for each $\frac{1}{4}$ " wider or narrower.

Doors over 4-0 high and up to and including 7-0 high, \$0.07 list for each $\frac{1}{4}$ " wider or narrower.

Note 2—For bottom rail wider or narrower than $4\frac{1}{2}$ ", add or deduct for each $\frac{1}{4}$ " wider or narrower \$0.01½ list.

Note 3—For rabbeting a single pair, add \$0.50 list.

Note 4—For rabbeting two or more pair, add \$0.25 list per pair.

Note 5—For $1\frac{3}{8}$ " thick cupboard doors, add to the $1\frac{1}{8}$ " list 10%.

Note 6—For $1\frac{3}{4}$ " thick cupboard doors, add to the $1\frac{1}{8}$ " list 35%.

Note 7—For odd or intermediate size, use list of next larger listed size.

Note 8—For sizes larger than listed, see Rule 1, Sections A and B, page 147.

Medicine Cabinet Door Lists

Made to receive mirror, but no mirror furnished.

Stiles and Top Rail not over $2\frac{1}{2}$ " wide overall.

Bottom Rail not over $3\frac{1}{2}$ " wide overall.

Standard Stock Sticking.

Size	$\frac{3}{4}$ " List	$1\frac{1}{8}$ " List	Mirror Size
1-4x1- 9.....	\$1.60	\$1.70	12x16
1-11.....	1.65	1.75	18
2- 1.....	1.75	1.85	20
1-6x1- 9.....	1.65	1.80	14x16
1-11.....	1.70	1.85	18
2- 1.....	1.75	1.95	20
1-8x1-11.....	1.70	1.90	16x18
2- 1.....	1.85	2.05	20
2- 5.....	2.15	2.35	24

Medicine cabinet doors not listed above, add to cupboard door list of same size or next larger listed size, list..... \$0.25

Sash Door
Lists
Pine
93

Side Lights,
Toilet and
Blind Doors
Pine
139


Extras,
Pine
Doors
147

Combination
Doors and
Extras
161

Window
Screens
183

Veneered
Door Lists
and Extras
197

Flush Door
Lists and
Extras
223




N. D. 500

Layouts

Stiles and Top Rail, not over 5½" wide overall.
 Lock and Bottom Rail, not over 9¾" wide overall.
 Raised panel two sides, not over 9/16" thick, not over 17" high.
 Bars ½" between glass.
 Beads for glass included.
 Standard Stock Sticking.

*Glass lists shown are taken from
 Jobber's Single Light List and are
 not subject to door discount.*



N. D. 501

Glass List SS	Glass List DS	Glass Size	Open List 1½	Open List 1¼	Size of Door	Open List 1½	Open List 1¼	Glass Size	Glass List DS	Glass List SS
\$5.56	\$ 7.92	20x38	\$7.65	\$ 9.95	2- 6x6- 6	\$8.95	\$11.45	9¾"x12 1/8"	\$ 6.00	\$ 4.08
5.56	7.92	40	7.75	10.05	6- 8	9.05	11.55	13	6.00	4.08
6.80	9.54	44	8.30	10.85	7- 0	9.60	12.35	14 1/8"	6.90	4.68
6.80	9.54	22x40	7.95	10.30	2- 8x6- 8	9.25	11.80	10¾"x13	6.48	4.44
8.40	10.90	44	8.50	11.10	7- 0	9.80	12.60	14 1/8"	8.16	5.70
6.80	9.54	24x40	8.10	10.55	2-10x6- 8	9.40	12.05	11¾"x13	7.80	5.46
8.40	10.90	42	8.60	11.20	6-10	9.90	12.70	13 3/8	7.80	5.46
8.40	10.90	44	8.70	11.35	7- 0	10.00	12.85	14 1/8"	8.82	5.82
7.77	10.90	26x40	8.30	10.80	3- 0x6- 8	9.80	12.30	12¾"x13	9.06	6.30
9.79	12.71	44	8.90	11.60	7- 0	10.20	13.10	14 1/8"	9.72	6.78
....	13.86	50	12.60	7- 6	14.10	16 1/8"	11.52	7.50
....	17.00	56	13.00	8- 0	14.50	18 1/8"	12.84	8.34
....	16.63	30x44	12.10	3- 4x7- 0	13.60	14¾"x14 1/8"	11.22	7.86
....	16.63	50	13.15	7- 6	14.65	16 1/8"	13.38	9.30
....	22.50	56	13.55	8- 0	15.05	18 1/8"	15.84	10.32
....	16.63	32x44	12.40	3- 6x7- 0	13.90	15¾"x14 1/8"	11.94	8.34
....	17.00	50	13.40	7- 6	14.90	16 1/8"	13.38	9.30
....	22.50	56	13.85	8- 0	15.35	18 1/8"	15.84	10.80

	N. D. 500	N. D. 501
If beads are omitted, deduct list.....	\$0.35	\$0.45
If made with raised panel ¾" thick, add list.....	.40	.40
If made with raised panel 1 1/8" thick, add list.....	.70	.70
If made with raised panel 1 3/8" thick, add list.....	1.05	1.05
If made with raised panel 1 3/4" thick, add list.....	1.95	1.95

For other door extras, see pages 147-155.

Layouts

Stiles and Top Rail, not over 5½" wide overall.
 Lock and Bottom Rail, not over 9¾" wide overall.
 Raised Panel, two sides, not over 9/16" thick, not over 17" high.
 Bars ½" between glass.
 Beads for glass included.
 Standard Stock Sticking.

*Glass lists shown are taken from
 Jobber's Single Light List and are
 not subject to door discount.*

N. D. 502

N. D. 503

Glass List SS	Glass List DS	Glass Size	Open List 1½	Open List 1¼	Size of Door	Open List 1½	Open List 1¼	Glass Size	Glass List DS	Glass List SS
\$4.76	\$ 6.78	6 1/8x12 1/8	\$9.30	\$12.05	2- 6x6- 6	\$8.65	\$11.10	6 1/8x38	\$ 7.50	\$ 5.10
4.76	6.78	13	9.40	12.15	6- 8	8.75	11.20	40	8.09	5.48
5.09	7.29	14 1/8	9.95	12.95	7- 0	9.30	12.00	44	8.91	6.27
4.76	6.78	7 x13	9.60	12.40	2- 8x6- 8	8.95	11.45	7 x40	8.09	5.48
5.09	7.29	14 1/8	10.15	13.20	7- 0	9.50	12.25	44	8.91	6.27
4.86	7.20	7 5/8x13	9.75	12.65	2-10x6- 8	9.10	11.70	7 5/8x40	9.72	6.83
5.31	7.20	13 5/8	10.25	13.30	6-10	9.60	12.35	42	9.72	6.83
5.58	8.19	14 1/8	10.35	13.45	7- 0	9.70	12.50	44	10.70	7.50
5.40	8.01	8 1/8x13	9.95	12.90	3- 0x6- 8	9.30	11.95	8 1/8x40	10.70	7.50
6.39	9.18	14 1/8	10.55	13.70	7- 0	9.90	12.75	44	12.72	9.80
8.01	12.33	16 1/8	14.70	7- 6	13.75	50	13.86
9.45	13.59	18 1/8	15.10	8- 0	15.20	56	17.00
7.02	10.35	9 5/8x14 1/8	14.20	3- 4x7- 0	13.25	9 5/8x44	14.31	10.20
8.73	12.51	16 1/8	15.25	7- 6	14.30	50	16.35
9.72	13.95	18 1/8	15.65	8- 0	15.75	56	21.16
8.73	13.23	10 1/8x14 1/8	14.50	3- 6x7- 0	13.55	10 1/8x44	15.27	11.52
10.62	15.21	16 1/8	15.50	7- 6	14.55	50	17.00
11.70	16.74	18 1/8	15.95	8- 0	16.05	56	22.50

N. D. 502 N. D. 503

If heads are omitted, deduct list.....	\$0.65	\$0.45
If made with raised panel 3/4" thick, add list.....	.40	.40
If made with raised panel 1 1/8" thick, add list.....	.70	.70
If made with raised panel 1 3/8" thick, add list.....	1.05	1.05
If made with raised panel 1 3/4" thick, add list.....	1.95	1.95

For other door extras, see pages 147-155.

Sash Door
Lists
Pine
93

Side Lights,
Toilet and
Blind Doors
Pine
139


Extras,
Pine
Doors
147

Combination
Doors and
Extras
161

Window
Screens
183

Veneered
Door Lists
and Extras
197

Flush Door
Lists and
Extras
223




N. D. 504

Layouts

Stiles and Top Rail, not over 5½" wide overall.
 Lock and Bottom Rail, not over 9¾" wide overall.
 Raised Panel two sides, not over ⅞" thick, not over 17" high.
 Bars ½" between glass.
 Beads for glass included.
 Standard Stock Sticking.

*Glass lists shown are taken from
 Jobber's Single Light List and are
 not subject to door discount.*




N. D. 505

Glass List SS	Glass List DS	Glass Size	Open List 1⅜	Open List 1¼	Size of Door	Open List 1⅜	Open List 1¼	Glass Size	Glass List DS	Glass List SS
\$4.16	\$ 5.76	9¾x 9⅞	\$ 9.20	\$11.90	2- 6x6- 6	\$10.15	\$12.95	6 ⅞x 9 ⅞	\$ 6.00	\$ 4.38
4.16	5.76	9⅞	9.30	12.00	6- 8	10.25	13.05	9⅞	6.00	4.38
4.96	6.80	10⅞	9.85	12.80	7- 0	10.80	13.85	10⅞	7.14	4.98
4.96	6.80	10¾x 9⅞	9.50	12.25	2- 8x6- 8	10.45	13.30	7 x 9⅞	6.00	4.38
6.00	8.16	10⅞	10.05	13.05	7- 0	11.00	14.10	10⅞	7.14	4.98
4.96	6.80	11¾x 9⅞	9.65	12.50	2-10x6- 8	10.60	13.55	7 ⅞x 9⅞	6.84	5.04
6.00	8.16	10⅞	10.15	13.15	6-10	11.10	14.20	10⅞	8.16	6.00
6.00	8.16	10⅞	10.25	13.30	7- 0	11.20	14.35	10⅞	8.16	6.00
5.44	8.00	12¾x 9⅞	9.85	12.75	3- 0x6- 8	10.80	13.80	8 ⅞x 9⅞	9.00	6.24
7.28	10.40	10⅞	10.45	13.55	7- 0	11.40	14.60	10⅞	9.00	6.24
8.40	12.08	12⅞	14.55	7- 6	15.60	12⅞	10.68	7.20
8.40	12.08	13⅞	14.95	8- 0	16.00	13⅞	10.68	7.92
8.16	11.76	14¾x10⅞	14.05	3- 4x7- 0	15.10	9 ⅞x10⅞	10.20	7.44
9.76	13.92	12⅞	15.10	7- 6	16.15	12⅞	12.00	8.16
9.76	13.92	13⅞	15.50	8- 0	16.55	13⅞	12.00	8.16
8.16	11.76	15¾x10⅞	14.35	3- 6x7- 0	15.40	10 ⅞x10⅞	12.24	9.00
9.76	13.92	12⅞	15.35	7- 6	16.40	12⅞	15.60	10.92
9.76	13.92	13⅞	15.80	8- 0	16.85	13⅞	15.60	10.92

N. D. 504 N. D. 505

If beads are omitted, deduct list.....	\$0.60	\$0.85
If made with raised panel ¾" thick, add list.....	.40	.40
If made with raised panel 1⅛" thick, add list.....	.70	.70
If made with raised panel 1⅜" thick, add list.....	1.05	1.05
If made with raised panel 1¾" thick, add list.....	1.95	1.95

For other door extras, see pages 147-155.



N. D. 507

LAYOUTS

Stiles and Top Rail, not over $5\frac{1}{2}$ " wide overall.

Lock and Bottom Rail, not over $9\frac{3}{4}$ " wide overall.


Raised Panel two sides, not over $\frac{9}{16}$ " thick, not over 11" high.

Bars $\frac{1}{2}$ " between glass.

Beads for glass included.

Standard Stock Sticking.

Glass lists shown are taken from Jobber's Single Light List and are not subject to door discount.



N. D. 508

Glass List SS	Glass List DS	Glass Size	Open List $1\frac{3}{8}$	Open List $1\frac{1}{4}$	Size of Door	Open List $1\frac{3}{8}$	Open List $1\frac{1}{4}$	Glass Size	Glass List DS	Glass List SS
.....	\$ 9.54	20x44	\$7.20	\$ 9.45	2- 6x6- 6	\$8.60	\$11.05	$9\frac{3}{4}$ x14 $\frac{1}{8}$	\$ 6.90	\$ 4.68
.....	9.54	46	7.30	9.60	6- 8	8.70	11.20	15	6.90	4.68
.....	10.90	50	7.80	10.35	7- 0	9.20	11.95	16 $\frac{1}{8}$	8.34	5.82
.....	10.90	22x46	7.40	9.80	2- 8x6- 8	8.80	11.40	$10\frac{3}{4}$ x15	8.16	5.70
.....	11.88	50	7.95	10.55	7- 0	9.35	12.15	16 $\frac{1}{8}$	10.02	6.48
.....	10.90	24x46	7.55	10.00	2-10x6- 8	8.95	11.60	$11\frac{3}{4}$ x15	8.82	5.82
.....	13.86	48	8.00	10.65	6-10	9.40	12.25	$15\frac{1}{8}$	8.82	6.12
.....	13.86	50	8.10	10.75	7- 0	9.50	12.35	16 $\frac{1}{8}$	10.14	7.08
.....	13.86	26x46	7.70	10.20	3- 0x6- 8	9.10	11.80	$12\frac{3}{4}$ x15	9.72	6.78
.....	13.86	50	8.25	10.95	7- 0	9.65	12.55	16 $\frac{1}{8}$	11.64	7.50
.....	17.00	56	11.95	7- 6	13.55	18 $\frac{1}{8}$	12.84	8.34
.....	22.50	62	12.35	8- 0	13.95	20 $\frac{1}{8}$	15.72	10.62
.....	16.63	30x50	11.40	3- 4x7- 0	13.00	$14\frac{3}{4}$ x16 $\frac{1}{8}$	13.38	9.30
.....	22.50	56	12.35	7- 6	13.95	18 $\frac{1}{8}$	15.84	10.32
.....	24.53	62	12.80	8- 0	14.40	20 $\frac{1}{8}$	18.24	12.12
.....	17.00	32x50	11.60	3- 6x7- 0	13.20	$15\frac{3}{4}$ x16 $\frac{1}{8}$	13.38	9.30
.....	22.50	56	12.60	7- 6	14.20	18 $\frac{1}{8}$	15.84	10.80
.....	22.82	62	13.05	8- 0	14.65	20 $\frac{1}{8}$	18.24	12.42

N. D. 507 N. D. 508

If beads are omitted, deduct list.....	\$0.35	\$0.45
If door is made with raised panel $\frac{3}{4}$ " thick, add list.....	.20	.20
If door is made with raised panel $1\frac{1}{8}$ " thick, add list.....	.35	.35
If door is made with raised panel $1\frac{3}{8}$ " thick, add list.....	.55	.55
If door is made with raised panel $1\frac{3}{4}$ " thick, add list.....	.95	.95
For door N. D. 507 with Plain Flush Mould, one side around panel only, not including Fillet, add list.....		\$0.80
For door N. D. 507 with Plain Flush Mould, one side around panel and light, not including Fillet, add list.....		1.78
For door N. D. 507 with Plain Raised Mould, one side around panel only, not including Fillet, add list.....		.90
For door N. D. 507 with Plain Raised Mould, one side around panel and light, not including Fillet, add list.....		2.15
For door N. D. 507 single Fillet around glass opening, add per lineal foot ..		.03 $\frac{1}{2}$
For other door extras, see pages 147-155.		

Side Lights,
Toilet and
Blind Doors
Pine
139


Extras,
Pine
Doors
147

Combination
Doors and
Extras
161

Window
Screens
183

Veneered
Door Lists
and Extras
197

Flush Door
Lists and
Extras
223




N. D. 509

Layouts

Stiles and Top Rail not over 5½" wide overall.
 Lock and Bottom Rail not over 9¾" wide overall.
 Raised Panel two sides, not over ⅞" thick, not over 11" high.
 Bars ½" between glass.
 Beads for glass included.
 Standard Stock Sticking.

*Glass lists shown are taken from
 Jobber's Single Light List and are
 not subject to door discount.*



N. D. 510

Glass List SS	Glass List DS	Glass Size	Open List 1½	Open List 1¼	Size of Door	Open List 1½	Open List 1¼	Glass Size	Glass List DS	Glass List SS
\$5.16	\$7.92	6 1/8x14 1/8	\$8.95	\$11.65	2- 6x6- 6	\$8.85	\$11.55	9 3/4x10 3/8	\$ 6.80	\$4.96
5.16	7.92	15	9.05	11.80	6- 8	8.95	11.70	11 1/8	6.80	4.96
6.21	9.12	16 1/8	9.55	12.55	7- 0	9.45	12.45	12 1/8	8.00	5.44
5.58	8.19	7 x15	9.15	12.00	2- 8x6- 8	9.05	11.90	10 3/4x11 1/8	8.16	6.00
6.21	9.12	16 1/8	9.70	12.75	7- 0	9.60	12.65	12 1/8	10.40	7.28
5.58	8.19	7 1/2x15	9.30	12.20	2-10x6- 8	9.20	12.10	11 3/4x11 1/8	8.16	6.00
6.03	8.19	15 3/8	9.75	12.85	6-10	9.65	12.75	11 1/8	8.16	6.00
7.02	10.80	16 1/8	9.85	12.95	7- 0	9.75	12.85	12 1/8	10.40	7.28
6.39	9.18	8 1/8x15	9.45	12.40	3- 0x6- 8	9.35	12.30	12 3/4x11 1/8	10.40	7.28
8.01	12.33	16 1/8	10.00	13.15	7- 0	9.90	13.05	12 1/8	12.08	8.40
9.45	13.59	18 1/8	14.15	7- 6	14.05	13 3/8	12.08	8.40
10.44	15.03	20 1/8	14.55	8- 0	14.45	15 1/8	13.92	9.76
8.73	12.51	9 1/2x16 1/8	13.60	3- 4x7- 0	13.50	14 3/4x12 1/8	12.96	9.04
9.72	13.95	18 1/8	14.55	7- 6	14.45	13 3/8	13.92	9.76
10.62	16.21	20 1/8	15.00	8- 0	14.90	15 1/8	15.92	11.12
9.72	15.21	10 1/8x16 1/8	13.80	3- 6x7- 0	13.70	15 3/4x12 1/8	13.92	9.76
11.43	16.38	18 1/8	14.80	7- 6	14.70	13 3/8	13.92	9.76
12.60	18.00	20 1/8	15.25	8- 0	15.15	15 1/8	15.92	11.12

N. D. 509 N. D. 510


If beads are omitted, deduct list.....	\$0.70	\$0.65
If made with raised panel 3/4" thick, add list.....	.20	.20
If made with raised panel 1 1/8" thick, add list.....	.35	.35
If made with raised panel 1 3/8" thick, add list.....	.55	.55
If made with raised panel 1 3/4" thick, add list.....	.95	.95

For other door extras, see pages 147-155.


Layouts

Stiles and Top Rail not over $5\frac{1}{2}$ " wide overall.
 Lock and Bottom Rail not over $9\frac{3}{4}$ " wide overall.
 Raised Panel two sides, not over $\frac{9}{16}$ " thick, not over 11" high.
 Bars $\frac{1}{2}$ " between glass.
 Beads for glass included.
 Standard Stock Sticking.

*Glass lists shown are taken from
 Jobber's Single Light List and are
 not subject to door discount.*



N. D. 511



N. D. 512

Glass List SS	Glass List DS	Glass Corner Lights	Size	Open List 1 1/8	Open List 1 1/4	Size of Door	Open List 1 1/8	Open List 1 1/4	Glass Size	Glass List DS	Glass List SS
.....	\$ 7.41	5x5		\$ 9.70	\$12.40	2- 6x6- 6	\$ 9.80	\$12.55	6 1/8 x 10 5/8	\$ 7.92	\$5.40
.....	8.17	5x5		9.80	12.55	6- 8	9.90	12.70	11 1/8	8.67	5.91
.....	8.96	5x5		10.30	13.30	7- 0	10.40	13.45	12 1/8	9.12	6.21
.....	8.56	5x5		9.90	12.75	2- 8x6- 8	10.00	12.90	7 x 11 1/8	8.67	5.91
.....	9.60	5x5		10.45	13.50	7- 0	10.55	13.65	12 1/8	9.12	6.21
.....	9.53	5x5		10.05	12.95	2-10x6- 8	10.15	13.10	7 5/8 x 11 1/8	8.16	6.00
.....	10.04	5x5		10.50	13.60	6-10	10.60	13.75	11 1/8	8.16	6.00
.....	10.43	5x5		10.60	13.70	7- 0	10.70	13.85	12 1/8	9.60	6.48
.....	10.19	5x5		10.20	13.15	3- 0x6- 8	10.30	13.30	8 1/8 x 11 1/8	9.12	6.72
.....	11.66	5x5		10.75	13.90	7- 0	10.85	14.05	12 1/8	10.68	7.20
.....	14.44	5x5		14.90	7- 6	15.05	13 1/8	10.68	7.92
.....	17.44	5x5		15.30	8- 0	15.45	15 1/8	12.24	9.00
.....	13.31	5x5		14.35	3- 4x7- 0	14.50	9 5/8 x 12 1/8	12.00	8.16
.....	15.94	5x5		15.30	7- 6	15.45	13 3/8	12.00	8.76
.....	20.63	5x5		15.75	8- 0	15.90	15 1/8	14.88	10.44
.....	15.03	5x5		14.55	3- 6x7- 0	14.70	10 1/8 x 12 1/8	12.96	8.88
.....	17.40	5x5		15.55	7- 6	15.70	13 3/8	14.28	9.96
.....	22.75	5x5		16.00	8- 0	16.15	15 1/8	17.52	11.40

N. D. 511 N. D. 512

If beads are omitted, deduct list.....	\$0.70	\$0.90
If made with raised panel $\frac{3}{4}$ " thick, add list.....	.20	.20
If made with raised panel $1\frac{1}{8}$ " thick, add list.....	.35	.35
If made with raised panel $1\frac{3}{8}$ " thick, add list.....	.55	.55
If made with raised panel $1\frac{3}{4}$ " thick, add list.....	.95	.95

For other door extras, see pages 147-155.

Side Lights,
Toilet and
Blind Doors
Pine
139


Extras,
Pine
Doors
147

Combination
Doors and
Extras
161

Window
Screens
183

Veneered
Door Lists
and Extras
197

Flush Door
Lists and
Extras
223




N. D. 514

Layouts

Stiles, Top and Cross Rails not over $4\frac{3}{4}$ " wide overall.
 Lock Rail not over $4\frac{3}{4}$ " wide overall.
 Bottom Rail not over $9\frac{3}{4}$ " wide overall.
 Raised Panels two sides, not over $\frac{9}{16}$ " thick.
 Bars $\frac{1}{2}$ " between glass.
 Beads for glass included.
 Standard Stock Sticking.

*Glass lists shown are taken from
 Jobber's Single Light List and are
 not subject to door discount.*



N. D. 515


Glass List SS	Glass List DS	Glass Size	Open List 1 $\frac{1}{8}$ "	Open List 1 $\frac{1}{4}$ "	Size of Door	Open List 1 $\frac{1}{8}$ "	Open List 1 $\frac{1}{4}$ "	Glass Size	Glass List DS	Glass List SS
\$5.00	\$7.13	21 $\frac{1}{2}$ x34	\$6.75	\$ 8.75	2- 6x6- 6	\$7.55	\$ 9.70	10 $\frac{1}{2}$ x16 $\frac{3}{4}$	\$ 6.68	\$ 4.32
5.56	7.92	36	6.85	8.85	6- 8	7.65	9.80	17 $\frac{3}{4}$	6.68	4.32
6.80	9.54	40	7.35	9.50	7- 0	8.15	10.45	19 $\frac{3}{4}$	7.28	5.08
6.22	8.91	23 $\frac{1}{2}$ x36	7.00	9.05	2- 8x6- 8	7.80	10.00	11 $\frac{1}{2}$ x17 $\frac{3}{4}$	6.76	4.72
6.80	9.54	40	7.50	9.75	7- 0	8.30	10.70	19 $\frac{3}{4}$	7.44	5.20
6.80	9.54	25 $\frac{1}{2}$ x36	7.15	9.25	2-10x6- 8	7.95	10.20	12 $\frac{1}{2}$ x17 $\frac{3}{4}$	7.68	5.00
7.77	10.90	38	7.60	9.85	6-10	8.40	10.80	18 $\frac{3}{4}$	8.56	5.56
7.77	10.90	40	7.65	9.95	7- 0	8.45	10.90	19 $\frac{3}{4}$	8.56	5.56
7.77	10.90	27 $\frac{1}{2}$ x36	7.30	9.50	3- 0x6- 8	8.10	10.45	13 $\frac{1}{2}$ x17 $\frac{3}{4}$	7.56	5.36
9.07	12.71	40	7.85	10.20	7- 0	8.65	11.15	19 $\frac{3}{4}$	8.56	6.00
....	13.86	46	11.00	7- 6	11.95	22 $\frac{3}{4}$	10.56	7.88
....	16.63	52	11.35	8- 0	12.30	25 $\frac{3}{4}$	12.16	8.28
....	13.86	31 $\frac{1}{2}$ x40	10.60	3- 4x7- 0	11.55	15 $\frac{1}{2}$ x19 $\frac{3}{4}$	10.56	7.20
....	16.63	46	11.45	7- 6	12.40	22 $\frac{3}{4}$	12.80	8.72
....	22.50	52	11.85	8- 0	12.80	25 $\frac{3}{4}$	16.04	10.92
....	16.63	33 $\frac{1}{2}$ x40	10.85	3- 6x7- 0	11.80	16 $\frac{1}{2}$ x19 $\frac{3}{4}$	12.16	8.28
....	16.63	46	11.70	7- 6	12.65	22 $\frac{3}{4}$	16.04	10.92
....	22.50	52	12.05	8- 0	13.00	25 $\frac{3}{4}$	18.20	12.36

N. D. 514 N. D. 515

If beads are omitted, deduct list.....	\$0.35	\$0.40
If made with raised panel $\frac{3}{4}$ " thick, add list.....	.40	.40
If made with raised panel $1\frac{1}{8}$ " thick, add list.....	.70	.70
If made with raised panel $1\frac{3}{8}$ " thick, add list.....	1.10	1.10
If made with raised panel $1\frac{3}{4}$ " thick, add list.....	1.90	1.90
Doors with Lock Rail not over $6\frac{1}{2}$ " wide overall, add list,		
$1\frac{3}{8}$ " thick	.30	.30
$1\frac{3}{4}$ " thick	.40	.40

For Doors N. D. 514

If made with Plain Flush Mould, one side, around panels only, not including Fillet, add list...	\$1.28
If made with Plain Flush Mould, two sides, around panels only, not including Fillet, add list.	2.15
If made with Plain Flush Mould, two sides, around panels and glass, not including Fillet, add list.	1.88
If made with Plain Flush Mould, two sides, around panels and glass, not including Fillet, add list	3.35
If made with Plain Raised Mould, one side, around panels only, not including Fillet, add list..	1.48
If made with Plain Raised Mould, two sides, around panels only, not including Fillet, add list.	2.55
If made with Plain Raised Mould, one side, around panel and glass, not including Fillet add list.	2.35
If made with Plain Raised Mould, two sides, around panels, and one side around glass, not including Fillet, add list.....	3.60
For Fillet around glass opening, per lineal foot or fraction thereof around opening, add list.....	.03 $\frac{1}{2}$
For other door extras, see pages 147-155.	




N. D. 516

Layouts

Stiles, Top and Cross Rail not over $4\frac{3}{4}$ " wide overall.
 Lock Rail not over $4\frac{3}{4}$ " wide overall.
 Bottom Rail not over $9\frac{3}{4}$ " wide overall.
 Raised Panels two sides, not over $\frac{9}{16}$ " thick.
 Bars $\frac{1}{2}$ " between glass.
 Beads for glass included.
 Standard Stock Sticking.

*Glass lists shown are taken from
 Jobber's Single Light List and are
 not subject to door discount.*



N. D. 517

Glass List SS	Glass List DS	Glass Size	Open List 1 $\frac{1}{8}$	Open List 1 $\frac{1}{4}$	Size of Door	Open List 1 $\frac{1}{8}$	Open List 1 $\frac{1}{4}$	Glass Size	Glass List DS	Glass List SS
\$4.68	\$ 7.20	6 $\frac{1}{8}$ x16 $\frac{3}{4}$	\$8.05	\$10.30	2- 6x6- 6	\$8.40	\$10.85	6 $\frac{1}{8}$ x11	\$ 5.36	\$3.74
4.68	7.20	17 $\frac{3}{4}$	8.15	10.40	6- 8	8.50	10.95	11 $\frac{3}{8}$	5.85	4.10
5.22	8.04	19 $\frac{3}{4}$	8.65	11.05	7- 0	9.00	11.60	13	6.80	4.73
4.68	7.20	7 $\frac{1}{2}$ x17 $\frac{3}{4}$	8.30	10.60	2- 8x6- 8	8.65	11.15	7 $\frac{1}{2}$ x11 $\frac{5}{8}$	6.12	4.50
5.22	8.04	19 $\frac{3}{4}$	8.80	11.30	7- 0	9.15	11.85	13	7.20	4.86
5.34	8.22	8 $\frac{1}{8}$ x17 $\frac{3}{4}$	8.45	10.80	2-10x6- 8	8.80	11.35	8 $\frac{1}{8}$ x11 $\frac{5}{8}$	6.84	5.04
6.30	9.06	18 $\frac{3}{4}$	8.90	11.40	6-10	9.25	11.95	12 $\frac{1}{8}$	8.01	5.40
6.30	9.06	19 $\frac{3}{4}$	8.95	11.50	7- 0	9.30	12.05	13	8.01	5.40
5.34	8.22	8 $\frac{1}{8}$ x17 $\frac{3}{4}$	8.60	11.05	3- 0x6- 8	8.95	11.60	8 $\frac{1}{8}$ x11 $\frac{5}{8}$	6.84	5.04
6.30	9.06	19 $\frac{3}{4}$	9.15	11.75	7- 0	9.50	12.30	13	8.01	5.40
7.80	11.16	22 $\frac{3}{4}$	12.55	7- 6	13.10	15	9.18	6.39
8.88	13.02	25 $\frac{3}{4}$	12.90	8- 0	13.45	17	9.18	8.01
7.62	10.92	10 $\frac{1}{8}$ x19 $\frac{3}{4}$	12.15	3- 4x7- 0	12.70	10 $\frac{1}{8}$ x13	9.72	6.66
9.90	14.58	22 $\frac{3}{4}$	13.00	7- 6	13.55	15	12.24	8.55
10.68	15.78	25 $\frac{3}{4}$	13.40	8- 0	13.95	17	15.03	9.72
7.62	10.92	10 $\frac{1}{8}$ x19 $\frac{3}{4}$	12.40	3- 6x7- 0	12.95	10 $\frac{1}{8}$ x13	9.72	6.66
9.90	14.58	22 $\frac{3}{4}$	13.25	7- 6	13.80	15	12.24	8.55
10.68	15.78	25 $\frac{3}{4}$	13.60	8- 0	14.15	17	15.03	9.72

N. D. 516 N. D. 517

If heads are omitted, deduct list.....	\$0.45	\$0.65
If made with raised panel $\frac{3}{4}$ " thick, add list.....	.40	.40
If made with raised panel $1\frac{1}{8}$ " thick, add list.....	.70	.70
If made with raised panel $1\frac{3}{8}$ " thick, add list.....	1.10	1.10
If made with raised panel $1\frac{3}{4}$ " thick, add list.....	1.90	1.90
Doors with Lock Rail not over $6\frac{1}{2}$ " wide overall, add list		
$1\frac{3}{8}$ " thick	.30	.30
$1\frac{3}{4}$ " thick	.40	.40

For other door extras, see pages 147-155.

Side Lights,
Toilet and
Blind Doors
Pine
139


Extras,
Pine
Doors
147

Combination
Doors and
Extras
161

Window
Screens
183

Veneered
Door Lists
and Extras
197

Flush Door
Lists and
Extras
223




N. D. 518

Layouts

Stiles and Top Rail not over $4\frac{3}{4}$ " wide overall.
 Lock Rail not over $4\frac{3}{4}$ " wide overall.
 Bottom Rail not over $9\frac{3}{4}$ " wide overall.
 Raised Panels two sides, not over $\frac{9}{16}$ " thick.
 Bars $\frac{1}{2}$ " between glass.
 Beads for glass included.
 Standard Stock Sticking.

*Glass lists shown are taken from
 Jobber's Single Light List and are
 not subject to door discount.*



N. D. 519

Glass List SS	Glass List DS	Glass Size Corner Lights	Open List 1½	Open List 1¼	Size of Door	Open List 1½	Open List 1¼	Glass Size	Glass List DS	Glass List SS
\$4.09	\$ 5.86	5x5	\$ 9.10	\$11.55	2- 6x6 -6	\$7.75	\$ 9.90	6½x34	\$ 6.83	\$4.64
4.42	6.38	5x5	9.20	11.65	6- 8	7.85	10.00	36	7.31	4.97
5.15	7.51	5x5	9.70	12.30	7- 0	8.35	10.65	40	8.09	5.48
4.70	7.01	5x5	9.35	11.85	2- 8x6- 8	8.00	10.20	7½x36	8.09	5.48
5.53	8.34	5x5	9.85	12.55	7- 0	8.50	10.90	40	9.72	6.83
5.36	8.14	5x5	9.50	12.05	2-10x6- 8	8.15	10.40	8½x36	9.56	6.48
5.62	8.55	5x5	9.95	12.65	6-10	8.60	11.00	38	9.72	6.83
5.90	9.01	5x5	10.00	12.75	7- 0	8.65	11.10	40	10.70	7.50
6.06	8.83	5x5	9.65	12.30	3- 0x6- 8	8.30	10.65	8½x36	9.56	6.48
6.75	9.89	5x5	10.20	13.00	7- 0	8.85	11.35	40	10.70	7.50
8.24	11.89	5x5	13.80	7- 6	12.15	46	12.72
9.50	13.68	5x5	14.15	8- 0	12.50	52	14.31
7.72	11.31	5x5	13.40	3- 4x7- 0	11.75	10½x40	14.01	9.51
9.69	13.74	5x5	14.25	7- 6	12.60	46	16.47
11.51	16.39	5x5	14.65	8- 0	13.00	52	20.64
8.29	12.11	5x5	13.65	3- 6x7- 0	12.00	10½x40	14.01	9.51
10.47	14.90	5x5	14.50	7- 6	12.85	46	16.47
12.60	17.92	5x5	14.85	8- 0	13.20	52	20.64

N. D. 518 N. D. 519


If beads are omitted, deduct list.....	\$0.65	\$0.45
If made with raised panel $\frac{3}{4}$ " thick, add list.....	.40	.40
If made with raised panel $1\frac{1}{8}$ " thick, add list.....	.70	.70
If made with raised panel $1\frac{3}{8}$ " thick, add list.....	1.10	1.10
If made with raised panel $1\frac{3}{4}$ " thick, add list.....	1.90	1.90
Doors with Lock Rail not over $6\frac{1}{2}$ " wide overall, add list		
$1\frac{3}{8}$ " thick	.30	.30
$1\frac{3}{4}$ " thick	.40	.40

For other door extras, see pages 147-155.


LAYOUTS

Stiles and Top Rail not over $4\frac{3}{4}$ " wide overall.
 Lock Rail not over $4\frac{3}{4}$ " wide overall.
 Bottom Rail not over $9\frac{3}{4}$ " wide overall.
 Raised Panels two sides, not over $\frac{9}{16}$ " thick.
 Bars $\frac{1}{2}$ " between glass.
 Beads for glass included.
 Standard Stock Sticking.

*Glass lists shown are taken from
 Jobber's Single Light List and are
 not subject to door discount.*



N. D. 520



N. D. 521

Glass List SS	Glass List DS	Glass Size	Open List $1\frac{1}{8}$	Open List $1\frac{1}{4}$	Size of Door	Open List $1\frac{1}{8}$	Open List $1\frac{1}{4}$	Glass Size	Glass List DS	Glass List SS
\$4.16	\$ 6.00	$10\frac{1}{2} \times 8\frac{1}{2}$	\$8.25	\$10.70	2- 6x6- 6	\$9.20	\$11.70	$6\frac{1}{2} \times 8\frac{1}{2}$	\$ 6.00	\$3.96
4.16	6.00	$8\frac{1}{2}$	8.35	10.80	6- 8	9.30	11.80	$8\frac{1}{2}$	6.00	3.96
4.96	6.80	$9\frac{1}{2}$	8.85	11.45	7- 0	9.80	12.45	$9\frac{1}{2}$	6.00	4.38
4.48	6.08	$11\frac{1}{2} \times 8\frac{1}{2}$	8.50	11.00	2- 8x6- 8	9.45	12.00	$7\frac{1}{2} \times 8\frac{1}{2}$	6.84	5.04
4.96	6.80	$9\frac{1}{2}$	9.00	11.70	7- 0	9.95	12.70	$9\frac{1}{2}$	6.84	5.04
4.80	7.12	$12\frac{1}{2} \times 8\frac{1}{2}$	8.65	11.20	2-10x6- 8	9.60	12.20	$8\frac{1}{8} \times 8\frac{1}{2}$	6.84	5.52
5.44	8.00	$9\frac{1}{2}$	9.10	11.80	6-10	10.05	12.80	$9\frac{1}{2}$	6.84	6.24
5.44	8.00	$9\frac{1}{2}$	9.15	11.90	7- 0	10.10	12.90	$9\frac{1}{2}$	9.00	6.24
5.28	7.12	$13\frac{1}{2} \times 8\frac{1}{2}$	8.80	11.45	3- 0x6- 8	9.75	12.45	$8\frac{1}{2} \times 8\frac{1}{2}$	6.84	5.52
5.84	8.00	$9\frac{1}{2}$	9.35	12.15	7- 0	10.30	13.15	$9\frac{1}{2}$	9.00	6.24
7.28	10.40	$11\frac{1}{2}$	12.95	7- 6	13.95	$11\frac{1}{2}$	9.12	6.72
8.40	12.08	$12\frac{1}{2}$	13.30	8- 0	14.30	$12\frac{1}{2}$	10.68	7.20
6.96	9.92	$15\frac{1}{2} \times 9\frac{1}{2}$	12.55	3- 4x7- 0	13.55	$10\frac{1}{8} \times 9\frac{1}{2}$	10.20	7.44
8.16	11.76	$11\frac{1}{2}$	13.40	7- 6	14.40	$11\frac{1}{2}$	12.00	8.88
9.76	13.92	$12\frac{1}{2}$	13.80	8- 0	14.80	$12\frac{1}{2}$	12.96	8.88
7.76	11.12	$16\frac{1}{2} \times 9\frac{1}{2}$	12.80	3- 6x7- 0	13.80	$10\frac{1}{2} \times 9\frac{1}{2}$	10.20	7.44
9.44	13.52	$11\frac{1}{2}$	13.65	7- 6	14.65	$11\frac{1}{2}$	12.00	8.88
10.72	15.36	$12\frac{1}{2}$	14.00	8- 0	15.00	$12\frac{1}{2}$	12.96	8.88

N. D. 520 N. D. 521

If beads are omitted, deduct list.....	\$0.60	\$0.85
If made with raised panel $\frac{3}{4}$ " thick, add list.....	.40	.40
If made with raised panel $1\frac{1}{8}$ " thick, add list.....	.70	.70
If made with raised panel $1\frac{3}{8}$ " thick, add list.....	1.10	1.10
If made with raised panel $1\frac{3}{4}$ " thick, add list.....	1.90	1.90
Doors with Lock Rail not over $6\frac{1}{2}$ " wide overall, add list		
$1\frac{3}{8}$ " thick	.30	.30
$1\frac{3}{4}$ " thick	.40	.40

For other door extras, see pages 147-155.

Side Lights,
Toilet and
Blind Doors
Pine
139


Extras,
Pine
Doors
147

Combination
Doors and
Extras
161

Window
Screens
183

Veneered
Door Lists
and Extras
197

Flush Door
Lists and
Extras
223



N. D. 522

Layouts

Stiles and Top Rail not over $4\frac{3}{4}$ " wide overall.
 Lock Rail not over $8\frac{1}{8}$ " wide overall.
 Cross Rail not over $5\frac{1}{2}$ " wide overall.
 Bottom Rail not over $9\frac{3}{4}$ " wide overall.
 Muntins not over $3\frac{1}{2}$ " wide overall.
 Raised Panels two sides, not over $\frac{9}{16}$ " thick.
 Bars $\frac{1}{2}$ " between glass.
 Beads for glass included.
 Standard Stock Sticking.

*Glass lists shown are taken from
 Jobber's Single Light List and are
 not subject to door discount.*

Size of Door	Open List 1½	Open List 1¾	Glass Size	Glass List DS	Glass List SS
2- 6x6- 6.....	\$7.15	\$ 9.25	21½x34	\$ 7.13	\$5.00
6- 8.....	7.20	9.35	36	7.92	5.56
7- 0.....	7.70	10.05	40	9.54	6.80
2- 8x6- 8.....	7.40	9.60	23½x36	8.91	6.22
7- 0.....	7.90	10.30	40	9.54	6.80
2-10x6- 8.....	7.55	9.85	25½x36	9.54	6.80
6-10.....	8.00	10.40	38	10.90	7.77
7- 0.....	8.05	10.55	40	10.90	7.77
3- 0x6- 8.....	7.70	10.10	27½x36	10.90	7.77
7- 0.....	8.25	10.80	40	12.71	9.07

If beads are omitted, deduct list..... \$0.35
 If made with raised panel $\frac{3}{4}$ " thick, add list..... .30
 If made with raised panel $1\frac{1}{8}$ " thick, add list..... .50
 If made with raised panel $1\frac{3}{8}$ " thick, add list..... .85
 If made with raised panel $1\frac{3}{4}$ " thick, add list..... 1.45

If made with divided lights, open, see Rule 7.

If made with divided lights, glazed, use same glass list as is shown for N. D. 514 divided, for an equal number of lights and arrangement.

For other door extras, see pages 147-155.

Layouts

Stiles, Top and Cross Rail not over $4\frac{3}{4}$ " wide overall.

Bottom Rail not over $9\frac{3}{4}$ " wide overall.


Raised Panels two sides, not over $\frac{9}{16}$ " thick.

Bars $\frac{1}{2}$ " between glass.


Beads for glass included.

Standard Stock Sticking.

*Glass lists shown are taken from
Jobber's Single Light List and are
not subject to door discount.*



N. D. 530



N. D. 531

Glass List SS	Glass List DS	Glass Size	Open List $1\frac{1}{8}$	Open List $1\frac{3}{4}$	Size of Door	Open List $1\frac{1}{8}$	Open List $1\frac{3}{4}$	Glass Size	Glass List DS	Glass List SS
\$3.31	\$ 4.87	$21\frac{1}{2} \times 24$	\$7.30	\$ 9.40	2- 6x6- 6	\$8.10	\$10.35	$10\frac{1}{2} \times 11\frac{3}{4}$	\$ 4.00	\$ 2.96
3.56	5.25	26	7.40	9.50	6- 8	8.20	10.45	$12\frac{3}{4}$	4.32	2.96
4.32	6.37	30	7.90	10.20	7- 0	8.70	11.15	$14\frac{3}{4}$	5.44	3.80
3.86	5.68	$23\frac{1}{2} \times 26$	7.60	9.75	2- 8x6- 8	8.40	10.70	$11\frac{1}{2} \times 12\frac{3}{4}$	5.20	3.64
4.75	7.00	30	8.10	10.45	7- 0	8.90	11.40	$14\frac{3}{4}$	5.88	3.88
4.32	6.37	$25\frac{1}{2} \times 26$	7.80	10.00	2-10x6- 8	8.60	10.95	$12\frac{1}{2} \times 12\frac{3}{4}$	6.04	4.20
5.00	7.13	28	8.25	10.60	6-10	9.05	11.55	$13\frac{3}{4}$	6.04	4.20
5.56	7.92	30	8.30	10.75	7- 0	9.10	11.70	$14\frac{3}{4}$	6.48	4.52
5.00	7.13	$27\frac{1}{2} \times 26$	8.00	10.25	3- 0x6- 8	8.80	11.20	$13\frac{1}{2} \times 12\frac{3}{4}$	6.04	4.20
5.56	7.92	30	8.50	11.00	7- 0	9.30	11.95	$14\frac{3}{4}$	6.96	4.88
7.77	10.90	36	11.85	7- 6	12.80	$17\frac{3}{4}$	7.68	5.36
....	12.71	42	12.20	8- 0	13.15	$20\frac{3}{4}$	10.56	7.20
6.80	9.54	$31\frac{1}{2} \times 30$	11.55	3- 4x7- 0	12.50	$15\frac{1}{2} \times 14\frac{3}{4}$	7.96	5.56
9.07	12.71	36	12.45	7- 6	13.40	$17\frac{3}{4}$	8.92	7.20
....	16.63	42	12.80	8- 0	13.75	$20\frac{3}{4}$	12.16	8.28
7.77	10.90	$33\frac{1}{2} \times 30$	11.80	3- 6x7- 0	12.75	$16\frac{1}{2} \times 14\frac{3}{4}$	8.92	6.20
....	13.86	36	12.75	7- 6	13.70	$17\frac{3}{4}$	11.04	7.52
....	16.63	42	13.10	8- 0	14.05	$20\frac{3}{4}$	15.16	10.32

N. D. 530 N. D. 531

If beads are omitted, deduct list.....	\$0.30	\$0.35
Doors with Lock Rail not over $6\frac{1}{2}$ " wide overall, add list		
$1\frac{3}{8}$ " thick	.30	.30
$1\frac{3}{4}$ " thick	.40	.40
If made with raised panel $\frac{3}{4}$ " thick, add list.....	.60	.60
If made with raised panel $1\frac{1}{8}$ " thick, add list.....	1.05	1.05
If made with raised panel $1\frac{3}{8}$ " thick, add list.....	1.65	1.65
If made with raised panel $1\frac{3}{4}$ " thick, add list.....	2.85	2.85

For other door extras, see pages 147-155.

Side Lights,
Toilet and
Blind Doors
Pine
139


Extras,
Pine
Doors
147

Combination
Doors and
Extras
161

Window
Screens
183

Veneered
Door Lists
and Extras
197

Flush Door
Lists and
Extras
223




N. D. 532

Layouts

Stiles, Top and Cross Rail not over $4\frac{3}{4}$ " wide overall.
 Bottom Rail not over $9\frac{3}{4}$ " wide overall.
 Raised Panels two sides, not over $\frac{9}{16}$ " thick.
 Bars $\frac{1}{2}$ " between glass.
 Beads for glass included.
 Standard Stock Sticking.

*Glass lists shown are taken from
 Jobber's Single Light List and are
 not subject to door discount.*




N. D. 533

Glass List SS	Glass List DS	Glass Size	Open List 1½	Open List 1¼	Size of Door	Open List 1½	Open List 1¼	Glass Size	Glass List DS	Glass List SS
\$3.00	\$ 4.08	6½x11¼	\$8.55	\$10.85	2- 6x6- 6	\$8.05	\$10.30	6½x24	\$ 4.34	\$ 2.96
3.24	4.80	12¾	8.65	10.95	6- 8	8.15	10.40	26	4.56	3.11
3.72	5.46	14¾	9.15	11.65	7- 0	8.65	11.10	30	6.02	4.10
3.24	4.80	7½x12¾	8.85	11.20	2- 8x6- 8	8.35	10.65	7½x26	6.02	3.33
3.72	5.46	14¾	9.35	11.90	7- 0	8.85	11.35	30	6.83	4.64
3.60	5.34	8½x12¾	9.05	11.45	2-10x6- 8	8.55	10.90	8½x26	6.51	4.44
3.96	5.34	13¾	9.50	12.05	6-10	9.00	11.50	28	7.02	4.77
4.26	6.12	14¾	9.55	12.20	7- 0	9.05	11.65	30	7.59	5.16
3.60	5.34	8½x12¾	9.25	11.70	3- 0x6- 8	8.75	11.15	8½x26	6.51	4.44
4.26	6.12	14¾	9.75	12.45	7- 0	9.25	11.90	30	7.59	5.16
5.34	8.22	17¾	13.30	7- 6	13.05	36	10.23	7.29
6.96	10.02	20¾	13.65	8- 0	13.40	42	13.32	9.03
5.70	8.16	10½x14¾	13.00	3- 4x7- 0	12.75	10½x30	12.23	6.93
6.48	10.02	17¾	13.90	7- 6	13.65	36	12.03	8.19
8.40	12.00	20¾	14.25	8- 0	14.00	42	15.27	10.98
5.70	8.16	10½x14¾	13.25	3- 6x7- 0	13.00	10½x30	10.23	6.93
6.48	10.02	17¾	14.20	7- 6	13.95	36	12.03	8.19
8.40	12.00	20¾	14.55	8- 0	14.30	42	15.27	10.98

N. D. 532 N. D. 533

If beads are omitted, deduct list.....	\$0.45	\$0.35
Doors with Lock Rail not over $6\frac{1}{2}$ " wide overall, add list		
1½" thick	.30	.30
1¾" thick	.40	.40
If made with raised panel $\frac{3}{4}$ " thick, add list.....	.60	.60
If made with raised panel $1\frac{1}{8}$ " thick, add list.....	1.05	1.05
If made with raised panel $1\frac{3}{8}$ " thick, add list.....	1.65	1.65
If made with raised panel $1\frac{3}{4}$ " thick, add list.....	2.85	2.85

For other door extras, see pages 147-155.



N. D. 534

Layouts

Stiles, Top and Cross Rail not over $4\frac{3}{4}$ " wide overall.

Bottom Rail not over $9\frac{3}{4}$ " wide overall.


Raised Panels, two sides, not over $\frac{3}{16}$ " thick.

Bars $\frac{1}{2}$ " between glass.

Beads for glass included.

Standard Stock Sticking.

*Glass lists shown are taken from
Jobber's Single Light List and are
not subject to door discount.*



N. D. 535

Glass List SS	Glass List DS	Glass Size	Open List 1½	Open List 1¼	Size of Door	Open List 1½	Open List 1¼	Glass Size Corner Lights	Glass List DS	Glass List SS
\$2.60	\$ 3.72	5 x24	\$8.40	\$10.70	2- 6x6- 6	\$9.60	\$12.15	5x5	\$ 3.87	\$2.73
2.96	4.34	26	8.50	10.80	6- 8	9.70	12.25	5x5	4.19	2.89
3.44	5.06	30	9.00	11.50	7- 0	10.20	12.95	5x5	4.98	3.52
3.60	5.28	5½x26	8.70	11.05	2- 8x6- 8	9.90	12.50	5x5	4.61	3.20
4.62	6.82	30	9.20	11.75	7- 0	10.40	13.20	5x5	5.41	3.78
3.60	5.28	6 x26	8.90	11.30	2-10x6- 8	10.10	12.75	5x5	5.01	3.47
3.94	5.78	28	9.35	11.90	6-10	10.55	13.35	5x5	5.49	3.82
4.62	6.82	30	9.40	12.05	7- 0	10.60	13.50	5x5	6.06	4.18
4.14	6.08	6½x26	9.10	11.55	3- 0x6- 8	10.30	13.00	5x5	5.49	3.82
5.46	8.02	30	9.60	12.30	7- 0	10.80	13.75	5x5	6.70	4.64
6.62	9.74	36	13.15	7- 6	14.60	5x5	8.83	6.06
8.36	11.88	42	13.50	8- 0	14.95	5x5	10.56	7.06
6.18	9.10	7½x30	13.25	3- 4x7- 0	14.30	5x5	8.22	5.68
7.30	10.78	36	14.15	7- 6	15.20	5x5	9.83	6.74
9.10	12.96	42	14.50	8- 0	15.55	5x5	12.61	8.46
6.18	9.10	8 x30	13.50	3- 6x7- 0	14.55	5x5	8.68	5.99
7.30	10.78	36	14.45	7- 6	15.50	5x5	10.43	7.16
9.10	12.96	42	14.80	8- 0	15.85	5x5	13.70	9.37

N. D. 534 N. D. 535

If beads are omitted, deduct list.....	\$0.40	\$0.60
Doors with Lock Rail not over $6\frac{1}{2}$ " wide overall, add list		
$1\frac{3}{8}$ " thick	.30	.30
$1\frac{3}{4}$ " thick	.40	.40
If made with raised panels $\frac{3}{4}$ " thick, add list.....	.60	.60
If made with raised panel $1\frac{1}{8}$ " thick, add list.....	1.05	1.05
If made with raised panel $1\frac{3}{8}$ " thick, add list.....	1.65	1.65
If made with raised panel $1\frac{3}{4}$ " thick, add list.....	2.85	2.85

For other door extras, see pages 147-155.

Side Lights,
Toilet and
Blind Doors
Pine
139


Extras,
Pine
Doors
147

Combination
Doors and
Extras
161

Window
Screens
183

Veneered
Door Lists
and Extras
197

Flush Door
Lists and
Extras
223




N. D. 537

Layouts

Stiles, Top and Cross Rail not over $4\frac{3}{4}$ " wide overall.
 Bottom Rail not over $9\frac{3}{4}$ " wide overall.
 Raised Panels two sides, not over $\frac{9}{16}$ " thick.
 Bars $\frac{1}{2}$ " between glass.
 Beads for glass included.
 Standard Stock Sticking.

*Glass lists shown are taken from
 Jobber's Single Light List and are
 not subject to door discount.*



N. D. 538

Class List SS	Glass List DS	Glass Size	Open List 1½	Open List 1¼	Size of Door	Open List 1½	Open List 1¼	Glass Size	Glass List DS	Glass List SS
\$3.86	\$ 5.68	21½x28	\$7.15	\$ 9.25	2- 6x6- 6	\$8.00	\$10.25	10½x13¾	\$ 4.76	\$ 3.32
4.32	6.37	30	7.25	9.35	6- 8	8.10	10.35	14¾	5.44	3.80
5.00	7.13	34	7.75	10.05	7- 0	8.60	11.05	16¾	6.68	4.32
4.75	7.00	23½x30	7.45	9.60	2- 8x6- 8	8.30	10.60	11½x14¾	5.83	3.88
5.54	7.92	34	7.95	10.30	7- 0	8.80	11.30	16¾	6.76	4.72
5.56	7.92	25½x30	7.60	9.85	2-10x6- 8	8.45	10.85	12½x14¾	6.48	4.52
5.56	7.92	32	8.05	10.45	6-10	8.90	11.45	15¾	6.88	4.76
6.80	9.54	34	8.15	10.55	7- 0	9.00	11.55	16¾	7.68	5.00
5.56	7.92	27½x30	7.80	10.10	3- 0x6- 8	8.65	11.10	13½x14¾	6.96	4.88
6.80	9.54	34	8.30	10.80	7- 0	9.15	11.80	16¾	7.68	5.36
....	12.71	40	11.70	7- 6	12.70	19¾	8.56	6.00
....	13.86	46	12.05	8- 0	13.05	22¾	11.56	7.88
7.77	10.90	31½x34	11.30	3- 4x7- 0	12.30	15½x16¾	8.92	6.20
....	13.86	40	12.20	7- 6	13.20	19¾	10.56	7.20
....	16.63	46	12.55	8- 0	13.55	22¾	12.80	8.72
9.79	12.71	33½x34	11.60	3- 6x7- 0	12.60	16½x16¾	11.04	7.52
....	16.63	40	12.50	7- 6	13.50	19¾	12.16	8.28
....	16.63	46	12.85	8- 0	13.85	22¾	16.04	10.92

N. D. 537 N. D. 538

If beads are omitted, deduct list.....	\$0.30	\$0.35
Doors with Lock Rail not over $6\frac{1}{2}$ " wide overall, add list		
1¾" thick	.30	.30
1¾" thick	.40	.40
If made with raised panel $\frac{3}{4}$ " thick, add list.....	.60	.50
If made with raised panel $1\frac{1}{8}$ " thick, add list.....	1.05	1.05
If made with raised panel $1\frac{3}{8}$ " thick, add list.....	1.65	1.65
If made with raised panel $1\frac{1}{4}$ " thick, add list.....	2.85	2.85

For other door extras, see pages 147-155.

Layouts

Stiles, Top and Cross Rails not over 4 3/4" wide overall.

Bottom Rail not over 9 3/4" wide overall.

Raised Panels two sides, not over 9/16" thick.

Bars 1/2" between glass.

Beads for glass included.

Standard Stock Sticking.

*Glass lists shown are taken from
Jobber's Single Light List and are
not subject to door discount.*

N. D. 539

N. D. 540

Glass List SS	Glass List DS	Glass Size	Open List 1 1/4	Open List 1 1/4	Size of Door	Open List 1 1/4	Open List 1 1/4	Glass Size	Glass List DS	Glass List SS
\$3.54	\$ 4.80	6 1/2 x 13 3/4	\$8.45	\$10.75	2- 6x6- 6	\$8.80	\$11.30	6 1/2 x 9	\$ 5.13	\$2.97
3.72	5.46	14 3/4	8.55	10.85	6- 8	8.90	11.40	9 3/8	5.13	3.78
4.68	7.20	16 3/4	9.05	11.55	7- 0	9.40	12.10	11	6.12	4.50
3.72	5.46	7 1/2 x 14 3/4	8.75	11.10	2- 8x6- 8	9.10	11.65	7 1/2 x 9 3/8	5.13	3.78
4.68	7.20	16 3/4	9.25	11.80	7- 0	9.60	12.35	11	6.12	4.50
4.26	6.12	8 3/8 x 14 3/4	8.90	11.35	2-10x6- 8	9.25	11.90	8 3/8 x 9 3/8	6.75	4.28
4.50	6.12	15 3/4	9.35	11.95	6-10	9.70	12.50	10 1/4	6.75	4.68
5.34	8.22	16 3/4	9.45	12.05	7- 0	9.80	12.60	11	6.75	4.68
4.26	6.12	8 1/2 x 14 3/4	9.10	11.60	3- 0x6- 8	9.45	12.15	8 1/2 x 9 3/8	6.75	4.28
5.34	8.22	16 3/4	9.60	12.30	7- 0	9.95	12.85	11	6.75	4.68
6.30	9.06	19 3/4	13.20	7- 6	13.75	13	8.01	5.40
7.80	11.16	22 3/4	13.55	8- 0	14.10	15	9.18	6.39
7.08	10.14	10 1/8 x 16 3/4	12.80	3- 4x7- 0	13.35	10 1/8 x 11	9.00	6.66
7.80	11.16	19 3/4	13.70	7- 6	14.25	13	9.72	6.66
9.90	14.58	22 3/4	14.05	8- 0	14.60	15	10.24	8.55
7.08	10.14	10 1/2 x 16 3/4	13.10	3- 6x7- 0	13.65	10 1/2 x 11	9.00	6.66
7.80	11.16	19 3/4	14.00	7- 6	14.55	13	9.72	6.66
9.90	14.58	22 3/4	14.35	8- 0	14.90	15	10.24	8.55

N. D. 539 N. D. 540

If beads are omitted, deduct list.....	\$0.45	\$0.65
Doors with Lock Rail not over 6 1/2" wide overall, add list		
1 3/8" thick	.30	.30
1 3/4" thick	.40	.40
If made with raised panel 3/4" thick, add list.....	.60	.60
If made with raised panel 1 1/8" thick, add list.....	1.05	1.05
If made with raised panel 1 3/8" thick, add list.....	1.65	1.65
If made with raised panel 1 3/4" thick, add list.....	2.85	2.85

For other door extras, see pages 147-155.

Side Lights,
Toilet and
Blind Doors
Pine
139


Extras,
Pine
Doors
147

Combination
Doors and
Extras
161

Window
Screens
183

Veneered
Door Lists
and Extras
197

Flush Door
Lists and
Extras
223




N. D. 541

Layouts

Stiles, Top and Cross Rails not over 4 3/4" wide overall.
 Bottom Rail not over 9 3/4" wide overall.
 Raised Panels two sides, not over 3/16" thick.
 Bars 1/2" between glass.
 Beads for glass included.
 Standard Stock Sticking.

*Glass lists shown are taken from
 Jobber's Single Light List and are
 not subject to door discount.*



N. D. 542

Glass List SS	Glass List DS	Glass Size Corner Lights	Open List 1 1/8	Open List 1 1/4	Size of Door	Open List 1 1/8	Open List 1 1/4	Glass Size	Glass List DS	Glass List SS
\$3.29	\$ 4.65	5x5	\$ 9.50	\$12.05	2- 6x6- 6	\$7.90	\$10.15	6 1/2x28	\$ 5.69	\$3.79
3.52	4.98	5x5	9.60	12.15	6- 8	8.00	10.25	30	6.02	4.10
4.09	5.86	5x5	10.10	12.85	7- 0	8.80	11.25	34	6.83	4.55
3.83	5.41	5x5	9.80	12.40	2- 8x6- 8	8.20	10.50	7 1/2x30	6.92	4.35
4.52	6.47	5x5	10.30	13.10	7- 0	9.00	11.50	34	7.91	5.36
4.18	6.06	5x5	9.95	12.65	2-10x6- 8	8.35	10.75	8 1/2x30	7.88	5.34
4.55	6.60	5x5	10.40	13.25	6-10	9.10	11.65	32	7.88	5.34
4.78	6.93	5x5	10.50	13.35	7- 0	9.20	11.75	34	8.76	5.96
4.64	6.70	5x5	10.15	12.90	3- 0x6- 8	8.55	11.00	8 1/2x30	7.88	5.34
5.52	7.98	5x5	10.65	13.60	7- 0	9.35	12.00	34	7.88	5.34
6.77	9.89	5x5	14.50	7- 6	12.90	40	10.70	7.50
8.24	11.89	5x5	14.85	8- 0	13.25	46	12.72
6.31	9.14	5x5	14.10	3- 4x7- 0	12.50	10 1/2x34	12.03	7.74
7.74	11.31	5x5	15.00	7- 6	13.40	40	14.01	9.51
9.69	13.74	5x5	15.35	8- 0	13.75	46	17.76
6.98	10.12	5x5	14.40	3- 6x7- 0	12.80	10 1/2x34	12.03	7.74
8.29	12.11	5x5	15.30	7- 6	13.70	40	14.01	9.51
10.47	14.90	5x5	15.65	8- 0	14.05	46	17.76

N. D. 541 N. D. 542

If beads are omitted, deduct list.....	\$0.65	\$0.35
Doors with Lock Rail not over 6 1/2" wide overall, add list		
1 3/8" thick	.30	.30
1 1/4" thick	.40	.40
If made with raised panel 3/4" thick, add list.....	.60	.60
If made with raised panel 1 1/8" thick, add list.....	1.05	1.05
If made with raised panel 1 3/8" thick, add list.....	1.65	1.65
If made with raised panel 1 3/4" thick, add list.....	2.85	2.85

For other door extras, see pages 147-155.


Layouts

N. D. 543


Stiles, Top and Cross Rails not over $4\frac{3}{4}$ " wide overall.
 Bottom Rail not over $9\frac{3}{4}$ " wide overall.
 Raised Panels two sides, not over $\frac{9}{16}$ " thick.
 Bars $\frac{1}{2}$ " between glass.
 Beads for glass included.
 Standard Stock Sticking.

N. D. 544

Stiles, Top and Cross Rails not over $4\frac{3}{4}$ " wide overall.
 Bottom Rail not over $9\frac{3}{4}$ " wide overall.
 Muntins not over $3\frac{1}{2}$ " wide overall.
 Raised Panels two sides, not over $\frac{9}{16}$ " thick.
 Beads for glass included.
 Standard Stock Sticking.



N. D. 543



N. D. 544

Glass lists shown are taken from Jobber's Single Light List and are not subject to door discount.

Class List SS	Glass List DS	Glass Size	Open List 1½	Open List 1¼	Size of Door	Open List 1½	Open List 1¼	Glass Size	Glass List DS	Glass List SS
\$3.18	\$ 4.68	5 x28	\$8.25	\$10.55	2- 6x6- 6	\$7.25	\$ 9.35	21½x30	\$ 6.37	\$4.32
3.44	5.06	30	8.35	10.65	6- 8	7.30	9.45	32	7.00	4.75
4.76	6.82	34	9.25	11.75	7- 0	7.80	10.60	36	7.92	5.56
4.62	6.82	5½x30	8.55	10.90	2- 8x6- 8	7.50	9.70	23½x32	7.92	5.56
5.16	8.02	34	9.45	12.00	7- 0	8.00	10.40	36	8.91	6.22
4.62	6.82	6 x30	8.70	11.15	2-10x6- 8	7.65	9.95	25½x32	7.92	5.56
4.88	7.18	32	9.55	12.15	6-10	8.10	10.55	34	9.54	6.80
5.16	8.02	34	9.65	12.25	7- 0	8.20	10.65	36	9.54	6.80
5.46	8.02	6½x30	8.90	11.40	3- 0x6- 8	7.85	10.15	27½x32	9.54	6.80
6.18	9.10	34	9.80	12.50	7- 0	8.40	10.90	36	10.90	7.77
7.30	10.78	40	13.40	7- 6
....	12.96	46	13.75	8- 0
7.12	10.50	7½x34	13.00	3- 4x7- 0
8.96	12.82	40	13.90	7- 6
....	16.50	46	14.25	8- 0
7.12	10.50	8 x34	13.30	3- 6x7- 0
9.10	12.96	40	14.20	7- 6
....	16.50	46	14.55	8- 0

N. D. 543 N. D. 544

If beads are omitted, deduct list.....	\$0.30	\$0.30
If door is made with Lock Rail not over $6\frac{1}{2}$ " wide overall, Add list, $1\frac{3}{8}$ " thick	.30
Add list, $1\frac{3}{4}$ " thick	.40
If door is made with raised panel $\frac{3}{4}$ " thick, add list.....	.60	.50
If door is made with raised panel $1\frac{1}{8}$ " thick, add list.....	1.05	.85
If door is made with raised panel $1\frac{3}{8}$ " thick, add list.....	1.65	1.40
If door is made with raised panel $1\frac{3}{4}$ " thick, add list.....	2.85	2.40
If door N. D. 544 is made with divided lights, open, see Rule 7.		

For other door extras, see pages 147-155.

Side Lights,
Toilet and
Blind Doors
Pine
139


Extras,
Pine
Doors
147

Combination
Doors and
Extras
161

Window
Screens
183

Veneered
Door Lists
and Extras
197

Flush Door
Lists and
Extras
223



N. D. 549


Layouts

N. D. 549

Stiles, Top and Cross Rail not over $4\frac{3}{4}$ " wide overall.
 Bottom Rail not over $9\frac{3}{4}$ " wide overall.
 Raised Panels two sides, not over $\frac{9}{16}$ " thick.
 Beads for glass included.
 Standard Stock Sticking.

N. D. 554

Stiles, Top and Cross Rail not over $4\frac{3}{4}$ " wide overall.
 Bottom Rail not over $9\frac{3}{4}$ " wide overall.
 Muntins not over $3\frac{1}{2}$ " wide overall.
 Raised Panels two sides, not over $\frac{9}{16}$ " thick.
 Beads for glass included.
 Standard Stock Sticking.



N. D. 554

Glass lists shown are taken from Jobber's Single Light List and are not subject to door discount.

Glass List SS	Glass List DS	Glass Size	Open List 1½"	Open List 1¾"	Size of Door	Open List 1½"	Open List 1¾"	Glass Size	Glass List DS	Glass List SS
\$3.31	\$4.87	21½x24	\$7.55	\$ 9.75	2- 6x6- 6	\$7.70	\$ 9.95	21½x24	\$4.87	\$3.31
3.56	5.25	26	7.65	9.85	6- 8	7.80	10.05	26	5.25	3.56
4.32	6.37	30	8.15	10.55	7- 0	8.35	10.75	30	6.37	4.32
3.86	5.68	23½x26	7.85	10.15	2- 8x6- 8	8.00	10.35	23½x26	5.68	3.86
4.75	7.00	30	8.35	10.85	7- 0	8.55	11.05	30	7.00	4.75
4.32	6.37	25½x26	8.05	10.40	2-10x6- 8	8.25	10.65	25½x26	6.37	4.32
5.00	7.13	28	8.50	11.05	6-10	8.70	11.25	28	7.13	5.00
5.56	7.92	30	8.60	11.15	7- 0	8.80	11.40	30	7.92	5.56
5.00	7.13	27½x26	8.25	10.70	3- 0x6- 8	8.45	10.90	27½x26	7.13	5.00
5.56	7.92	30	8.80	11.45	7- 0	9.00	11.65	30	7.92	5.56


	N. D. 549	N. D. 554
If beads are omitted from doors, deduct list.....	\$0.30	\$0.30
Doors with Lock Rail not over $6\frac{1}{2}$ " wide overall, add list		
1½" thick	.30	.30
1¾" thick	.40	.40
If door is made with raised panel $\frac{3}{4}$ " thick, add list.....	.80	.70
If door is made with raised panel $1\frac{1}{8}$ " thick, add list.....	1.40	1.20
If door is made with raised panel $1\frac{3}{8}$ " thick, add list.....	2.20	1.95
If door is made with raised panel $1\frac{3}{4}$ " thick, add list.....	3.80	3.35

If above doors are made with divided lights, open, see Rule 7.

If made with divided lights, glazed, use same glass list as is shown for N. D. 530 divided, for an equal number of lights and arrangement.

For other door extras, see pages 147-155.

Layouts



N. D. 559

Stiles and Top Rail not over $4\frac{3}{4}$ " wide overall.

Lock Rail not over $8\frac{1}{8}$ " wide overall.

Bottom Rail not over $9\frac{3}{4}$ " wide overall.

Muntins not over $4\frac{3}{4}$ " wide overall.


Raised Panels two sides, not over $\frac{3}{16}$ " thick.

Bars $\frac{1}{2}$ " between glass.

Beads for glass included.

Standard Stock Sticking.

Glass lists shown are taken from Jobber's Single Light List and are not subject to door discount.



N. D. 560

Glass List SS	Glass List DS	Glass Size	Open List 1 1/4	Open List 1 3/4	Size of Door	Open List 1 1/4	Open List 1 3/4	Glass Size	Glass List DS	Glass List SS
\$5.56	\$ 7.92	21 1/2 x 38	\$6.65	\$ 8.65	2- 6x6- 6	\$7.50	\$ 9.70	10 1/2 x 18 3/4	\$ 7.08	\$4.92
6.80	9.54	40	6.70	8.75	6- 8	7.55	9.80	19 3/4	7.28	5.08
8.40	10.90	44	7.20	9.40	7- 0	8.05	10.45	21 3/4	8.00	5.60
6.80	9.54	23 1/2 x 40	6.85	8.95	2- 8x6- 8	7.70	10.00	11 1/2 x 19 3/4	7.44	5.20
8.40	10.90	44	7.35	9.60	7- 0	8.20	10.65	21 3/4	8.28	5.76
7.77	10.90	25 1/2 x 40	7.00	9.15	2-10x6- 8	7.85	10.20	12 1/2 x 19 3/4	8.56	5.56
7.77	10.90	42	7.40	9.70	6-10	8.25	10.75	20 3/4	10.48	7.08
9.07	12.71	44	7.50	9.80	7- 0	8.35	10.85	21 3/4	10.48	7.08
9.07	12.71	27 1/2 x 40	7.15	9.35	3- 0x6- 8	8.00	10.40	13 1/2 x 19 3/4	8.56	6.00
11.15	13.86	44	7.65	10.00	7- 0	8.50	11.05	21 3/4	10.56	7.20

N. D. 559 N. D. 560

If beads are omitted, deduct list.....	\$0.35	\$0.40
If made with raised panel $\frac{3}{4}$ " thick, add list.....	.40	.40
If made with raised panel $1\frac{1}{8}$ " thick, add list.....	.70	.70
If made with raised panel $1\frac{3}{8}$ " thick, add list.....	1.10	1.10
If made with raised panel $1\frac{1}{4}$ " thick, add list.....	1.90	1.90

For other doors, extra see pages 147-155.

Side Lights,
Toilet and
Blind Doors
Pine
139


Extras,
Pine
Doors
147

Combination
Doors and
Extras
161

Window
Screens
183

Veneered
Door Lists
and Extras
197

Flush Door
Lists and
Extras
223




N. D. 561

Layouts

Stiles and Top Rail not over $4\frac{3}{4}$ " wide overall.
 Lock Rail not over $8\frac{1}{8}$ " wide overall.
 Bottom Rail not over $9\frac{3}{4}$ " wide overall.
 Muntins not over $4\frac{3}{4}$ " wide overall.
 Raised Panels, two sides, not over $\frac{9}{16}$ " thick.
 Bars $\frac{1}{2}$ " between glass.
 Beads for glass included.
 Standard Stock Sticking.

*Glass lists shown are taken from
 Jobber's Single Light List and are
 not subject to door discount.*




N. D. 562

Glass List SS	Glass List DS	Glass Size	Open List $1\frac{1}{8}$	Open List $1\frac{1}{4}$	Size of Door	Open List $1\frac{1}{8}$	Open List $1\frac{1}{4}$	Glass Size	Glass List DS	Glass List SS
\$4.44	\$ 6.48	$10\frac{1}{2} \times 12\frac{1}{8}$	\$3.00	\$10.30	2- 6x6- 6	\$8.35	\$10.75	$6\frac{1}{2} \times 12\frac{1}{8}$	\$4.86
4.44	6.48	13	8.05	10.40	6- 8	8.40	10.85	13	4.86
5.70	8.16	$14\frac{1}{8}$	8.55	11.05	7- 0	8.90	11.50	$14\frac{1}{8}$	5.58
5.46	7.80	$11\frac{1}{2} \times 13$	8.20	10.60	2- 8x6- 8	8.55	11.05	$7\frac{1}{2} \times 13$	4.86
5.82	8.82	$14\frac{1}{8}$	8.70	11.25	7- 0	9.05	11.70	$14\frac{1}{8}$	5.58
6.30	9.06	$12\frac{1}{2} \times 13$	8.35	10.80	2-10x6- 8	8.70	11.25	$8\frac{1}{2} \times 13$	5.40
6.30	9.06	$13\frac{1}{8}$	8.75	11.35	6-10	9.10	11.80	$13\frac{1}{8}$	5.94
7.32	10.44	$14\frac{1}{8}$	8.85	11.45	7- 0	9.20	11.90	$14\frac{1}{8}$	6.39
6.30	9.06	$13\frac{1}{2} \times 13$	8.50	11.00	3- 0x6- 8	8.85	11.45	$8\frac{1}{2} \times 13$	5.40
7.32	10.44	$14\frac{1}{8}$	9.00	11.65	7- 0	9.35	12.10	$14\frac{1}{8}$	6.39

N. D. 561 N. D. 562

If beads are omitted, deduct list.....	\$0.50	\$0.65
If made with raised panel $\frac{3}{4}$ " thick, add list.....	.40	.40
If made with raised panel $1\frac{1}{8}$ " thick, add list.....	.70	.70
If made with raised panel, $1\frac{3}{8}$ " add list.....	1.10	1.10
If made with raised panel $1\frac{3}{4}$ " thick, add list.....	1.90	1.90

For other door extras, see pages 147-155.




N. D. 567

Layouts

Stiles, Top and Cross Rails not over $4\frac{3}{4}$ " wide overall.
 Bottom Rail not over $9\frac{3}{4}$ " wide overall.
 Muntins not over $4\frac{3}{4}$ " wide overall.
 Raised Panels two sides, not over $\frac{9}{16}$ " thick.
 Bars $\frac{1}{2}$ " between glass.
 Beads for glass included.
 Standard Stock Sticking.

*Glass lists shown are taken from
 Jobber's Single Light List and are
 not subject to door discount.*



N. D. 568

Glass List SS	Glass List DS	Glass Size	Open List 1½	Open List 1¾	Size of Door	Open List 1½	Open List 1¾	Glass Size	Glass List DS	Glass List SS
\$4.75	\$ 7.00	21½x32	\$6.95	\$ 8.95	2- 6x6- 6	\$7.75	\$ 9.90	10½x15¾	\$5.88	\$3.80
5.00	7.13	34	7.00	9.05	6- 8	7.80	10.00	16¾	6.76	4.32
5.56	7.92	38	7.50	9.75	7- 0	8.30	10.70	18¾	7.44	5.20
5.54	7.92	23½x34	7.20	9.30	2- 8x6- 8	8.00	10.25	11½x16¾	6.76	4.72
6.80	9.54	38	7.70	9.95	7- 0	8.50	10.90	18¾	7.44	5.20
6.80	9.54	25½x34	7.35	9.50	2-10x6- 8	8.15	10.45	12½x16¾	7.68	5.00
6.80	9.54	36	7.75	10.05	6-10	8.55	11.00	17¾	7.68	5.00
7.77	10.90	38	7.85	10.15	7- 0	8.65	11.10	18¾	8.24	5.56
6.80	9.54	27½x34	7.50	9.70	3- 0x6- 8	8.30	10.65	13½x16¾	7.68	5.36
7.77	10.90	38	8.00	10.40	7- 0	8.80	11.35	18¾	8.24	6.00

N. D. 567 N. D. 568

If beads are omitted, deduct list.....	\$0.35	\$0.40
If made with raised panel $\frac{3}{4}$ " thick, add list.....	.55	.55
If made with raised panel $1\frac{1}{8}$ " thick, add list.....	.90	.90
If made with raised panel $1\frac{3}{8}$ " thick, add list.....	1.55	1.55
If made with raised panel $1\frac{1}{4}$ " thick, add list.....	2.50	2.50
If door N. D. 567 has Plain Flush Mould, two sides, around panels only, not including Fillet, add list.....		\$2.55
If door N. D. 567 has Plain Raised Mould, two sides, around panels only, not including Fillet, add list.....		3.05
If door N. D. 567 has Plain Flush Mould, two sides, around panels and light, not including Fillet, add list.....		3.95
If door N. D. 567 has Plain Raised Mould, two sides, around panels and light, not including Fillet, add list.....		5.05
For Fillet around glass opening, per lineal foot or fraction thereof, around opening, add list.....		.03½
For other door extras, see pages 147-155.		

Side Lights,
Toilet and
Blind Doors
Pine
139


Extras,
Pine
Doors
147

Combination
Doors and
Extras
161

Window
Screens
183

Veneered
Door Lists
and Extras
197

Flush Door
Lists and
Extras
223




N. D. 569

Layouts

Stiles, Top and Cross Rails, not over $4\frac{3}{4}$ " wide overall.
 Bottom Rail not over $9\frac{3}{4}$ " wide overall.
 Muntins not over $4\frac{3}{4}$ " wide overall.
 Raised Panels two sides, not over $\frac{9}{16}$ " thick.
 Bars $\frac{1}{2}$ " between glass.
 Beads for glass included.
 Standard Stock Sticking.

*Glass lists shown are taken from
 Jobber's Single Light List and are
 not subject to door discount.*



N. D. 570

Glass List SS	Glass List DS	Glass Size	Open List 1 $\frac{1}{4}$	Open List 1 $\frac{3}{4}$	Size of Door	Open List 1 $\frac{1}{8}$	Open List 1 $\frac{1}{4}$	Glass Size	Glass List DS	Glass List SS
\$4.02	\$5.46	6 $\frac{3}{4}$ x15 $\frac{3}{4}$	\$8.25	\$10.50	2- 6x6- 6	\$8.60	\$11.05	6 $\frac{1}{2}$ x10 $\frac{1}{8}$	\$3.74
4.02	5.76	16 $\frac{3}{4}$	8.30	10.60	6- 8	8.65	11.15	11	3.74
4.50	6.42	18 $\frac{3}{4}$	8.80	11.30	7- 0	9.15	11.85	12 $\frac{1}{8}$	4.10
4.68	6.69	7 $\frac{1}{2}$ x16 $\frac{3}{4}$	8.50	10.85	2- 8x6- 8	8.85	11.40	7 $\frac{1}{2}$ x11	4.50
5.22	7.92	18 $\frac{3}{4}$	9.00	11.50	7- 0	9.35	12.05	12 $\frac{1}{8}$	4.86
5.34	8.22	8 $\frac{1}{2}$ x16 $\frac{3}{4}$	8.65	11.05	2-10x6- 8	9.00	11.60	8 $\frac{1}{2}$ x11	5.04
5.34	8.22	17 $\frac{3}{4}$	9.05	11.60	6-10	9.40	12.15	11 $\frac{1}{2}$	5.04
6.30	9.06	18 $\frac{3}{4}$	9.15	11.70	7- 0	9.50	12.25	12 $\frac{1}{8}$	5.40
5.34	8.22	8 $\frac{1}{2}$ x16 $\frac{3}{4}$	8.80	11.25	3- 0x6- 8	9.15	11.80	8 $\frac{1}{2}$ x11	5.04
6.30	9.06	18 $\frac{3}{4}$	9.30	11.95	7- 0	9.65	12.50	12 $\frac{1}{8}$	5.40

N. D. 569 N. D. 570

If beads are omitted, deduct list.....	\$0.45	\$0.65
If made with raised panel $\frac{3}{4}$ " thick, add list.....	.55	.55
If made with raised panel $1\frac{1}{8}$ " thick, add list.....	.90	.90
If made with raised panel $1\frac{3}{8}$ " thick, add list.....	1.55	1.55
If made with raised panel $1\frac{3}{4}$ " thick, add list.....	2.50	2.50

For other door extras, see pages 147-155.

LAYOUTS

Stiles and Top Rail not over $4\frac{3}{4}$ " wide overall.

Lock Rail not over $8\frac{1}{8}$ " wide overall.

Bottom Rail not over $9\frac{3}{4}$ " wide overall.


Laminated Flat Panels not over $\frac{5}{16}$ " thick.

Bars $\frac{1}{2}$ " between glass.


Beads for glass included.

Standard Stock Sticking.

*Glass lists shown are taken from
Jobber's Single Light List and are
not subject to door discount.*



N. D. 575



N. D. 576

Glass List SS	Glass List DS	Glass Size	Open List 1½	Open List 1¾	Size of Door	Open List 1½	Open List 1¾	Glass Size	Glass List DS	Glass List SS
\$5.56	\$ 7.92	21½x38	\$6.70	\$ 8.65	2- 6x6- 6	\$7.70	\$ 9.80	6½x38	\$ 7.92	\$5.56
6.80	9.54	40	6.75	8.75	6- 8	7.75	9.90	40	7.92	5.56
....	10.90	44	7.25	9.40	7- 0	8.25	10.55	44	9.54
6.80	9.54	23½x40	6.95	8.95	2- 8x6- 8	7.95	10.10	7½x40	9.54	6.80
....	10.90	44	7.40	9.65	7- 0	8.40	10.80	44	10.90
7.77	10.90	25½x40	7.10	9.20	2-10x6- 8	8.10	10.35	8½x40	10.90	7.77
7.77	10.90	42	7.50	9.75	6-10	8.50	10.90	42	10.90	7.77
....	12.71	44	7.60	9.85	7- 0	8.60	11.00	44	12.71
9.07	12.71	27½x40	7.25	9.40	3- 0x6- 8	8.25	10.55	8½x40	12.71	9.07
....	13.86	44	7.75	10.10	7- 0	8.75	11.25	44	13.86

N. D. 575 N. D. 576

If beads are omitted, deduct list.....	\$0.35	\$0.45
If made with raised panel $\frac{9}{16}$ " thick, add list.....	.45	.45
If made with raised panel $\frac{3}{4}$ " thick, add list.....	.60	.60
If made with raised panel $1\frac{1}{8}$ " thick, add list.....	.90	.90
If made with raised panel $1\frac{3}{8}$ " thick, add list.....	1.25	1.25
If made with raised panel $1\frac{3}{4}$ " thick, add list.....	2.15	2.15

For other door extras, see pages 147-155.

Side Lights,
Toilet and
Blind Doors
Pine
139


Extras,
Pine
Doors
147

Combination
Doors and
Extras
161

Window
Screens
183

Veneered
Door Lists
and Extras
197

Flush Door
Lists and
Extras
223




N. D. 577

Layouts

Stiles and Top Rail not over $4\frac{3}{4}$ " wide overall.
 Lock Rail not over $8\frac{1}{8}$ " wide overall.
 Bottom Rail not over $9\frac{3}{4}$ " wide overall.
 Laminated Flat Panels two sides, not over $\frac{5}{16}$ " thick.
 Bars $\frac{1}{2}$ " between glass.
 Beads for glass included.
 Standard Stock Sticking.

Glass lists shown are taken from Jobber's Single Light List and are not subject to door discount.



N. D. 578

Glass List SS	Glass List DS	Glass Size	Open List 1½	Open List 1¼	Size of Door	Open List 1½	Open List 1¼	Glass Size	Glass List DS	Glass List SS
\$4.86	\$ 7.58	5 x38	\$7.55	\$ 9.70	2- 6x6- 6	\$8.05	\$10.15	10½x12 ⅞	\$ 6.48	\$4.44
5.56	7.58	40	7.60	9.80	6- 8	8.10	10.25	13	6.48	4.44
6.40	9.44	44	8.10	10.45	7- 0	8.60	10.90	14 ⅞	8.16	5.70
6.34	9.34	5½x40	7.80	10.00	2- 8x6- 8	8.30	10.45	11½x13	7.80	5.46
7.68	10.18	44	8.25	10.70	7- 0	8.75	11.15	14 ⅞	9.00	6.30
6.34	9.34	6 x40	7.95	10.25	2-10x6- 8	8.45	10.70	12½x13	9.06	6.30
7.32	10.18	42	8.35	10.80	6-10	8.85	11.25	13 ⅞	9.06	6.30
7.68	10.18	44	8.45	10.90	7- 0	8.95	11.35	14 ⅞	9.06	6.30
7.30	10.78	6½x40	8.10	10.45	3- 0x6- 8	8.60	10.90	13½x13	9.06	6.30
8.36	11.88	44	8.60	11.15	7- 0	9.10	11.60	14 ⅞	10.44	7.32

	N. D. 577	N. D. 578
If beads are omitted, deduct list.....	\$0.40	\$0.50
If made with raised panel $\frac{9}{16}$ " thick, add list.....	.45	.45
If made with raised panel $\frac{3}{4}$ " thick, add list.....	.60	.60
If made with raised panel $1\frac{1}{8}$ " thick, add list.....	.90	.90
If made with raised panel $1\frac{3}{8}$ " thick, add list.....	1.25	1.25
If made with raised panel $1\frac{3}{4}$ " thick, add list.....	2.15	2.15

For other door extras, see pages 147-155.

Layouts

Stiles and Top Rail not over $4\frac{3}{4}$ " wide overall.
 Lock Rail not over $8\frac{1}{8}$ " wide overall.
 Bottom Rail not over $9\frac{3}{4}$ " wide overall.
 Laminated Flat Panels two sides, not over $\frac{5}{16}$ " thick.
 Bars $\frac{1}{2}$ " between glass.
 Beads for glass included.
 Standard Stock Sticking.

*Glass lists shown are taken from
 Jobber's Single Light List and are
 not subject to door discount.*

N. D. 579

N. D. 580

Glass List SS	Glass List DS	Glass Size	Open List $1\frac{1}{8}$	Open List $1\frac{1}{4}$	Size of Door	Open List $1\frac{1}{8}$	Open List $1\frac{1}{4}$	Glass Size	Glass List DS	Glass List SS
\$4.96	\$ 6.80	$10\frac{1}{2} \times 9\frac{1}{2}$	\$8.25	\$10.60	2- 6x6- 6	\$8.40	\$10.75	$6\frac{1}{2} \times 12\frac{1}{8}$	\$7.20	\$4.86
4.96	6.80	$9\frac{1}{2}$	8.30	10.70	6- 8	8.45	10.85	13	7.20	4.86
6.00	8.16	$10\frac{3}{8}$	8.80	11.35	7- 0	8.95	11.50	$14\frac{1}{8}$	8.19	5.58
4.96	6.80	$11\frac{1}{2} \times 9\frac{1}{2}$	8.50	10.90	2- 8x6- 8	8.65	11.05	$7\frac{1}{2} \times 13$	7.20	4.86
6.00	8.16	$10\frac{3}{8}$	8.95	11.60	7- 0	9.10	11.70	$14\frac{1}{8}$	8.19	5.58
5.44	8.00	$12\frac{1}{2} \times 9\frac{1}{2}$	8.65	11.15	2-10x6- 8	8.80	11.30	$8\frac{1}{2} \times 13$	8.01	5.40
7.28	10.40	$10\frac{1}{2}$	9.05	11.70	6-10	9.20	11.85	$13\frac{1}{2}$	8.01	5.94
7.28	10.40	$10\frac{3}{8}$	9.15	11.80	7- 0	9.30	11.95	$14\frac{1}{8}$	9.18	6.39
5.84	8.00	$13\frac{1}{2} \times 9\frac{1}{2}$	8.80	11.35	3- 0x6- 8	8.95	11.50	$8\frac{1}{2} \times 13$	8.01	5.40
7.28	10.40	$10\frac{3}{8}$	9.30	12.05	7- 0	9.45	12.20	$14\frac{1}{8}$	9.18	6.39

N. D. 579 N. D. 580

If beads are omitted, deduct list.....	\$0.60	\$0.65
If made with raised panel $\frac{5}{16}$ " thick, add list.....	.45	.45
If made with raised panel $\frac{3}{4}$ " thick, add list.....	.60	.60
If made with raised panel $1\frac{1}{8}$ " thick, add list.....	.90	.90
If made with raised panel $1\frac{3}{8}$ " thick, add list.....	1.25	1.25
If made with raised panel $1\frac{3}{4}$ " thick, add list.....	2.15	2.15

For other door extras, see pages 147-155.

Side Lights,
Toilet and
Blind Doors
Pine
139


Extras,
Pine
Doors
147

Combination
Doors and
Extras
161

Window
Screens
183

Veneered
Door Lists
and Extras
197

Flush Door
Lists and
Extras
223




N. D. 581

Layouts

Stiles and Top Rail not over $4\frac{3}{4}$ " wide overall.
 Lock Rail not over $8\frac{1}{8}$ " wide overall.
 Bottom Rail not over $9\frac{3}{4}$ " wide overall.
 Laminated Flat Panels two sides, not over $\frac{5}{16}$ " thick.
 Bars $\frac{1}{2}$ " between glass.
 Beads for glass included.
 Standard Stock Sticking.

*Glass lists shown are taken from
 Jobber's Single Light List and are
 not subject to door discount.*



N. D. 582

Glass List SS	Glass List DS	Glass Size Corner Lights	Open List 1½"	Open List 1¾"	Size of Door	Open List 1½"	Open List 1¾"	Glass Size	Glass List DS	Glass List SS
\$4.70	\$ 6.80	5x5	\$ 9.10	\$11.50	2- 6x6- 6	\$9.20	\$11.65	6½x 9½	\$6.00	\$4.38
5.17	7.51	5x5	9.15	11.60	6- 8	9.25	11.75	9½	6.00	4.38
6.10	8.99	5x5	9.65	12.25	7- 0	9.75	12.40	10½	7.80	5.46
5.65	8.26	5x5	9.35	11.80	2- 8x6- 8	9.45	11.95	7½x 9½	6.84	5.04
6.67	9.68	5x5	9.80	12.50	7- 0	9.90	12.65	10½	8.16	6.00
6.11	8.95	5x5	9.50	12.05	2-10x6- 8	9.60	12.20	8½x 9½	9.12	6.24
6.62	9.94	5x5	9.90	12.60	6-10	10.00	12.75	10½	9.12	6.24
7.24	10.53	5x5	10.00	12.70	7- 0	10.10	12.85	10½	9.12	6.24
6.77	9.89	5x5	9.65	12.25	3- 0x6- 8	9.75	12.40	8½x 9½	9.12	6.24
7.84	11.36	5x5	10.15	12.95	7- 0	10.25	13.10	10½	9.12	6.24

N. D. 581 N. D. 582

If beads are omitted, deduct list.....	\$0.65	\$0.85
If made with raised panel $\frac{9}{16}$ " thick, add list.....	.45	.45
If made with raised panel $\frac{3}{4}$ " thick, add list.....	.60	.60
If made with raised panel $1\frac{1}{8}$ " thick, add list.....	.90	.90
If made with raised panel $1\frac{3}{8}$ " thick, add list.....	1.25	1.25
If made with raised panel $1\frac{3}{4}$ " thick, add list.....	2.15	2.15

For other door extras, see pages 147-155.

Layouts

Stiles, Top and Cross Rail not over 5½" wide overall.

Mullion not over 5½" wide overall.

Bottom Rail not over 9¾" wide overall.


Laminated Flat Panels two sides, not over ⅝" thick or solid raised or solid flat panels not over ⅞" thick.

Bars ½" between glass.


Beads for glass included.

Standard Stock Sticking.

*Glass lists shown are taken from
Jobber's Single Light List and are
not subject to door discount.*



N. D. 591



N. D. 592

Glass List SS	Glass List DS	Glass Size	Open List 1½	Open List 1¾	Size of Door	Open List 1½	Open List 1¾	Glass Size	Glass List DS	Glass List SS
\$2.07	\$3.04	20x18	\$8.25	\$10.65	2- 6x6- 6	\$9.00	\$11.50	6 1/8x18	\$3.04	\$2.07
2.07	3.04	18	8.40	10.90	6- 8	9.15	11.75	18	3.04	2.07
2.07	3.04	18	9.15	11.90	7- 0	9.90	12.75	18	3.04	2.07
2.58	3.79	22x18	8.65	11.15	2- 8x6- 8	9.40	12.00	7 x18	3.79	2.34
2.58	3.79	18	9.45	12.20	7- 0	10.20	13.05	18	3.79	2.34
2.73	4.01	24x18	8.90	11.45	2-10x6- 8	9.65	12.30	7 5/8x18	4.01	2.34
2.73	4.01	18	9.50	12.25	6-10	10.25	13.10	18	4.01	2.34
2.73	4.01	18	9.70	12.50	7- 0	10.45	13.35	18	4.01	2.34
3.09	4.55	26x18	9.10	11.75	3- 0x6- 8	9.85	12.60	8 1/8x18	4.17	2.67
3.09	4.55	18	9.95	12.80	7- 0	10.70	13.65	18	4.17	2.67

N. D. 591 N. D. 592

If beads are omitted, deduct list.....	\$0.25	\$0.20
Lengthening glass height, for each one inch lengthened, deduct list03	.03

N. D. 591 and N. D. 592

If made with raised panel ¾" thick add list	\$0.85
If made with raised panel 1⅛" thick add list	1.85
If made with raised panel 1⅜" thick add list	2.40
If made with raised panel 1¾" thick add list	4.20
If made one panel instead of 2 panel, add list70
If made three panel instead of 2 panel, add list25
If made with one raised panel ¾" thick add to the one panel list	1.30
If made with one raised panel 1⅛" thick add to the one panel list	2.15
If made with one raised panel 1⅜" thick add to the one panel list	2.85
If made with one raised panel 1¾" thick add to the one panel list	4.60
If made with three raised panels ¾" thick add to the three panel list30
If made with three raised panels 1⅛" thick add to the three panel list	1.10
If made with three raised panels 1⅜" thick add to the three panel list	1.40
If made with three raised panels 1¾" thick add to the three panel list	2.40

	1⅜" thick	1¾" thick
4¾" Stiles, Top Rail and Mullion, deduct list	\$0.60	\$0.95
11½" Bottom Rail, add list35	.55
12½" Bottom Rail, add list55	.85

For other door extras, see pages 147-155.

Side Lights,
Toilet and
Blind Doors

Pine
139


Extras,
Pine
Doors
147

Combination
Doors and
Extras
161

Window
Screens
183

Veneered
Door Lists
and Extras
197

Flush Door
Lists and
Extras
223




N. D. 593

Layouts

Stiles, Top and Cross Rails not over 5½" wide overall.
 Mullion not over 5½" wide overall.
 Bottom Rail not over 9¾" wide overall.
 Laminated Flat Panels two sides, not over ⅝" thick or solid raised or solid flat panels not over ⅞" thick.
 Bars ½" between glass.
 Beads for glass included.
 Standard Stock Sticking.

*Glass lists shown are taken from
 Jobber's Single Light List and are
 not subject to door discount.*




N. D. 594

Glass List SS	Glass List DS	Glass Size	Open List 1½	Open List 1¼	Size of Door	Open List 1½	Open List 1¼	Glass Size	Glass List DS	Glass List SS
\$1.94	\$2.78	4 ⅝x18	\$ 9.20	\$11.75	2- 6x6- 6	\$9.45	\$12.00	6 ⅞x 8¼	\$3.04	\$1.98
1.94	2.78	18	9.35	12.00	6- 8	9.60	12.25	8¼	3.04	1.98
1.94	2.78	18	10.10	13.00	7- 0	10.35	13.25	8¼	3.04	1.98
2.36	3.38	5 ⅝x18	9.60	12.25	2- 8x6- 8	9.85	12.50	7 x 8¼	3.42	1.98
2.36	3.38	18	10.40	13.30	7- 0	10.65	13.55	8¼	3.42	1.98
2.36	3.38	5 ⅝x18	9.85	12.55	2-10x6- 8	10.10	12.80	7 ½x 8¼	3.42	2.52
2.36	3.38	18	10.45	13.35	6-10	10.70	13.60	8¼	3.42	2.52
2.36	3.38	18	10.65	13.60	7- 0	10.90	13.85	8¼	3.42	2.52
2.50	3.84	6 ⅝x18	10.05	12.85	3- 0x6- 8	10.30	13.10	8 ⅞x 8¼	3.42	2.76
2.50	3.84	18	10.90	13.90	7- 0	11.15	14.15	8¼	3.42	2.76

	N. D. 593	N. D. 594
If beads are omitted, deduct list.....	\$0.25	\$0.30
Lengthening glass height, for each one inch lengthened, deduct list.....	.03	.03
If made with raised panel ¾" thick, add list.....	.85	.85
If made with raised panel 1 ⅛" thick, add list.....	1.85	1.85
If made with raised panel 1 ⅜" thick, add list.....	2.40	2.40
If made with raised panel 1 ¾" thick, add list.....	4.20	4.20
If made one panel instead of 2 panels, add list.....	.70	.70
If made three panels instead of 2 panels, add list.....	.25	.25
If made with one or three Heavy Raised Panels, use same extra as for No. 591.		
4 ¾" Stiles, Top Rail and Mullion, deduct list.....	1 ⅜" Thick .60	1 ¾" Thick .95
11 ½" Bottom Rail, add list.....	.35	.55
12 ½" Bottom Rail, add list.....	.55	.85

For other door extras, see pages 147-155.



N. D. 595

Layouts

Stiles, Top and Cross Rails not over 5½" wide overall.

Mullion not over 5½" wide overall.

Bottom Rail not over 9¾" wide overall.

Laminated Flat Panels two sides, not over ⅝" thick, or solid raised or solid flat panels not over ⅞" thick.

Bars ½" between glass.

Beads for glass included.

Standard Stock Sticking.

*Glass lists shown are taken from
Jobber's Single Light List and are
not subject to door discount.*

Size of Door	Open List 1¼"	Open List 1½"	Glass Size	Glass List SS	Glass List DS
2- 6x6- 6.....	\$ 9.70	\$12.35	4⅝x8¾	\$2.07	\$3.04
6- 8.....	9.85	12.60	8¾	2.07	3.04
7- 0.....	10.60	13.60	8¾	2.07	3.04
2- 8x6- 8.....	10.10	12.85	5⅞x8¾	2.24	3.04
7- 0.....	10.90	13.90	8¾	2.24	3.04
2-10x6- 8.....	10.35	13.15	5⅝x8¾	2.24	3.04
6-10.....	10.95	13.95	8¾	2.24	3.04
7- 0.....	11.15	14.20	8¾	2.24	3.04
3- 0x6- 8.....	10.55	13.45	6⅞x8¾	2.50	3.84
7- 0.....	11.40	14.50	8¾	2.50	3.84

N. D. 595

If beads are omitted, deduct list.....	\$0.35
Lengthening glass height, for each one inch lengthened, deduct list.....	.03
If made with raised panel ¾" thick, add list.....	.85
If made with raised panel 1⅛" thick, add list.....	1.85
If made with raised panel 1⅝" thick, add list.....	2.40
If made with raised panel 1¾" thick, add list.....	4.20
If made one panel instead of 2 panels, add list.....	.70
If made three panels instead of 2 panels, add list.....	.25
If made with one or three Heavy Raised Panels, use same extra as for N. D. No. 591.	

	1⅝" Thick	1¾" Thick
4¾" Stiles, Top Rail and Mullion, deduct list.....	.60	.95
11½" Bottom Rail, add list.....	.35	.55
12½" Bottom Rail, add list.....	.55	.85

For other door extras, see pages 147-155.

Side Lights,
Toilet and
Blind Doors
Pine
139


Extras,
Pine
Doors
147

Combination
Doors and
Extras
161

Window
Screens
183

Veneered
Door Lists
and Extras
197

Flush Door
Lists and
Extras
223




N. D. 600

Layouts

Stiles and Top Rail not over $5\frac{1}{2}$ " wide overall.
 Lock Rail not over $5\frac{1}{2}$ " wide overall.
 Cross Rail and Mullion not over $4\frac{3}{4}$ " wide overall.
 Bottom Rail not over $9\frac{3}{4}$ " wide overall.
 Laminated Flat Panels two sides, not over $\frac{5}{16}$ " thick, or solid raised or solid flat panels not over $\frac{3}{16}$ " thick.
 Standard Stock Sticking.
 Beads for glass included.

Glass lists shown are taken from Jobber's Single Light List and are not subject to door discount.




N. D. 601

Glass List DS	Glass Size	Open List 1 1/4'	Size of Door	List 1 1/4'	Glass Size	Glass List DS
\$2.00	22x11	\$18.55	2- 8x6- 8	\$23.50	22x11	\$2.00
2.00	11	19.95	7- 0	25.05	11	2.00
2.43	24x12	18.95	2-10x6- 8	23.85	24x12	2.43
2.43	12	20.10	6-10	25.25	12	2.43
2.43	12	20.30	7- 0	25.45	12	2.43
3.04	26x13	19.30	3- 0x6- 8	25.40	26x13	3.04
3.04	13	20.70	7- 0	25.85	13	3.04
4.55	30x15	21.45	3- 4x7- 0	26.60	30x15	4.55
4.55	15	23.20	7- 6	28.60	15	4.55
4.87	32x16	21.95	3- 6x7- 0	27.10	32x16	4.87
4.87	16	23.75	7- 6	29.15	16	4.87

	N. D. 600	N. D. 601
If made with raised panel $\frac{3}{4}$ " thick, add list	\$0.50	\$0.50
If made with raised panel $1\frac{1}{8}$ " thick, add list	1.05	1.05
If made with raised panel $1\frac{3}{8}$ " thick, add list	1.45	1.45
If made with raised panel $1\frac{1}{4}$ " thick, add list	2.45	2.45
If N. D. 600 is made with five lights, add to the above list	1.00	

For other door extras, see pages 147-155.



N. D. 602

Layouts

N. D. 602

Stiles and Top Rail not over 5½" wide overall.

Lock Rail not over 5½" wide overall.


Cross Rail and Mullion not over 4¾" wide overall.

Bottom Rail not over 9¾" wide overall.

Laminated Flat Panels two sides, not over ⅝" thick, or solid raised or solid flat panels not over ⅞" thick.

Standard Stock Sticking.

Beads for glass included.



N. D. 603

N. D. 603

Stiles, Top and Lock Rail not over 5½" wide overall.

Mullion not over 4¾" wide overall.

Bottom Rail not over 9¾" wide overall.

Laminated Flat Panels two sides, not over ⅝" thick, or solid raised or solid flat panels not over ⅞" thick.

Standard Stock Sticking. Beads for glass included.

Glass lists shown are taken from Jobber's Single Light List and are not subject to door discount.

Glass List DS	Glass Size	Open List 1¼'	Size of Door	Open List 1¼'	Glass Size	Glass List DS
\$4.55	22x22	\$30.15	2- 8x6- 8	\$28.70	22x22	\$ 4.55
4.55	22	32.05	7- 0	30.55	22	4.55
5.68	24x24	30.45	2-10x6- 8	29.15	24x24	5.68
5.68	24	32.15	6-10	30.80	24	5.68
5.68	24	32.40	7- 0	31.05	24	5.68
6.37	26x26	30.70	3- 0x6- 8	29.60	26x26	6.37
6.37	26	32.70	7- 0	31.50	26	6.37
9.54	30x30	33.45	3- 4x7- 0	32.40	30x30	9.54
9.54	30	35.80	7- 6	34.70	30	9.54
10.90	32x32	33.55	3- 6x7- 0	32.90	32x32	10.90
10.90	32	35.90	7- 6	35.20	32	10.90

N. D. 602 N. D. 603

If door is made with raised panel ¾" thick, add list.....	\$0.30	\$0.65
If door is made with raised panel 1⅛" thick, add list.....	.70	1.35
If door is made with raised panel 1⅜" thick, add list.....	1.05	1.85
If door is made with raised panel 1¾" thick, add list.....	1.80	3.00

For other door extras, see pages 147-155.

Side Lights,
Toilet and
Blind Doors
Pine
139


Extras,
Pine
Doors
147

Combination
Doors and
Extras
161

Window
Screens
183

Veneered
Door Lists
and Extras
197

Flush Door
Lists and
Extras
223



N. D. 604


Layouts

N. D. 604

Stiles, Top and Lock Rail not over $5\frac{1}{2}$ " wide overall.
 Mullion not over $4\frac{3}{4}$ " wide overall.
 Bottom Rail not over $9\frac{3}{4}$ " wide overall.
 Laminated Flat Panels two sides, not over $\frac{5}{16}$ " thick, or solid raised or solid flat panels not over $\frac{9}{16}$ " thick.
 Standard Stock Sticking.
 Beads for glass included.

N. D. 605

Stiles and Top Rail not over $4\frac{3}{4}$ " wide overall.
 Cross Rails and Mullions not over $2\frac{3}{4}$ " wide overall.
 Bottom Rail not over $9\frac{3}{4}$ " wide overall.
 Bars not over $1\frac{1}{2}$ " wide overall.
 Laminated Flat Panels two sides, not over $\frac{5}{16}$ " thick, or solid raised or solid flat panels not over $\frac{9}{16}$ " thick.



N. D. 605

Standard Stock Sticking. Beads for glass included.

Glass lists shown are taken from Jobber's Single Light List and are not subject to door discount.

Glass List DS	Glass Size	Open List $1\frac{3}{4}$ "	Size of Door	Open List $1\frac{3}{4}$ "	Glass Opening 1 Light	Glass List DS
\$4.55	22x22	\$21.65	2- 8x6- 8	\$14.95	$6\frac{3}{4}$ x $11\frac{7}{8}$	\$0.68
4.55	22	23.15	7- 0	16.10	$12\frac{11}{16}$.80
5.68	24x24	21.95	2-10x6- 8	15.15	$7\frac{5}{16}$ x $11\frac{7}{8}$.68
5.68	24	23.25	6-10	16.15	$12\frac{1}{4}$.80
5.68	24	23.50	7- 0	16.35	$12\frac{11}{16}$.80
6.37	26x26	22.20	3- 0x6- 8	15.45	8 x $11\frac{7}{8}$.80
6.37	26	23.75	7- 0	16.65	$12\frac{11}{16}$.80
9.54	30x30	24.35	3- 4x7- 0	17.20	$9\frac{5}{16}$ x $12\frac{11}{16}$	1.00
9.54	30	26.25	7- 6	18.65	$13\frac{7}{8}$	1.00
10.90	32x32	24.60	3- 6x7- 0	17.55	10 x $12\frac{11}{16}$	1.00
10.90	32	26.55	7- 6	19.05	$13\frac{7}{8}$	1.00


N. D. 604 N. D. 605

If door is made with raised panel $\frac{3}{4}$ " thick, add list.....	\$0.65	\$0.80
If door is made with raised panel $1\frac{1}{8}$ " thick, add list.....	1.35	1.75
If door is made with raised panel $1\frac{3}{8}$ " thick, add list.....	1.85	3.15
If door is made with raised panel $1\frac{3}{4}$ " thick, add list.....	3.00	4.90

If door N. D. 605 is made one light, including beads for glass, deduct list60
 If door N. D. 605 is made Circle Top, in and out, Rule 26, Section (B), add list 11.00

For other door extras, see pages 147-155.

Layouts




N. D. 606

N. D. 606

Stiles and Top Rail not over 5½" wide overall.
 Cross Rail not over 5½" wide overall.
 Lock Rail not over 8" wide overall.
 Bottom Rail not over 9¾" wide overall.
 Mullion not over 5½" wide overall.
 Bars not over 2¾" wide overall.
 Raised Panels two sides not over ¾" thick.
 Standard Stock Sticking.
 Beads for glass included.

N. D. 607

Stiles and Top Rail not over 5½" wide overall.
 Cross Rail not over 6" wide overall.
 Lock Rail not over 8¾" wide overall.



N. D. 607

Bottom Rail not over 9¾" wide overall.
 Mullion not over 6" wide overall. Bars not over 2½" wide overall.
 Raised Panels two sides not over ¾" thick.
 Standard Stock Sticking. Beads for glass included.

Glass lists shown are taken from Jobber's Single Light List and are not subject to door discount.

Glass List DS	Glass Size	Open List 1¼	Size of Door	Open List 1¼	Glass Size	Glass List DS
\$1.47	6⅝ x 9	\$21.00	2- 8x6- 8	\$21.90	4⅜x11	\$1.52
2.40	13	22.50	7- 0	23.45	15	2.04
1.47	6⅜x9	21.40	2-10x6- 8	22.25	4⅞x11	1.70
2.04	11	22.70	6-10	23.60	13	2.00
2.40	13	22.90	7- 0	23.85	15	2.30
1.71	7½ x 9	21.80	3- 0x6- 8	22.65	5⅜x11	2.04
2.40	13	23.30	7- 0	24.25	15	3.00
2.67	8⅜x13	24.30	3- 4x7- 0	25.25	6⅜x15	3.24
4.53	19	26.35	7- 6	27.30	21	5.24
3.00	9½ x13	24.70	3- 6x7- 0	25.65	6⅞x15	3.48
4.65	19	26.80	7- 6	27.75	21	5.28

N. D. 606 N. D. 607

If made with raised panel not over 1⅛" thick, add list . . .	\$0.50	\$0.50
If made with raised panel not over 1⅜" thick, add list . . .	1.50	1.50
If made with raised panel not over 1¾" thick, add list . . .	2.70	2.70
If made with raised panel not over 9/16" thick, deduct list . .	.45	.45

For other door extras, see pages 147-155.

Side Lights,
Toilet and
Blind Doors
Pine
139


Extras,
Pine
Doors
147

Combination
Doors and
Extras
161

Window
Screens
183

Veneered
Door Lists
and Extras
197

Flush Door
Lists and
Extras
223



N. D. 608

Layouts

Stiles and Top Rail not over $4\frac{3}{4}$ " wide overall.

Lock Rail not over $4\frac{3}{4}$ " wide overall.

Cross Rail not over $9\frac{3}{4}$ " wide overall.

Mullion not over $4\frac{3}{4}$ " wide overall.

Bottom Rail not over $8\frac{3}{4}$ " wide overall.

Bars not over $3\frac{1}{2}$ " wide overall.

Raised Panels two sides, not over $1\frac{1}{8}$ " thick.

Standard Stock Sticking.

Beads for glass included.


*Glass lists shown are taken from
Jobber's Single Light List and are
not subject to door discount.*

Size of Door	Open List $1\frac{1}{4}$	Glass Size	Glass List DS
2- 8x6- 8.....	\$27.15	$6\frac{1}{8} \times 26\frac{1}{8}$	\$ 5.25
7- 0.....	27.75	$30\frac{7}{8}$	6.37
2-10x6- 8.....	27.25	$6\frac{3}{4} \times 26\frac{1}{8}$	5.68
6-10.....	27.75	$28\frac{7}{8}$	6.37
7- 0.....	27.85	$30\frac{7}{8}$	7.00
3- 0x6- 8.....	27.35	$7\frac{3}{8} \times 26\frac{1}{8}$	6.37
7- 0.....	27.95	$30\frac{7}{8}$	7.92
3- 4x7- 0.....	28.15	$8\frac{13}{16} \times 30\frac{7}{8}$	9.54
7- 6.....	28.90	$36\frac{7}{8}$	10.90
3- 6x7- 0.....	28.25	$9\frac{1}{2} \times 30\frac{7}{8}$	9.54
7- 6.....	29.00	$36\frac{7}{8}$	12.71

N. D. 608

If made with raised panel not over $1\frac{3}{8}$ " thick, add list.....	\$0.60
If made with raised panel not over $1\frac{3}{4}$ " thick, add list.....	1.80
If made with raised panels not over $\frac{9}{16}$ " thick, deduct list.....	1.20
If made with raised panels not over $\frac{3}{4}$ " thick, deduct list.....	.75


For other door extras, see pages 147-155.



N. D. 609

Layouts

Stiles and Top Rail not over $4\frac{3}{4}$ " wide overall.
 Lock and Cross Rails not over $4\frac{3}{4}$ " wide overall.
 Bottom Rail not over 8" wide overall.
 Mullion not over $4\frac{3}{4}$ " wide overall.
 Bars $\frac{1}{2}$ " between glass.
 Hip Raised Panels not over $1\frac{3}{4}$ " thick.
 Standard Stock Sticking.
 Beads for glass included.



N. D. 610

Glass lists shown are taken from Jobber's Single Light List and are not subject to door discount.

Glass List DS	Glass Size	Open List 1¼	Size of Door	Open List 1¼	Glass Size	Glass List DS
\$5.13	7½ x 7⅝	\$24.20	2- 8x6- 8	\$25.25	5⅝x 7⅝	\$4.08
5.13	9	24.80	7- 0	25.85	9	4.56
5.13	8⅛ x 7⅝	24.30	2-10x6- 8	25.35	6⅛x 7⅝	4.80
5.13	8⅝ ₁₆	24.80	6-10	25.85	8⅝ ₁₆	5.34
5.13	9	24.90	7- 0	25.95	9	5.34
5.13	8⅜ ₁₆ x 7⅝	24.40	3- 0x6- 8	25.45	6⅝x 7⅝	4.80
5.13	9	25.00	7- 0	26.05	9	5.34
6.75	10⅛ x 9	25.20	3- 4x7- 0	26.25	7⅝x 9	6.84
9.00	11	25.95	7- 6	27.00	11	8.16
6.75	10⅜ ₁₆ x 9	25.30	3- 6x7- 0	26.35	8⅜ ₁₆ x 9	6.84
9.00	11	26.05	7- 6	27.10	11	9.00

N. D. 609 N. D. 610

If beads are omitted on door, deduct list.

\$0.60 \$0.80

For other door extras, see pages 147-155.

Side Lights,
Toilet and
Blind Doors
Pine
139


Extras,
Pine
Doors
147

Combination
Doors and
Extras
161

Window
Screens
183

Veneered
Door Lists
and Extras
197

Flush Door
Lists and
Extras
223



N. D. 612

Layouts

Stiles and Top Rail not over 5½" wide overall.

Lock Rail not over 7¼" wide overall.

Bottom Rail not over 8¾" wide overall.


Bars ½" between glass.

Raised Panels not over 1⅞" thick.

Standard Stock Sticking.

Beads for glass included.

Glass lists shown are taken from Jobber's Single Light List and are not subject to door discount.



N. D. 613

Glass List DS	Glass Size	Open List 1¼	Size of Door	Open List 1¼	Glass Size	Glass List DS
\$6.12	7 x12	\$21.25	2- 8x6- 8	\$22.30	5⅛x12	\$6.00
7.20	13⅝ ₁₆	21.85	7- 0	22.90	13⅝ ₁₆	7.14
6.12	7⅝x12	21.35	2-10x6- 8	22.40	5⅝x12	6.12
7.20	12⅝ ₈	21.85	6-10	22.90	12⅝ ₈	7.80
7.20	13⅝ ₁₆	21.95	7- 0	23.00	13⅝ ₁₆	7.80
6.84	8⅝ ₁₆ x12	21.45	3- 0x6- 8	22.50	6⅛x12	7.80
8.01	13⅝ ₁₆	22.05	7- 0	23.10	13⅝ ₁₆	9.06
9.00	9⅝x13⅝ ₁₆	22.25	3- 4x7- 0	23.30	7⅛x13⅝ ₁₆	9.60
11.16	15⅝ ₁₆	23.00	7- 6	24.05	15⅝ ₁₆	10.92
10.71	10⅝ ₁₆ x13⅝ ₁₆	22.35	3- 6x7- 0	23.40	7⅝x13⅝ ₁₆	9.60
13.14	15⅝ ₁₆	23.10	7- 6	24.15	15⅝ ₁₆	10.92

N. D. 612 N. D. 613

If beads are omitted on door, deduct list.	\$0.65	\$0.85
If made with raised panel not over 1⅜" thick, add list.40	.40
If made with raised panel not over 1¾" thick, add list. . . .	1.20	1.20
If made with raised panel not over 9 ₁₆ " thick, deduct.80	.80
If made with raised panel not over ¾" thick, deduct.35	.35

For other door extras, see pages 147-155.

Layouts

Stiles and Top Rail not over 4 $\frac{3}{4}$ " wide overall.

Bottom Rail not over 9 $\frac{3}{4}$ " wide overall.

Bars 1 $\frac{1}{2}$ " between glass, in door N. D. 621.


Beads for glass included.

Standard Stock Sticking.

*Glass lists shown are taken from
Jobber's Single Light List and are
not subject to door discount.*



N. D. 620



N. D. 621

Glass List DS	Glass Size	Open List 1 $\frac{3}{8}$	Open List 1 $\frac{3}{4}$	Size of Door	Open List 1 $\frac{3}{8}$	Open List 1 $\frac{3}{4}$	Glass Size	Glass List DS
\$9.69	9 $\frac{1}{2}$ x64 $\frac{1}{2}$	\$5.10	\$6.70	1- 6x6- 6
9.69	66 $\frac{1}{2}$	5.20	6.80	6- 8
9.69	68 $\frac{1}{2}$	5.50	7.25	6-10
9.82	70 $\frac{1}{2}$	5.60	7.35	7- 0
13.13	15 $\frac{1}{2}$ x64 $\frac{1}{2}$	5.30	7.00	2- 0x6- 6	\$7.05	\$ 9.30	4 $\frac{1}{8}$ x64 $\frac{1}{2}$	\$13.13
13.13	66 $\frac{1}{2}$	5.40	7.10	6- 8	7.15	9.40	66 $\frac{1}{2}$	13.13
16.15	68 $\frac{1}{2}$	5.75	7.55	6-10	7.50	9.85	68 $\frac{1}{2}$	16.15
16.15	70 $\frac{1}{2}$	5.80	7.70	7- 0	7.55	10.00	70 $\frac{1}{2}$	16.15
19.38	19 $\frac{1}{2}$ x64 $\frac{1}{2}$	5.45	7.20	2- 4x6- 6	7.20	9.50	5 $\frac{1}{2}$ x64 $\frac{1}{2}$	15.31
19.38	66 $\frac{1}{2}$	5.55	7.30	6- 8	7.30	9.60	66 $\frac{1}{2}$	16.15
19.38	68 $\frac{1}{2}$	5.85	7.75	6-10	7.60	10.05	68 $\frac{1}{2}$	16.15
19.63	70 $\frac{1}{2}$	5.95	7.90	7- 0	7.70	10.20	70 $\frac{1}{2}$	16.15
19.37	21 $\frac{1}{2}$ x64 $\frac{1}{2}$	5.50	7.30	2- 6x6- 6	7.25	9.60	6 $\frac{1}{8}$ x64 $\frac{1}{2}$	19.37
19.37	66 $\frac{1}{2}$	5.60	7.40	6- 8	7.35	9.70	66 $\frac{1}{2}$	19.37
19.63	68 $\frac{1}{2}$	5.95	7.90	6-10	7.70	10.20	68 $\frac{1}{2}$	19.37
19.63	70 $\frac{1}{2}$	6.00	8.00	7- 0	7.75	10.30	70 $\frac{1}{2}$	19.63
28.60	76 $\frac{1}{2}$	6.55	8.70	7- 6	8.30	11.00	76 $\frac{1}{2}$	22.87
24.53	23 $\frac{1}{2}$ x66 $\frac{1}{2}$	5.65	7.50	2- 8x6- 8	7.40	9.80	6 $\frac{1}{4}$ x66 $\frac{1}{2}$	19.37
24.53	68 $\frac{1}{2}$	6.00	8.00	6-10	7.75	10.30	68 $\frac{1}{2}$	19.63
27.90	70 $\frac{1}{2}$	6.10	8.10	7- 0	7.85	10.40	70 $\frac{1}{2}$	19.63
27.90	76 $\frac{1}{2}$	6.60	8.85	7- 6	8.35	11.15	76 $\frac{1}{2}$	27.90
24.53	25 $\frac{1}{2}$ x66 $\frac{1}{2}$	5.75	7.60	2-10x6- 8	7.50	9.90	7 $\frac{1}{2}$ x66 $\frac{1}{2}$	24.53
28.60	68 $\frac{1}{2}$	6.10	8.10	6-10	7.85	10.40	68 $\frac{1}{2}$	24.53
28.60	70 $\frac{1}{2}$	6.15	8.20	7- 0	7.90	10.50	70 $\frac{1}{2}$	27.90
31.88	76 $\frac{1}{2}$	6.70	8.95	7- 6	8.45	11.25	76 $\frac{1}{2}$	27.90
28.60	27 $\frac{1}{2}$ x66 $\frac{1}{2}$	5.80	7.70	3- 0x6- 8	7.55	10.00	8 $\frac{1}{8}$ x66 $\frac{1}{2}$	24.53
28.60	68 $\frac{1}{2}$	6.15	8.20	6-10	7.90	10.50	68 $\frac{1}{2}$	28.60
28.60	70 $\frac{1}{2}$	6.25	8.30	7- 0	8.00	10.60	70 $\frac{1}{2}$	28.60
35.72	76 $\frac{1}{2}$	6.75	9.05	7- 6	8.50	11.35	76 $\frac{1}{2}$	31.88

N. D. 620 N. D. 621

If beads are omitted, deduct list	\$0.50	\$0.55
3 $\frac{1}{2}$ " Stiles and Top Rail, deduct list	1 $\frac{3}{8}$ " Thick \$1.05	1 $\frac{3}{4}$ " Thick \$1.60
5 $\frac{1}{2}$ " Stiles and Top Rail, add list50	.75
11 $\frac{1}{2}$ " Bottom Rail, add list35	.55
12 $\frac{1}{2}$ " Bottom Rail, add list55	.85

For other door extras, see pages 147-155.

Side Lights,
Toilet and
Blind Doors
Pine
139


Extras,
Pine
Doors
147

Combination
Doors and
Extras
161

Window
Screens
183

Veneered
Door Lists
and Extras
197

Flush Door
Lists and
Extras
223



N. D. 622

Layouts


Stiles and Top Rail not over 4 $\frac{3}{4}$ " wide overall.

Bottom Rail not over 9 $\frac{3}{4}$ " wide overall.

Bars $\frac{1}{2}$ " between glass.

Beads for glass included.

Standard Stock Sticking.



N. D. 623

*Glass lists shown are taken from
Jobber's Single Light List and are
not subject to door discount.*

Glass List SS	Glass List DS	Glass Size	Open List 1 $\frac{1}{2}$	Open List 1 $\frac{3}{4}$	Size of Door	Open List 1 $\frac{1}{2}$	Open List 1 $\frac{3}{4}$	Glass Size Corner Lights	Glass List DS
\$5.36	\$7.28	7 $\frac{1}{2}$ x15 $\frac{3}{4}$	\$6.70	\$8.70	2- 0x6- 6
6.20	8.88	16 $\frac{1}{4}$	6.80	8.80	6- 8
6.20	8.88	16 $\frac{3}{4}$	7.15	9.25	6-10
6.20	8.88	17 $\frac{1}{4}$	7.20	9.40	7- 0
6.96	9.92	9 $\frac{1}{2}$ x15 $\frac{3}{4}$	6.85	8.90	2- 4x6- 6	\$7.70	\$9.90	5x5	\$13.59
7.76	11.12	16 $\frac{1}{4}$	6.95	9.00	6- 8	7.80	10.00	5x5	15.61
7.76	11.12	16 $\frac{3}{4}$	7.25	9.45	6-10	8.10	10.45	5x5	15.61
7.76	11.12	17 $\frac{1}{4}$	7.35	9.60	7- 0	8.20	10.60	5x5	15.61
7.60	11.68	10 $\frac{1}{2}$ x15 $\frac{3}{4}$	6.90	9.00	2- 6x6- 6	7.75	10.00	5x5	15.74
8.64	13.36	16 $\frac{1}{4}$	7.00	9.10	6- 8	7.85	10.10	5x5	15.74
8.64	13.36	16 $\frac{3}{4}$	7.35	9.60	6-10	8.20	10.60	5x5	15.74
8.64	13.36	17 $\frac{1}{4}$	7.40	9.70	7- 0	8.25	10.70	5x5	18.57
10.16	14.56	18 $\frac{3}{4}$	7.95	10.40	7- 6	8.80	11.40	5x5	28.47
9.44	13.52	11 $\frac{1}{2}$ x16 $\frac{1}{4}$	7.05	9.20	2- 8x6- 8	7.90	10.20	5x5	18.72
9.44	13.52	16 $\frac{3}{4}$	7.40	9.70	6-10	8.25	10.70	5x5	18.72
9.44	13.52	17 $\frac{1}{4}$	7.50	9.80	7- 0	8.35	10.80	5x5	18.72
10.40	14.88	18 $\frac{3}{4}$	8.00	10.55	7- 6	8.85	11.55	5x5	29.62
10.00	15.36	12 $\frac{1}{2}$ x16 $\frac{1}{4}$	7.15	9.30	2-10x6- 8	8.00	10.30	5x5	18.96
10.00	15.36	16 $\frac{3}{4}$	7.50	9.80	6-10	8.35	10.80	5x5	18.96
10.00	15.36	17 $\frac{1}{4}$	7.55	9.90	7- 0	8.40	10.90	5x5	19.96
11.12	17.12	18 $\frac{3}{4}$	8.10	10.65	7- 6	8.95	11.65	5x5	33.84
10.72	15.36	13 $\frac{1}{2}$ x16 $\frac{1}{4}$	7.20	9.40	3- 0x6- 8	8.05	10.40	5x5	19.11
10.72	15.36	16 $\frac{3}{4}$	7.55	9.90	6-10	8.40	10.90	5x5	24.61
10.72	15.36	17 $\frac{1}{4}$	7.65	10.00	7- 0	8.50	11.00	5x5	24.61
12.00	17.12	18 $\frac{3}{4}$	8.15	10.75	7- 6	9.00	11.75	5x5	37.83

N. D. 622 N. D. 623

If beads are omitted, deduct list.....	\$0.60	\$0.75
3 $\frac{1}{2}$ " Stiles and Top Rail, deduct list.....	1 $\frac{3}{8}$ " Thick \$1.05	1 $\frac{3}{4}$ " Thick \$1.60
5 $\frac{1}{2}$ " Stiles and Top Rail, add list.....	.50	.75
11 $\frac{1}{2}$ " Bottom Rail, add list.....	.35	.55
12 $\frac{1}{2}$ " Bottom Rail, add list.....	.55	.85

For other door extras, see pages 147-155.

Layouts

Stiles and Top Rail not over 4 $\frac{3}{4}$ " wide overall.
 Bottom Rail not over 9 $\frac{3}{4}$ " wide overall.
 Bars $\frac{1}{2}$ " between glass.
 Beads for glass included.
 Standard Stock Sticking.

*Glass lists shown are taken from
 Jobber's Single Light List and are
 not subject to door discount.*

N. D. 624

N. D. 625

Glass List DS	Glass Size Top Lights	Open List 1 $\frac{1}{8}$	Open List 1 $\frac{1}{4}$	Size of Door	Open List 1 $\frac{1}{8}$	Open List 1 $\frac{1}{4}$	Glass Size	Glass List DS	Glass List SS
\$11.78	4 $\frac{1}{8}$ x4 $\frac{1}{8}$	\$7.55	\$ 9.70	2- 0x6- 6	\$7.25	\$ 9.35	7 $\frac{1}{2}$ x12 $\frac{1}{2}$	\$8.00	\$ 5.90
11.78	4 $\frac{1}{8}$	7.65	9.80	6- 8	7.35	9.45	12 $\frac{1}{2}$	8.00	5.90
11.78	4 $\frac{1}{8}$	8.00	10.25	6-10	7.70	9.90	13 $\frac{1}{4}$	8.00	5.90
11.78	4 $\frac{1}{8}$	8.05	10.40	7- 0	7.75	10.05	13 $\frac{1}{8}$	8.00	5.90
14.29	6 $\frac{1}{8}$ x6 $\frac{1}{8}$	7.70	9.90	2- 4x6- 6	7.40	9.55	9 $\frac{1}{2}$ x12 $\frac{1}{2}$	6.80	10.00
14.29	6 $\frac{1}{8}$	7.80	10.00	6- 8	7.50	9.65	12 $\frac{1}{2}$	6.80	10.00
16.31	6 $\frac{1}{8}$	8.10	10.45	6-10	7.80	10.10	13 $\frac{1}{4}$	7.30	10.00
16.31	6 $\frac{1}{8}$	8.20	10.60	7- 0	7.90	10.25	13 $\frac{1}{8}$	7.30	10.00
14.52	6 $\frac{1}{8}$ x6 $\frac{1}{8}$	7.75	10.00	2- 6x6- 6	7.45	9.65	10 $\frac{1}{2}$ x12 $\frac{1}{2}$	7.40	10.80
16.50	6 $\frac{1}{8}$	7.85	10.10	6- 8	7.55	9.75	12 $\frac{1}{2}$	7.40	10.80
16.81	6 $\frac{1}{8}$	8.20	10.60	6-10	7.90	10.25	13 $\frac{1}{4}$	8.30	11.90
16.81	6 $\frac{1}{8}$	8.25	10.70	7- 0	7.95	10.35	13 $\frac{1}{8}$	8.30	11.90
19.26	6 $\frac{1}{8}$	8.80	11.40	7- 6	8.50	11.05	14 $\frac{1}{8}$	9.50	13.60
17.06	7 $\frac{1}{2}$ x7 $\frac{1}{2}$	7.90	10.20	2- 8x6- 8	7.60	9.85	11 $\frac{1}{2}$ x12 $\frac{1}{2}$	9.10	13.00
17.37	7 $\frac{1}{2}$	8.25	10.70	6-10	7.95	10.35	13 $\frac{1}{4}$	9.10	13.00
19.15	7 $\frac{1}{2}$	8.35	10.80	7- 0	8.05	10.45	13 $\frac{1}{8}$	9.10	13.00
21.20	7 $\frac{1}{2}$	8.85	11.55	7- 6	8.55	11.20	14 $\frac{1}{8}$	9.70	14.70
18.41	8 $\frac{1}{8}$ x8 $\frac{1}{8}$	8.00	10.30	2-10x6- 8	7.70	9.95	12 $\frac{1}{2}$ x12 $\frac{1}{2}$	10.50	15.10
21.18	8 $\frac{1}{8}$	8.35	10.80	6-10	8.05	10.45	13 $\frac{1}{4}$	10.50	15.10
21.55	8 $\frac{1}{8}$	8.40	10.90	7- 0	8.10	10.55	13 $\frac{1}{8}$	10.50	15.10
22.14	8 $\frac{1}{8}$	8.95	11.65	7- 6	8.65	11.30	14 $\frac{1}{8}$	12.20	17.40
21.50	8 $\frac{1}{8}$ x8 $\frac{1}{8}$	8.05	10.40	3- 0x6- 8	7.75	10.05	13 $\frac{1}{8}$ x12 $\frac{1}{2}$	10.50	15.10
21.50	8 $\frac{1}{8}$	8.40	10.90	6-10	8.10	10.55	13 $\frac{1}{4}$	10.50	15.10
21.50	8 $\frac{1}{8}$	8.50	11.00	7- 0	8.20	10.65	13 $\frac{1}{8}$	10.50	15.10
26.64	8 $\frac{1}{8}$	9.00	11.75	7- 6	8.70	11.40	14 $\frac{1}{8}$	12.20	17.40

N. D. 624 N. D. 625

If beads are omitted, deduct list.....	\$0.75	\$0.70
3 $\frac{1}{2}$ " Stiles and Top Rail, deduct list.....	1 $\frac{1}{8}$ " Thick \$1.05	1 $\frac{3}{4}$ " Thick \$1.60
5 $\frac{1}{2}$ " Stiles and Top Rail, add list.....	.50	.75
11 $\frac{1}{2}$ " Bottom Rail, add list.....	.35	.55
12 $\frac{1}{2}$ " Bottom Rail, add list.....	.55	.85

For other door extras, see pages 147-155.

Side Lights,
Toilet and
Blind Doors
Pine
139


Extras,
Pine
Doors
147

Combination
Doors and
Extras
161

Window
Screens
193

Veneered
Door Lists
and Extras
197


Flush Door
Lists and
Extras
223



N. D. 626

Layouts

Stiles and Top Rail not over $4\frac{3}{4}$ " wide overall.
 Bottom Rail not over $9\frac{3}{4}$ " wide overall.
 Bars $\frac{1}{2}$ " between glass.
 Beads for glass included.
 Standard Stock Sticking.



N. D. 627


*Glass lists shown are taken from
 Jobber's Single Light List and are
 not subject to door discount.*

Glass List SS	Glass List DS	Glass Size	Open List $1\frac{1}{8}$	Open List $1\frac{1}{4}$	Size of Door	Open List $1\frac{1}{8}$	Open List $1\frac{1}{4}$	Glass Size	Glass List DS	Glass List SS
\$5.22	\$ 7.44	$4\frac{1}{2} \times 15\frac{3}{4}$	\$7.50	\$ 9.70	2- 0x6- 6	\$8.05	\$10.35	$4\frac{1}{2} \times 12\frac{1}{2}$	\$ 8.10	\$ 5.95
5.82	8.34	$16\frac{1}{4}$	7.60	9.80	6- 8	8.15	10.45	$12\frac{1}{8}$	8.10	5.95
5.82	8.34	$16\frac{3}{4}$	7.95	10.25	6-10	8.50	10.90	$13\frac{1}{4}$	8.70	6.10
5.82	8.34	$17\frac{1}{4}$	8.00	10.40	7- 0	8.55	11.05	$13\frac{1}{2}$	8.70	6.10
7.32	10.44	$6\frac{1}{2} \times 15\frac{3}{4}$	7.65	9.90	2- 4x6- 6	8.20	10.55	$6\frac{1}{2} \times 12\frac{1}{2}$	10.70	6.95
8.04	11.52	$16\frac{1}{4}$	7.75	10.00	6- 8	8.30	10.65	$12\frac{1}{8}$	10.70	6.95
8.04	11.52	$16\frac{3}{4}$	8.05	10.45	6-10	8.60	11.10	$13\frac{1}{4}$	10.70	7.50
8.04	11.52	$17\frac{1}{4}$	8.15	10.60	7- 0	8.70	11.25	$13\frac{1}{2}$	10.75	7.50
7.32	10.44	$6\frac{1}{2} \times 15\frac{3}{4}$	7.70	10.00	2- 6x6- 6	8.25	10.65	$6\frac{1}{2} \times 12\frac{1}{2}$	12.00	8.10
8.04	11.52	$16\frac{1}{4}$	7.80	10.10	6- 8	8.35	10.75	$12\frac{1}{8}$	12.00	8.10
8.04	11.52	$16\frac{3}{4}$	8.15	10.60	6-10	8.70	11.25	$13\frac{1}{4}$	12.00	8.85
8.04	11.52	$17\frac{1}{4}$	8.20	10.70	7- 0	8.75	11.35	$13\frac{1}{2}$	12.00	8.85
9.00	12.84	$18\frac{3}{4}$	8.75	11.40	7- 6	9.30	12.05	$14\frac{1}{8}$	13.05	9.15
9.36	14.40	$7\frac{1}{2} \times 16\frac{1}{4}$	7.85	10.20	2- 8x6- 8	8.40	10.85	$7\frac{1}{2} \times 12\frac{1}{2}$	12.00	8.10
9.36	14.40	$16\frac{3}{4}$	8.20	10.70	6-10	8.75	11.35	$13\frac{1}{4}$	12.00	8.85
9.36	14.40	$17\frac{1}{4}$	8.30	10.80	7- 0	8.85	11.45	$13\frac{1}{2}$	12.00	8.85
10.44	16.08	$18\frac{3}{4}$	8.80	11.55	7- 6	9.35	12.20	$14\frac{1}{8}$	13.65	10.05
10.68	16.44	$8\frac{1}{2} \times 16\frac{1}{4}$	7.95	10.30	2-10x6- 8	8.50	10.95	$8\frac{1}{2} \times 12\frac{1}{2}$	13.35	9.00
10.68	16.44	$16\frac{3}{4}$	8.30	10.80	6-10	8.85	11.45	$13\frac{1}{4}$	13.35	9.90
10.68	16.44	$17\frac{1}{4}$	8.35	10.90	7- 0	8.90	11.55	$13\frac{1}{2}$	13.35	9.90
12.60	18.02	$18\frac{3}{4}$	8.90	11.65	7- 6	9.45	12.30	$14\frac{1}{8}$	15.30	11.25
10.68	16.44	$8\frac{1}{2} \times 16\frac{1}{4}$	8.00	10.40	3- 0x6- 8	8.55	11.05	$8\frac{1}{2} \times 12\frac{1}{2}$	13.35	9.00
10.68	16.44	$16\frac{3}{4}$	8.35	10.90	6-10	8.90	11.55	$13\frac{1}{4}$	13.35	9.90
10.68	16.44	$17\frac{1}{4}$	8.45	11.00	7- 0	9.00	11.65	$13\frac{1}{2}$	13.35	9.90
12.60	18.02	$18\frac{3}{4}$	8.95	11.75	7- 6	9.50	12.40	$14\frac{1}{8}$	15.30	11.25

N. D. 626 N. D. 627

If heads are omitted, deduct list.....	\$0.85	\$0.95
$1\frac{1}{8}$ " Thick	$1\frac{1}{4}$ " Thick	
$3\frac{1}{2}$ " Stiles and Top Rail, deduct list.....	\$1.05	\$1.60
$5\frac{1}{2}$ " Stiles and Top Rail, add list.....	.50	.75
$11\frac{1}{2}$ " Bottom Rail, add list.....	.35	.55
$12\frac{1}{2}$ " Bottom Rail, add list.....	.55	.85

For other door extras, see pages 147-155.



N. D. 628

Layouts

Stiles and Top Rail not over $4\frac{3}{4}$ " wide overall.

Bottom Rail not over $9\frac{3}{4}$ " wide overall.

Bars $\frac{1}{2}$ " between glass.

Beads for glass included.

Standard Stock Sticking.

Glass lists shown are taken from Jobber's Single Light List and are not subject to door discount.

Size of Door	Open List $1\frac{1}{4}$	Open List $1\frac{1}{4}$	Glass Size	Glass List SS	Glass List DS
2- 0x6- 6	\$ 8.60	\$11.00	$4\frac{13}{16} \times 10\frac{5}{16}$	\$5.70	\$ 7.65
6- 8	8.70	11.10	$10\frac{5}{8}$	5.70	7.65
6-10	9.05	11.55	11	5.70	7.65
7- 0	9.10	11.70	$11\frac{5}{16}$	5.82	8.82
2- 4x6- 6	8.75	11.20	$6\frac{1}{8} \times 10\frac{3}{16}$	6.75	10.94
6- 8	8.85	11.30	$10\frac{5}{8}$	6.75	10.94
6-10	9.15	11.75	11	6.75	10.94
7- 0	9.25	11.90	$11\frac{5}{16}$	6.75	10.94
2- 6x6- 6	8.80	11.30	$6\frac{13}{16} \times 10\frac{5}{16}$	8.19	11.70
6- 8	8.90	11.40	$10\frac{5}{8}$	8.19	11.70
6-10	9.25	11.90	11	8.19	11.70
7- 0	9.30	12.00	$11\frac{5}{16}$	8.19	11.70
7- 6	9.85	12.70	$12\frac{5}{16}$	9.72	14.40
2- 8x6- 8	8.95	11.50	$7\frac{1}{8} \times 10\frac{5}{8}$	9.00	12.24
6-10	9.30	12.00	11	9.00	12.24
7- 0	9.40	12.10	$11\frac{5}{16}$	9.00	12.24
7- 6	9.90	12.85	$12\frac{5}{16}$	9.72	14.40
2-10x6- 8	9.05	11.60	$8\frac{1}{8} \times 10\frac{5}{8}$	9.36	13.68
6-10	9.40	12.10	11	9.36	13.68
7- 0	9.45	12.20	$11\frac{5}{16}$	10.08	13.68
7- 6	10.00	12.95	$12\frac{5}{16}$	10.80	16.02
3- 0x6- 8	9.10	11.70	$8\frac{13}{16} \times 10\frac{5}{8}$	9.36	13.68
6-10	9.45	12.20	11	9.36	13.68
7- 0	9.55	12.30	$11\frac{5}{16}$	10.08	13.68
7- 6	10.05	13.05	$12\frac{5}{16}$	10.80	16.02

N. D. 628

If beads are omitted, deduct list.....	\$1.10	
	$1\frac{3}{8}$ " Thick	$1\frac{3}{4}$ " Thick
$3\frac{1}{2}$ " Stiles and Top Rail, deduct list.....	\$1.05	\$1.60
$5\frac{1}{2}$ " Stiles and Top Rail, add list.....	.50	.75
$11\frac{1}{2}$ " Bottom Rail, add list.....	.35	.55
$12\frac{1}{2}$ " Bottom Rail, add list.....	.55	.85

For other door extras, see pages 147-155.

Side Lights,
Toilet and
Blind Doors
Pine
139

Extras,
Pine
Doors
147

Combination
Doors and
Extras
161

Window
Screens
183

Veneered
Door Lists
and Extras
197

Flush Down
Lists and
Extras
223

Layouts

Stiles up to and including 3-0 width,
5½" wide overall.

Over 3-0 width, stiles will be 6½"
wide overall.

Top Rail not over 6½" wide overall.

Bottom Rail not over 18½" wide
overall.

Bars 1½" between glass in N. D. 636.

Beads for glass included.

Standard Stock Sticking.

*Glass lists shown are taken from
Jobber's Single Light List and are
not subject to door discount.*

N. D. 635

Glass List SS	Glass List DS	Glass Size	Open List 1½	Open List 1¾
.....	\$5.75	8x54	\$6.35	\$ 8.30
.....	5.75	56	6.40	8.45
.....	5.75	58	6.85	9.00
.....	5.75	60	6.90	9.10
.....	9.18	14x54	6.80	8.95
.....	10.21	56	6.90	9.10
.....	10.21	58	7.30	9.65
.....	10.21	60	7.40	9.80
.....	12.15	18x54	7.10	9.40
.....	12.15	56	7.20	9.55
.....	12.15	58	7.65	10.15
.....	12.15	60	7.75	10.25
.....	14.17	20x54	7.20	9.50
.....	14.17	56	7.30	9.65
.....	14.17	58	7.75	10.25
.....	14.17	60	7.85	10.40
.....	18.00	66	8.50	11.35
.....	18.00	72	8.80	11.75
.....	14.17	22x56	7.45	9.85
.....	14.17	58	7.90	10.50
.....	17.00	60	8.00	10.65
.....	18.00	66	8.65	11.55
.....	18.00	72	8.95	12.00
.....	17.00	24x56	7.60	10.10
.....	17.00	58	8.05	10.70
.....	17.00	60	8.15	10.85
.....	18.00	66	8.85	11.80
.....	27.90	72	9.15	12.25
.....	17.00	26x56	7.75	10.30
.....	17.00	58	8.20	10.95
.....	18.00	60	8.30	11.05
.....	24.53	66	9.00	12.05
.....	28.60	72	9.30	12.45
.....	22.50	28x60	9.50	12.80
.....	24.53	66	10.35	13.95
.....	28.60	72	10.70	14.50
.....	22.50	30x60	9.70	13.00
.....	28.60	66	10.50	14.15
.....	31.88	72	10.90	14.70

N. D. 636

Size of Door	Open List 1½	Open List 1¾	Glass Size	Glass List DS	Glass List SS
1- 6x6- 6
6- 8
6-10
7- 0
2- 0x6- 6	\$8.55	\$11.25	3½x54	\$ 7.08
6- 8	8.65	11.40	56	8.50
6-10	9.05	11.95	58	8.50
7- 0	9.15	12.10	60	8.50
2- 4x6- 6	8.85	11.70	5 x54	10.63
6- 8	8.95	11.85	56	10.63
6-10	9.40	12.45	58	10.63
7- 0	9.50	12.55	60	10.63
2- 6x6- 6	8.95	11.80	5½x54	12.15
6- 8	9.05	11.95	56	12.15
6-10	9.50	12.55	58	12.15
7- 0	9.60	12.70	60	12.15
7- 6	10.25	13.65	66	15.31
8- 0	10.55	14.05	72	16.15
2- 8x6- 8	9.20	12.15	6½x56	12.15
6-10	9.65	12.80	58	14.17
7- 0	9.75	12.95	60	14.17
7- 6	10.40	13.85	66	14.17
8- 0	10.70	14.30	72	19.63
2-10x6- 8	9.35	12.40	7 x56	14.17
6-10	9.80	13.00	58	14.17
7- 0	9.90	13.15	60	17.00
7- 6	10.60	14.10	66	19.37
8- 0	10.90	14.55	72	19.63
3- 0x6- 8	9.50	12.60	7½x56	14.17
6-10	9.95	13.25	58	17.00
7- 0	10.05	13.35	60	17.00
7- 6	10.75	14.35	66	18.00
8- 0	11.05	14.75	72	27.90
3- 4x7- 0	11.25	15.10	8½x60	18.00
7- 6	12.10	16.25	66	24.53
8- 0	12.45	16.80	72	28.60
3- 6x7- 0	11.45	15.30	9 x60	22.50
7- 6	12.25	16.45	66	24.53
8- 0	12.65	17.00	72	28.60

N. D. 635 N. D. 636

If beads are omitted, deduct list..... **\$0.50 \$0.60**

1-Light Door N. D. 635

When doors 3-0 wide and under are made with stiles wider than 5½" add as per rule 5(A).

If doors have Plain Flush Mould not over ¼x1¼, one side, not including Fillet, add list..... **\$1.25**

If doors have Plain Raised Mould, not over ¼x1¼, one side, not including Fillet, add list..... **1.75**

If doors have single Fillet around glass opening, add per foot..... **.03½**

For other door extras, see pages 147-155.

Layouts

Stiles up to and including 3-0 widths,
5½" wide overall.

Over 3-0 width, stiles will be 6½"
wide overall.

Top Rail not over 6½" wide overall.

Bottom Rail not over 18½" wide
overall.

Bars ½" between glass.

Beads for glass included.

Standard Stock Sticking.

*Glass lists shown are taken from
Jobber's Single Light List and are
not subject to door discount.*

N. D. 637

N. D. 638

Glass List SS	Glass List DS	Glass Size	Open List 1½	Open List 1¼	Size of Door	Open List 1½	Open List 1¼	Glass Size Corner Lights	Glass List DS
\$4.20	\$ 6.04	6¼x13 ½	\$ 8.20	\$10.65	2- 0x6- 6
4.20	6.04	13 ½	8.30	10.80	6- 8
4.88	6.96	14 ½	8.70	11.35	6-10
4.88	6.96	14 ½	8.80	11.50	7- 0
5.28	7.12	8¾x13 ½	8.50	11.10	2- 4x6- 6	\$ 9.35	\$12.10	5x5	\$ 9.51
5.28	7.12	13 ½	8.60	11.25	6- 8	9.45	12.25	5x5	9.70
5.68	8.32	14 ½	9.05	11.85	6-10	9.90	12.85	5x5	10.76
5.68	8.32	14 ½	9.15	11.95	7- 0	10.00	12.95	5x5	10.76
5.84	8.00	9¾x13 ½	8.60	11.20	2- 6x6- 6	9.45	12.20	5x5	10.98
5.84	8.00	13 ½	8.70	11.35	6- 8	9.55	12.35	5x5	10.98
6.24	9.20	14 ½	9.15	11.95	6-10	10.00	12.95	5x5	10.98
6.24	9.20	14 ½	9.25	12.10	7- 0	10.10	13.10	5x5	12.34
7.76	11.12	16 ½	9.90	13.05	7- 6	10.75	14.05	5x5	15.61
7.76	11.12	17 ½	10.20	13.45	8- 0	11.05	14.45	5x5	15.61
6.64	9.52	10¾x13 ½	8.85	11.55	2- 8x6- 8	9.70	12.55	5x5	12.47
7.60	10.88	14 ½	9.30	12.20	6-10	10.15	13.20	5x5	12.47
7.60	10.88	14 ½	9.40	12.35	7- 0	10.25	13.35	5x5	13.45
8.64	13.36	16 ½	10.05	13.25	7- 6	10.90	14.25	5x5	15.74
8.64	13.36	17 ½	10.35	13.70	8- 0	11.20	14.70	5x5	18.57
7.28	10.40	11¾x13 ½	9.00	11.80	2-10x6- 8	9.85	12.80	5x5	12.62
7.76	12.00	14 ½	9.45	12.40	6-10	10.30	13.40	5x5	15.58
7.76	12.00	14 ½	9.55	12.55	7- 0	10.40	13.55	5x5	15.58
9.44	13.52	16 ½	10.25	13.50	7- 6	11.10	14.50	5x5	18.72
9.44	13.52	17 ½	10.55	13.95	8- 0	11.40	14.95	5x5	19.72
8.28	12.08	12¾x13 ½	9.15	12.00	3- 0x6- 8	10.00	13.00	5x5	14.92
9.04	12.98	14 ½	9.60	12.65	6-10	10.45	13.65	5x5	15.73
9.04	12.98	14 ½	9.70	12.75	7- 0	10.55	13.75	5x5	15.73
10.00	15.36	16 ½	10.40	13.75	7- 6	11.25	14.75	5x5	18.87
10.00	15.36	17 ½	10.70	14.15	8- 0	11.55	15.15	5x5	24.37
9.76	13.92	13¾x14 ½	10.90	14.50	3- 4x7- 0	11.75	15.50	5x5	17.15
10.72	15.36	16 ½	11.75	15.65	7- 6	12.60	16.65	5x5	19.11
10.72	15.36	17 ½	12.10	16.20	8- 0	12.95	17.20	5x5	24.61
10.48	14.96	14¾x14 ½	11.10	14.70	3- 6x7- 0	11.95	15.70	5x5	18.67
12.40	17.84	16 ½	11.90	15.85	7- 6	12.75	16.85	5x5	24.77
12.40	17.84	17 ½	12.30	16.40	8- 0	13.15	17.40	5x5	26.80

N. D. 637 N. D. 638

If beads are omitted, deduct list..... \$0.50 \$0.50

For other door extras, see pages 147-155.

Side Lights,
Toilet and
Blind Doors
Pine
139


Extras,
Pine
Doors
147

Combination
Doors and
Extras
161

Window
Screens
183

Veneered
Door Lists
and Extras
197


Flush Door
Lists and
Extras
223



N. D. 639

Layouts

Stiles up to and including 3-0 width,
5 1/2" wide overall.
Over 3-0 width, stiles will be 6 1/2"
wide overall.
Top Rail not over 6 1/2" wide overall.
Bottom Rail not over 18 1/2" wide
overall.
Bars 1/2" between glass.
Beads for glass included.
Standard Stock Sticking.



N. D. 640

*Glass lists shown are taken from
Jobber's Single Light List and are
not subject to door discount.*

Glass List DS	Glass Size Top Lights	Open List 1 1/8	Open List 1 1/4	Size of Door	Open List 1 1/8	Open List 1 1/4	Glass Size	Glass List DS	Glass List SS
\$7.29	4 1/8x4 1/8	\$9.05	\$ 11.65	2- 0x6- 6	\$8.75	\$11.30	6 3/4x10 3/4	\$ 5.95	\$4.15
7.77	4 1/8	9.15	11.80	6- 8	8.85	11.45	10 3/4	5.95	4.15
8.39	4 1/8	9.55	12.35	6-10	9.25	12.00	11 1/8	6.50	4.55
8.52	4 1/8	9.65	12.50	7- 0	9.35	12.15	11 1/8	6.50	4.55
8.82	5 5/8x5 5/8	9.35	12.10	2- 4x6- 6	9.05	11.75	8 3/4x10 3/4	7.50	5.20
10.17	5 5/8	9.45	12.25	6- 8	9.15	11.90	10 3/4	7.50	5.20
10.17	5 5/8	9.90	12.85	6-10	9.60	12.50	11 1/8	7.60	5.60
11.23	5 5/8	10.00	12.95	7- 0	9.70	12.60	11 1/8	7.60	5.60
10.62	6 1/8x6 1/8	9.45	12.20	2- 6x6- 6	9.15	11.85	9 3/4x10 3/4	8.50	6.20
11.68	6 1/8	9.55	12.35	6- 8	9.25	12.00	10 3/4	8.50	6.20
11.68	6 1/8	10.00	12.95	6-10	9.70	12.60	11 1/8	8.50	6.20
11.68	6 1/8	10.10	13.10	7- 0	9.80	12.75	11 1/8	8.50	6.20
14.29	6 1/8	10.75	14.05	7- 6	10.45	13.70	12 1/8	10.00	6.80
16.31	6 1/8	11.05	14.45	8- 0	10.75	14.10	14	10.00	7.30
12.18	7 x7	9.70	12.55	2- 8x6- 8	9.40	12.20	10 3/4x10 3/4	10.00	7.20
13.54	7	10.15	13.20	6-10	9.85	12.85	11 1/8	10.00	7.40
13.54	7	10.25	13.35	7- 0	9.95	13.00	11 1/8	10.00	7.40
16.81	7	10.90	14.25	7- 6	10.60	13.90	12 1/8	10.80	7.40
19.64	7	11.20	14.70	8- 0	10.90	14.35	14	11.90	8.30
12.74	7 5/8x7 5/8	9.85	12.80	2-10x6- 8	9.55	12.45	11 3/4x10 3/4	10.00	7.40
14.10	7 5/8	10.30	13.40	6-10	10.00	13.05	11 3/8	10.20	7.50
14.10	7 5/8	10.40	13.55	7- 0	10.10	13.20	11 3/8	10.20	7.50
17.06	7 5/8	11.10	14.50	7- 6	10.80	14.15	12 1/8	13.00	9.10
20.20	7 5/8	11.40	14.95	8- 0	11.10	14.60	14	13.00	9.10
15.45	8 1/8x8 1/8	10.00	13.00	3- 0x6- 8	9.70	12.65	12 3/4x10 3/4	10.80	7.40
15.45	8 1/8	10.45	13.65	6-10	10.15	13.30	11 3/8	13.00	9.00
17.26	8 1/8	10.55	13.75	7- 0	10.25	13.40	11 3/8	13.00	9.00
18.41	8 1/8	11.25	14.75	7- 6	10.95	14.40	12 1/8	15.10	10.50
21.55	8 1/8	11.55	15.15	8- 0	11.25	14.80	14	15.10	10.50
17.58	9 x9	11.75	15.50	3- 4x7- 0	11.45	15.15	13 3/4x11 1/8	13.00	9.10
21.50	9	12.60	16.65	7- 6	12.30	16.30	12 1/8	15.10	10.50
21.87	9	12.95	17.20	8- 0	12.65	16.85	14	15.10	10.50
18.39	9 5/8x9 5/8	11.95	15.70	3- 6x7- 0	11.65	15.35	14 3/4x11 1/8	15.00	9.70
22.31	9 5/8	12.75	16.85	7- 6	12.45	16.50	12 1/8	16.20	11.30
22.68	9 5/8	13.15	17.40	8- 0	12.85	17.05	14	17.40	12.20

N. D. 639 N. D. 640

If beads are omitted, deduct list. \$0.75 \$0.70

For other door extras, see pages 147-155.

Layouts

Stiles up to and including 3-0 width,
5½" wide overall.

Over 3-0 width, stiles will be 6½"
wide overall.

Top Rail not over 6½" wide overall.

Bottom Rail not over 18½" wide
overall.

Bars ½" between glass.

Beads for glass included.

Standard Stock Sticking.

*Glass lists shown are taken from
Jobber's Single Light List and are
not subject to door discount.*

N. D. 641

N. D. 642

Glass List SS	Glass List DS	Glass Size	Open List 1½	Open List 1¾	Size of Door	Open List 1½	Open List 1¾	Glass Size	Glass List DS	Glass List SS
\$4.20	\$ 6.04	4 1/8x13 1/8	\$ 9.00	\$11.65	2- 0x6- 6	\$9.55	\$12.30	4 1/8x10 3/8	\$ 6.80	\$4.75
4.20	6.04	13 3/8	9.10	11.80	6- 8	9.65	12.45	10 3/4	6.80	4.75
4.26	6.12	14 1/8	9.50	12.35	6-10	10.05	13.00	11 1/8	7.35	4.85
4.26	6.12	14 3/8	9.60	12.50	7- 0	10.15	13.15	11 1/8	7.35	4.85
5.36	7.68	5 5/8x13 1/8	9.30	12.10	2- 4x6- 6	9.85	12.75	5 5/8x10 3/8	8.35	5.40
5.36	7.68	13 3/8	9.40	12.25	6- 8	9.95	12.90	10 3/4	8.35	5.40
5.82	8.82	14 1/8	9.85	12.85	6-10	10.40	13.50	11 1/8	8.45	5.90
5.82	8.82	14 3/8	9.95	12.95	7- 0	10.50	13.60	11 1/8	8.45	5.90
6.00	8.56	6 1/8x13 1/8	9.40	12.20	2- 6x6- 6	9.95	12.85	6 1/8x10 3/8	9.10	6.35
6.00	8.56	13 3/8	9.50	12.35	6- 8	10.05	13.00	10 3/4	9.10	6.35
6.78	9.72	14 1/8	9.95	12.95	6-10	10.50	13.60	11 1/8	9.30	6.50
6.78	9.72	14 3/8	10.05	12.10	7- 0	10.60	13.75	11 1/8	9.30	6.50
6.48	10.02	16 1/8	10.70	14.05	7- 6	11.25	14.70	12 1/8	10.70	6.95
6.48	10.02	17 3/8	11.00	14.45	8- 0	11.55	15.10	14	10.70	7.50
6.30	9.06	7 x13 3/8	9.65	12.55	2- 8x6- 8	10.20	13.20	7 x10 3/8	10.00	7.00
7.32	10.44	14 1/8	10.10	13.20	6-10	10.65	13.85	11 1/8	10.20	7.20
7.32	10.44	14 3/8	10.20	13.35	7- 0	10.75	14.00	11 1/8	10.20	7.20
8.04	11.52	16 1/8	10.85	14.25	7- 6	11.40	14.90	12 1/8	13.10	8.85
8.04	11.52	17 3/8	11.15	14.70	8- 0	11.70	15.35	14	13.20	9.00
7.08	9.60	7 5/8x13 3/8	9.80	12.80	2-10x6- 8	10.35	13.45	7 5/8x10 3/8	10.20	7.50
7.44	10.92	14 1/8	10.25	13.40	6-10	10.80	14.05	11 1/8	10.20	7.50
7.44	10.92	14 3/8	10.35	13.55	7- 0	10.90	14.20	11 1/8	10.20	7.50
9.36	14.40	16 1/8	11.05	14.50	7- 6	11.60	15.15	12 1/8	14.25	9.00
9.36	14.40	17 3/8	11.35	14.95	8- 0	11.90	15.60	14	14.45	9.85
7.92	10.68	8 1/8x13 3/8	9.95	13.00	3- 0x6- 8	10.50	13.65	8 1/8x10 3/8	11.25	7.80
8.52	12.24	14 1/8	10.40	13.65	6-10	10.95	14.30	11 1/8	11.40	8.40
8.52	12.24	14 3/8	10.50	13.75	7- 0	11.05	14.40	11 1/8	11.40	8.40
10.68	16.44	16 1/8	11.20	14.75	7- 6	11.75	15.40	12 1/8	13.35	9.90
10.68	16.44	17 3/8	11.50	15.15	8- 0	12.05	15.80	14	13.35	9.90
8.52	13.24	9 x14 3/8	11.70	15.50	3- 4x7- 6	12.25	16.15	9 x11 1/8	11.40	8.40
10.68	16.44	16 1/8	12.55	16.65	7- 6	13.10	17.30	12 1/8	13.35	9.90
10.68	16.44	17 3/8	12.90	17.20	8- 0	13.45	17.85	14	13.35	9.90
9.36	13.80	9 5/8x14 3/8	11.90	15.70	3- 6x7- 6	12.45	16.35	9 5/8x11 1/8	12.75	9.30
11.64	16.68	16 1/8	12.70	16.85	7- 6	13.25	17.50	12 1/8	15.00	10.95
11.64	16.68	17 3/8	13.10	17.40	8- 0	13.65	18.05	14	15.00	10.95

N. D. 641 N. D. 642

If beads are omitted, deduct list..... \$0.85 \$0.95

For other door extras, see pages 147-155.

Side Lights,
Toilet and
Blind Doors
Pine
139


Extras,
Pine
Doors
147

Combination
Doors and
Extras
161

Window
Screens
183

Veneered
Door Lists and
Extras
197

Flush Door
Lists and
Extras
223



Layouts

Stiles up to and including 3-0 width,
5½" wide overall.

Over 3-0 width, stiles will be 6½"
wide overall.

Top Rail not over 6½" wide overall.

Bottom Rail not over 18½" wide
overall.

Bars ½" between glass.

Beads for glass included.

Standard Stock Sticking.

*Glass lists shown are taken from
Jobber's Single Light List and are
not subject to door discount.*

N. D. 643

Size of Door	Open List 1½	Open List 1¾	Glass Size	Glass List SS	Glass List DS
2- 0x6- 6	\$10.10	\$12.95	4½ ₁₆ x8 ⁹ ₁₆	\$4.26	\$ 6.12
6- 8	10.20	13.10	8 ⁷ ₈	4.26	6.12
6-10	10.60	13.65	9 ¹ ₄	4.68	6.90
7- 0	10.70	13.80	9 ⁹ ₁₆	4.68	6.90
2- 4x6- 6	10.40	13.40	5 ⁵ ₈ x8 ⁹ ₁₆	5.34	8.22
6- 8	10.50	13.55	8 ⁷ ₈	5.34	8.22
6-10	10.95	14.15	9 ¹ ₄	5.82	8.34
7- 0	11.05	14.25	9 ⁹ ₁₆	5.82	8.34
2- 6x6- 6	10.50	13.50	6 ⁵ ₁₆ x8 ⁹ ₁₆	6.21	9.06
6- 8	10.60	13.65	8 ⁷ ₈	6.21	9.06
6-10	11.05	14.25	9 ¹ ₄	6.48	9.30
7- 0	11.15	14.40	9 ⁹ ₁₆	6.48	9.30
7- 6	11.80	15.35	10 ⁹ ₁₆	7.62	10.92
8- 0	12.10	15.75	11 ⁹ ₁₆	7.80	11.16
2- 8x6- 8	10.75	13.85	7 x 8 ⁷ ₈	6.96	10.02
6-10	11.20	14.50	9 ¹ ₄	7.08	10.14
7- 0	11.30	14.65	9 ⁹ ₁₆	7.08	10.14
7- 6	11.95	15.55	10 ⁹ ₁₆	8.40	12.00
8- 0	12.25	16.00	11 ⁹ ₁₆	8.64	12.24
2-10x6- 8	10.90	14.10	7 ⁵ ₈ x 8 ⁷ ₈	7.56	10.26
6-10	11.35	14.70	9 ¹ ₄	7.56	10.26
7- 0	11.45	14.85	9 ⁹ ₁₆	7.56	10.26
7- 6	12.15	15.80	10 ⁹ ₁₆	9.00	12.24
8- 0	12.45	16.25	11 ⁹ ₁₆	9.00	12.24
3- 0x6- 8	11.05	14.30	8 ³ ₁₆ x 8 ⁷ ₈	8.28	10.26
6-10	11.50	14.95	9 ¹ ₄	8.88	13.02
7- 0	11.60	15.05	9 ⁹ ₁₆	8.88	13.02
7- 6	12.30	16.05	10 ⁹ ₁₆	10.08	13.68
8- 0	12.60	16.45	11 ⁹ ₁₆	10.08	13.68
3- 4x7- 0	12.80	16.80	9 x 9 ⁹ ₁₆	9.36	13.50
7- 6	13.65	17.95	10 ⁹ ₁₆	10.08	13.68
8- 0	14.00	18.50	11 ⁹ ₁₆	10.08	13.68
3- 6x7- 0	13.00	17.00	9 ⁵ ₈ x 9 ⁹ ₁₆	10.08	13.68
7- 6	13.80	18.15	10 ⁹ ₁₆	11.16	15.30
8- 0	14.20	18.70	11 ⁹ ₁₆	11.16	15.30

N. D. 643

If beads are omitted, deduct list.....
For other door extras, see pages 147-155.

\$1.10

Side Lights

Stiles not over 2½" wide overall.
 Top Rail not over 6½" wide overall.
 Bottom Rail not over 18½" wide overall.
 Standard Stock Sticking.
 Beads for glass included.



Size of Side Light	Open List 1⅜"	Open List 1¼"	Glass Size	Size of Side Light	Open List 1⅜"	Open List 1¼"	Glass Size
1-0x6- 8	\$4.10	\$5.05	8x56	1-4x6- 8	\$4.40	\$5.45	12x56
6-10	4.30	5.35	58	6-10	4.65	5.80	58
7- 0	4.35	5.40	60	7- 0	4.70	5.85	60
7- 6	4.65	5.80	66	7- 6	5.00	6.25	66
8- 0	4.80	6.00	72	8- 0	5.10	6.45	72
1-2x6- 8	4.25	5.25	10x56	1-6x6- 8	4.55	5.70	14x56
6-10	4.50	5.55	58	6-10	4.80	6.00	58
7- 0	4.55	5.60	60	7- 0	4.85	6.05	60
7- 6	4.85	6.05	66	7- 6	5.15	6.50	66
8- 0	4.95	6.20	72	8- 0	5.30	6.70	72

S. L. 675

	1⅜" Thick	1¼" Thick
For each 2" wider than 1-6, add list.....	\$0.20	\$0.25
If beads are omitted, deduct list.....	.35	.35

If made with divided lights, deduct \$0.35 list for beads omitted, and add as follows:

	1⅜" Thick With Beads	1¼" Thick With Beads
If made 3 lights high, add list.....	\$0.95	\$1.10
If made 4 lights high, add list.....	1.15	1.30
If made 5 lights high, add list.....	1.40	1.60
If made 6 lights high, add list.....	1.55	1.80
If made 8 lights (2 wide), add list.....	1.80	2.10
If made 10 lights (2 wide), add list.....	2.35	2.75
If made 12 lights (2 wide), add list.....	2.60	3.10
If made 6 marginal lights, add list.....	1.85	2.10

	1⅜" Thick	1¼" Thick
If made with 9¾" Bottom Rail, deduct list.....	\$0.50	\$0.65
If made with 11½" Bottom Rail, deduct list.....	.40	.50
If made with 12½" Bottom Rail, deduct list.....	.30	.40

If beads are omitted in 3 light Side Light, deduct list.....	\$0.25
If beads are omitted in 4 light Side Light, deduct list.....	.30
If beads are omitted in 5 light Side Light, deduct list.....	.35
If beads are omitted in 6 light Side Light, deduct list.....	.40
If beads are omitted in 8 light Side Light, deduct list.....	.45
If beads are omitted in 10 light Side Light, deduct list.....	.55
If beads are omitted in 12 light Side Light, deduct list.....	.65
If beads are omitted in 6 marginal light Side Light, deduct list.....	.40

Side Lights,
Toilet and
Blind Doors
Pine
139

Extras,
Pine
Doors
147

Combination
Doors and
Extras
151

Window
Screens
183

Veneered
Door Lists
and Extras
197

Flush Door
Lists and
Extras
223



S. L. 676

Side Lights

Stiles not over 2½" wide overall.

Top Rail not over 5½" wide overall.

Lock and Bottom Rail not over 9¾" wide overall.

Laminated Flat Panels two sides, not over ⅝" thick,
or solid raised or solid flat panels not over ⅞" thick.

Standard Stock Sticking. Beads for glass included.

Size of Side Light	Open List 1⅜"	Open List 1¼"	Glass Size	Size of Side Light	Open List 1⅜"	Open List 1¼"	Glass Size
1-0x6- 8	\$4.15	\$5.10	8x46	1-4x6- 8	\$4.45	\$5.50	12x46
6-10	4.35	5.40	48	6-10	4.70	5.85	48
7- 0	4.40	5.45	50	7- 0	4.75	5.90	50
7- 6	4.70	5.85	56	7- 6	5.05	6.30	56
8- 0	4.85	6.05	62	8- 0	5.15	6.50	62
1-2x6- 8	4.30	5.30	10x46	1-6x6- 8	4.60	5.70	14x46
6-10	4.55	5.60	48	6-10	4.85	6.05	48
7- 0	4.60	5.65	50	7- 0	4.90	6.10	50
7- 6	4.90	6.10	56	7- 6	5.20	6.55	56
8- 0	5.00	6.25	62	8- 0	5.35	6.75	62

	1⅜" Thick	1¼" Thick
For each 2" or fraction thereof wider, add list....	\$0.20	\$0.25
If beads are omitted, deduct list.....	.35	.35


If made with divided lights, deduct \$0.35 list for beads omitted and add as follows:

	1⅜" Thick With Beads	1¼" Thick With Beads
If made 3 lights high, add list.....	\$0.95	\$1.10
If made 4 lights high, add list.....	1.15	1.30
If made 5 lights high, add list.....	1.40	1.60
If made 6 lights (2 wide), add list.....	1.55	1.80
If made 8 lights (2 wide), add list.....	1.80	2.10
If made 6 marginal lights, add list.....	1.85	2.15
If made 1 long flat panel, and 1 light 18" high, add list.....	.80	.80
If made 1 long flat panel, and 1 light 18" high divided 4 lights (2 wide), add list.....	1.90	2.05
If made 1 long flat panel and 1 light 18" high divided 2 lights wide, add list.....	1.45	1.55

	1⅜" Thick	1¼" Thick
If made with 11½" Bottom Rail, add list.....	\$0.10	\$0.15
If made with 12½" Bottom Rail, add list.....	.20	.25

Panel thickness:	¾"	1⅛"	1⅜"	1¼"
If made with raised panel, add list.....	\$0.10	\$0.20	\$0.25	\$0.40

If beads are omitted in 3 light Side Light, deduct list.....	\$0.25
If beads are omitted in 4 light Side Light, deduct list.....	.30
If beads are omitted in 5 light Side Light, deduct list.....	.35
If beads are omitted in 6 light Side Light, deduct list.....	.40
If beads are omitted in 8 light Side Light, deduct list.....	.45
If beads are omitted in 6 marginal light Side Light, deduct list.....	.40
If beads are omitted in 1 light 18" high, deduct list.....	.10
If beads are omitted in 1 light 18" high, divided 4 lights, 2 wide, deduct list	.20
If beads are omitted in 1 light 18" high, divided 2 lights wide, deduct list..	.15




N. D. 702

Storm Doors

**In the White
Not Painted or Primed**

Stiles, Top and Cross Rails not over 4¾" wide overall.

Bottom Rail not over 9¾" wide overall.
Standard Stock Sticking.



N. D. 703

Size of Door 1½"	N. D. 702 Panel Door List	N. D. 703 List Open With Beads	Glass Size	Glass List SS Glass
2- 6½x6- 7.....	\$6.90	\$6.65	22x28	\$3.86
6- 9.....	7.00	6.70	30	4.32
7- 1.....	7.60	7.15	34	5.00
2- 8½x6- 9.....	7.30	6.90	24x30	4.75
7- 1.....	7.90	7.35	34	5.54
2-10½x6- 9.....	7.60	7.05	26x30	5.56
6-11.....	8.10	7.45	32	5.56
7- 1.....	8.25	7.50	34	6.80
3- 0½x6- 9.....	7.90	7.20	28x30	5.56
7- 1.....	8.55	7.70	34	6.80

NOTE 1—If above panel storm door is made with 6 cross panels instead of 5, add..... 45c List

NOTE 2—If above storm door is made with 3 cross panels, with 4" shorter glass, add..... 15c List

NOTE 3—If above storm door is made with 3 cross panels below the light, and 1 cross panel above the light with 4" shorter glass, add..... 35c List

NOTE 4—If beads are omitted in S. D. 703, deduct..... 30c List

NOTE 5—If light is divided into more than one light, deduct for beads per Note No. 4 and add as per Rule No. 7 of the door extras.

NOTE 6—For storm doors made over-size up to ½" wider than sizes shown, add..... 30c List

NOTE 7—For beveling stiles on the face, for ¾" thick casing, add per door..... 20c List

Extras,
Pine
Doors
147


Combination
Doors and
Extras
161

Window
Screens
183


Veneered
Door Lists
and Extras
197

Flush Door
Lists and
Extras
223


Toilet Doors



N. D. 726



N. D. 727



N. D. 728

N. D. 726—Stiles, Top, Cross and Bottom Rails not over $4\frac{3}{4}$ " wide overall. 3 Cross Raised Panels, 2 Sides. Standard Stock Sticking.

N. D. 727—Stiles, Top and Bottom Rails not over $3\frac{1}{2}$ " wide overall. Cross Rails and Mullions not over $2\frac{1}{2}$ " wide overall. 4 Stationary Slat Panels. Square Sticking.

N. D. 728—Stiles, Top and Bottom Rails not over $3\frac{1}{2}$ " wide overall. 3 Stationary Slat Panels. Square Sticking.

Size of Door	N. D. 726 List $1\frac{1}{8}$ " Thick	N. D. 727 List $1\frac{1}{8}$ " Thick	N. D. 728 List $1\frac{1}{8}$ " Thick	Size of Door	N. D. 726 List $1\frac{1}{8}$ " Thick	N. D. 727 List $1\frac{1}{8}$ " Thick	N. D. 728 List $1\frac{1}{8}$ " Thick
2-0x4-0..	\$4.35	\$5.50	\$5.55	2-4x5-6..	\$6.05	\$6.30	\$6.25
4-6..	4.75	5.70	5.75	6-0..	6.50	6.50	6.40
5-0..	5.20	6.00	5.90	2-6x4-0..	4.90	5.70	5.75
5-6..	5.60	6.20	6.10	4-6..	5.35	5.85	5.95
6-0..	6.00	6.40	6.25	5-0..	5.80	6.15	6.15
2-4x4-0..	4.70	5.65	5.70	5-6..	6.30	6.35	6.30
4-6..	5.15	5.80	5.90	6-0..	6.75	6.60	6.50
5-0..	5.60	6.10	6.05				

Above lists are based on lugs extending not over $3\frac{1}{2}$ " over door height at top and bottom.

Height of doors with extended lug stiles is taken from top of top rail to bottom of bottom rail.

Extras for Door N. D. 726

For higher than listed sizes, add for each 6" higher or fraction thereof 60c List.

For shorter than listed sizes, deduct for each 6" shorter or fraction thereof 30c List.

For wider than listed sizes, add for each 2" wider or fraction thereof 25c List.

For doors $1\frac{3}{8}$ " thick add 10%

For doors $1\frac{3}{4}$ " thick, add 35%

For stiles, rails or mullions wider than standard layouts shown, add as per Rule 5.

Extras for Doors N. D. 727 and N. D. 728

For higher than listed sizes, add for each 6" higher or fraction thereof 25c list.

For shorter than listed sizes, deduct for each 6" shorter or fraction thereof 20c list.

For wider than listed sizes, add for each 2" wider or fraction thereof 5c list.


For doors $1\frac{3}{8}$ " thick, add 10%

For doors $1\frac{3}{4}$ " thick, add 35%


For stiles, rails or mullions wider than standard layouts shown, add as per Rule 5.

If lugs are omitted, deduct for each pair omitted 30c List


Single Blind Doors



N. D. 729



N. D. 730



N. D. 731

N. D. 729—Stiles, Top and Cross Rails not over $4\frac{3}{4}$ " wide overall. Bottom Rail not over 8" wide overall. Mullion not over $2\frac{1}{2}$ " wide overall. Raised Panels 2 sides. Stationary Slats. Square Sticking.

N. D. 730—Stiles, Top and Cross Rails not over $4\frac{3}{4}$ " wide overall. Bottom Rail not over 8" wide overall. Stationary Slats. Square Sticking.

N. D. 731—Stiles and Top Rail not over $4\frac{3}{4}$ " wide overall. Cross Rail not over $5\frac{7}{8}$ " wide overall. Bottom Rail not over 8" wide overall. Mullion not over $2\frac{1}{2}$ " wide overall. Stationary Slats. Square Sticking.

Size of Door	N. D. 729 List $1\frac{1}{8}$ " Thick	N. D. 730 List $1\frac{1}{8}$ " Thick	N. D. 731 List $1\frac{1}{8}$ " Thick	Size of Door	N. D. 729 List $1\frac{1}{8}$ " Thick	N. D. 730 List $1\frac{1}{8}$ " Thick	N. D. 731 List $1\frac{1}{8}$ " Thick
2-0x4-6..	\$6.20	\$5.10	\$6.00	2- 8x6- 0	\$7.35	\$6.10	\$7.10
5-0..	6.40	5.30	6.20	6- 6	7.60	6.30	7.35
5-6..	6.70	5.50	6.50	6- 8	7.70	6.40	7.45
6-0..	6.90	5.75	6.70	7- 0	8.25	6.85	8.00
2-4x4-6..	6.45	5.30	6.15	2-10x6- 0	7.50	6.20	7.20
5-0..	6.65	5.50	6.40	6- 6	7.75	6.40	7.45
5-6..	6.90	5.70	6.65	6- 8	7.80	6.50	7.55
6-0..	7.15	5.90	6.90	6-10	8.30	6.90	8.00
2-6x4-6..	6.55	5.35	6.25	7- 0	8.40	6.95	8.10
5-0..	6.75	5.60	6.50	3- 0x6- 0	7.65	6.30	7.30
5-6..	7.05	5.80	6.75	6- 6	7.85	6.50	7.55
6-0..	7.25	6.00	7.00	6- 8	7.95	6.60	7.65
6-6..	7.50	6.20	7.25	7- 0	8.50	7.05	8.20
6-8..	7.55	6.30	7.35				

Extras for Above Designs of Doors

For higher than listed sizes, add for each 6" higher or fraction thereof list..	\$0.25
For wider than listed sizes, add for each 2" wider or fraction thereof list...	.10
For doors $1\frac{3}{8}$ " thick, add.....	10%
For doors $1\frac{1}{4}$ " thick, add.....	35%
If door N. D. 731 is made with $4\frac{3}{4}$ " stiles, top and cross rails, 8" bottom rail, $2\frac{1}{2}$ " mullions, overall measurements, use list of N. D. 731 of size wanted, and deduct list.....	.05
For stiles, rails or mullions wider than standard layouts shown, add as per Rule 5.	

Extras,
Pine
Doors
147

Combination
Doors and
Extras
161

Window
Screens
183

Veneered
Door Lists
and Extras
197

Flush Door
Lists and
Extras
223

New England Door Basis

These additions are to be made to the full door list, no deduction for beads from the base list, as this deduction is taken care of in providing the extra.

	Pattern	New England Doors	1½' or 1¾' List
N. D. 651	B	Raised Mould 1/S, Flush Mould 1/S Flat Panels not over ⅝" thick, with 4¾" wide mullions overall. Use list of N. D. 549 of size wanted and add per door If Mullions are not over 3½" wide overall.....	\$ 6.15 6.00
		Flush Mould 2/S Raised Panels 1/S Flat Panels 1/S, Panels not over ¾" thick, 4¾" mullions overall. Use list of N. D. 549 of size wanted, and add per door. If Mullions are not over 3½" wide overall.....	6.45 6.30
N. D. 652	DD	Flush Mould 2/S Raised Panels 1/S, Flat Panels 1/S, Panels not over ¾" thick. Use list of N. D. 530 of size wanted, and add per door	4.95
		Flush Mould 2/S, Flat Panels 2/S, Panels not over ⅝" thick. Use list of N. D. 530 of size wanted, and add per door	4.35
N. D. 653	G	Flush Mould 2/S, Raised Panels 1/S, Flat Panels 1/S, Panels not over ¾" thick, 9 lights, mould around panels only. Use list of N. D. 591 of size wanted, and add per door	12.20
N. D. 654	H	4 Panels Colonial and 11 lights, Circle Top light, 5" face stile, 9" Bottom Rail, Flush Mould 2/S, Raised Panels 1/S, Flat Panels 1/S, Panels not over ¾" thick. Mould around panels only. Use list of N. D. 600 of size wanted, and add per door	15.65
N. D. 655	I	Raised Mould 1/S, Flush Mould 1/S, Flat Panels 2/S, Panel not over ⅝" thick. Use list of N. D. 507 of size wanted, and add per door	3.55
N. D. 656	J	Raised Mould 1/S, Flush Mould 1/S, Flat Panels 2/S, Panels not over ⅝" thick. Use list of N. D. 567 of size wanted, and add per door	4.50
		Flush Mould 2/S, Flat Panels 2/S, Panels not over ⅝" thick. Use list of N. D. 567 of size wanted, and add per door	3.95
N. D. 657	K	Use list of N. D. 517, Panels not over ⅝" thick. If Panels are ¾" thick, add per door.....	No extra .40
N. D. 658	L	Flush Mould and Flat Panels 2/S, Panels not over ⅝" thick, 4 lights, no beads for glass. Mould around panels only. Use list of N. D. 560 of size wanted, and add per door	1.30
		Flush Mould and Flat Panels 2/S, Panels not over ⅝" thick, 4 lights, with beads for glass. Mould around panels only. Use list of N. D. 560 of size wanted, and add per door	1.70
N. D. 659	L	Flush Mould and Flat Panels 2/S, Panels not over ⅝" thick, 9 lights, no beads for glass. Mould around panels only. Use list of N. D. 562 of size wanted, and add per door	1.05

New England Door Basis—Continued

	Pattern	New England Doors	1 3/8" or 1 3/4" List
N. D. 659	L	Flush Mould and Flat Panels 2/S, Panels not over 9/16" thick, 9 lights, with beads for glass. Mould around panels only.	
	<i>Continued</i>	Use list of N. D. 562 of size wanted, and add per door	\$ 1.70
N. D. 660	M	Flush Mould and Flat Panels 2/S, Panels not over 9/16" thick.	
		Use list of N. D. 549 of size wanted, and add per door	4.90
N. D. 661	P	Raised Mould 1/S, Flush Mould 1/S, Flat Panels 2/S, Panels not over 9/16" thick, 8 lights with beads for glass. Moulding around panels only.	
		Use list of N. D. 595 of size wanted, and add per door	2.85
		Raised Mould and Raised Panels 1/S, Flush Mould and Flat Panels 1/S, Panels not over 3/4" thick, 8 lights with beads for glass. Moulding around panels only. Use list of N. D. 595 of size wanted, and add per door.	3.70
N. D. 662	R	Cove and Bead Sticking and Flat Panels 2/S, Panels not over 9/16" thick.	
		Use list of N. D. 594 of size wanted, and add per door	.25
		Flush Mould and Flat Panels 2/S, Panels not over 9/16" thick, Moulding around panels only.	
		Use list of N. D. 594 of size wanted, and add per door	4.50
N. D. 663	S-1	Plain Raised Mould 1/S, Plain Flush Mould 1/S, Panel not over 9/16" thick, Dentil Stool.	
		Use list of N. D. 500 of size wanted, and add per door	4.65
N. D. 664	V-1	Plain Raised Mould 1/S, Plain Flush Mould 1/S, Dentil Stool.	
		Use list of N. D. 635 of size wanted, and add per door	3.70
N. D. 665	W	Flush Mould 2/S, Flat Panel 2/S, Panel not over 9/16" thick, 9 lights, no beads for glass, Moulding around panel only.	
		Use list of N. D. 511 of size wanted, and add per door	.50
		Flush Mould and Flat Panel 2/S, Panel not over 9/16" thick, 9 lights, with beads for glass, Moulding around panel only.	
		Use list of N. D. 511 of size wanted, and add per door	1.20
N. D. 666	X	Flush Mould and Flat Panel 2/S, Panel not over 9/16" thick, 12 lights, no beads for glass, Moulding around panel only.	
		Use list of N. D. 512 of size wanted, and add per door	.30
		Flush Mould and Flat Panel 2/S, Panel not over 9/16" thick, 12 lights, with beads for glass, Moulding around panel only.	
		Use list of N. D. 512 of size wanted, and add per door	1.20
N. D. 667	Y-1	Plain Raised Mould 1/S, Plain Flush Mould 1/S, Flat Panel 2/S, Dentil Stool.	
		Use list of N. D. 500 of size wanted, and add per door	10.15
N. D. 668	Z-1	Plain Raised Mould 1/S, Plain Flush Mould 1/S, Use list of N. D. 635 of size wanted, and add per door	10.05

Extras,
Pine
Doors
147

Combination
Doors and
Extras
161

Window
Screens
183

Veneered
Door Lists
and Extras
197

Flush Door
Lists and
Extras
223

New England Door Basis—Continued

Pattern	New England Doors	1½" or 1¼" List
N. D. 669 No. 100	Flush Mould 2/S, Raised Panel 1/S, Flat Panel 1/S, no stool. Use list of N. D. 502 of size wanted, and add per door	6.65
	4 Panels Flush Mould and Flat Panels 2/S, Use Standard Panel Door List of size wanted, and add per door.....	\$4.00
	See note, page 87.	
	5X Panels, Flush Mould and Flat Panels 2/S. Use Standard Panel Door List of size wanted, and add per door.....	4.70
	See note, page 87.	
	6 Panels, Colonial, Ovolo Sticking, Panels ¾" thick, Raised 1/S. Use the 6 panel list of the size wanted, and add per door.....	1.05
	See note, page 89.	
	6 Panels, Colonial, Flush Mould and Flat Panels 1/S, Flush Mould and Raised Panels 1/S, Panels not over ¾" thick. Use the 6 Panel List of the size wanted, and add per door.....	6.30
	6 Panels, Colonial, Flush Mould and Flat Panels 1/S, Raised Mould and Raised Panels 1/S, Panels not over ¾" thick. Use the 6 Panel List of the size wanted, and add per door.....	7.05
	6 Panels, Colonial, Flush Mould and Flat Panels 2/S, Panels not over ⅞" thick. Use the 6 Panel List of the size wanted, and add per door.....	5.25
	See note, page 89.	
N. D. 670 U-130	4 Panels and 1 Circle Head Light, divided 4 lights, C and B Sticking, Raised Panels 2/S, Panels not over ⅞" thick. Use list of N. D. 600 of size wanted.	
	4 Panels and 1 Circle Head Light, divided 4 lights, Raised Mould 1/S around panels only, C and B Sticking 1/S, Raised Panels 2/S, not over ⅞" thick. Use list of N. D. 600 of size wanted, and add per door	2.20
	4 Panels and 1 Circle Head Light, divided 4 lights, Flush Mould 1/S, around panels only, C and B Sticking 1/S, Raised Panels 2/S, not over ⅞" thick. Use list of N. D. 600 of size wanted, and add per door	1.90
	4 Panels and 1 Circle Head Light, divided 4 lights, Flush Mould 1/S, Raised Mould 1/S, Flat Panels 2/S, Panels not over ⅞" thick. Moulding around panels only. Use list of N. D. 600 of size wanted, and add per door	3.70
	If Panels in U-130 are wanted ¾" thick, add an additional extra of.....	.50
	Oval. Insert as in Y-1, add to similar 1 light door	6.00
	Oval. Insert as in Z-1, add to similar 1 light door	6.30

Panel and Sash Door Extras

These extras are intended to enable the forming of a complete list on all designs and sizes not regularly listed.
For intermediate sizes, use list of the next larger listed size.
For doors narrower than listed sizes, use list of narrowest door of same height, and deduct therefrom for each 2" or fraction narrower..... 10c List

Rule 1 Larger Than Listed Sizes

- (A)—Wider than listed sizes, use widest list shown for same height, and add for each additional 2" or fraction thereof. 5%
(B)—Higher than listed sizes, use list of highest listed size of same width, and add for each additional 4" or fraction thereof..... 5%
NOTE—Apply width and height percentages separately, by basing second computation on the list plus first computation
EXAMPLE—You want a list on a 5X panel door, 3-6x8-6 1 3/8". Take the list of a 3-4x-8-0 1 3/8" of \$11.30 and add 5% for extra width or 57c, equals \$11.87. Then add 10% for extra height, or \$1.19, making a total list of \$13.06.
(C)—Single doors made to represent pairs, use twice the list of a door one-half the width, (and if larger than listed size, add as per sections A and B of this rule) and then add. \$3.50 List

Rule 2 Sash Doors
(With Altered Glass Height or Divided Panels)

- (A)—For shortening or lengthening glass in doors that are listed, thus increasing or decreasing the height of panels, add or deduct for each one inch or fraction thereof..... 3c List
(B)—Full length panels when cut up into small panels, add to the list of a door of similar layout with full length panels, for each additional muntin or cross rail not over 3 1/2" wide overall and not over 1-0 long.... 10c List
Over 1-0 in length add to the above for each additional 6" longer, per each additional muntin or cross rail..... 2 1/2c List
Wider than 3 1/2", add as per Rule 5, Section B. 12 1/2c List 4c List

Rule 3 Sash Doors Not Illustrated

- (A)—To make list for open sash doors, with panels and one light, not otherwise listed or provided for.
Use the list of N. D. 620 or 635 depending on layout desired, of the size wanted, and deduct for glass beads, and proceed as follows:

Cross Rails and Mullions

- (B)—For each cross rail and mullion 2'5" and under in length, not over 4 3/4" wide overall, add..... 35c List 50c List
Longer than 2'5" and not longer than 2'11", add..... 47c List 65c List
Longer than 2'11" and not longer than 3'5", add..... 55c List 80c List
Longer than 3'5" and not longer than 3'11", add..... 71c List 95c List
Longer than 3'11", for each 6" longer or fraction thereof, add to the 3'11" list..... 20c List 30c List
For beads, add per lineal foot around glass opening..... 3 1/2c List 3 1/2c List
For wider stiles, cross rails, mullions or bottom rail, use Rule 5, Sections A, B and C.

Extras,
Pine
Doors
147

Combination
Doors and
Extras
161

Window
Screens
183

Veneered
Door Lists
and Extras
197

Flush Door
Lists and
Extras
223

Panel and Sash Door Extras—Continued

Panels, Solid Raised or Solid Flat Not Over $\frac{9}{16}$ " Thick.

Rule 3 Laminated Flat Panels Not Over $\frac{5}{16}$ " Thick.

(C)—For each panel 2'5" and under in length, not over 8 $\frac{1}{2}$ " wide, add	35c List
Longer than 2'5" and not longer than 2'11" not over 8 $\frac{1}{2}$ " wide, add	47c List
Longer than 2'11" and not longer than 3'5" not over 8 $\frac{1}{2}$ " wide, add	51c List
Longer than 3'5" and not longer than 3'11" not over 8 $\frac{1}{2}$ " wide, add	71c List
Longer than 3'11" and not over 8 $\frac{1}{2}$ " wide, for each 6" longer or fraction thereof, add to the 3'11" list.	16c List
For each panel 2'5" and under in length over 8 $\frac{1}{2}$ " wide, and up to and including 11 $\frac{3}{4}$ " wide, add.	45c List
Longer than 2'5" and not longer than 2'11" and not over 11 $\frac{3}{4}$ " wide, add.	62c List
Longer than 2'11" and not longer than 3'5", and not over 11 $\frac{3}{4}$ " wide, add.	65c List
Longer than 3'5" and not longer than 3'11", and not over 11 $\frac{3}{4}$ " wide, add.	96c List
Longer than 3'11", and not over 11 $\frac{3}{4}$ " wide, for each 6" or fraction thereof, add to the 3'11" list.	20c List
For solid softwood panels wider than 11 $\frac{3}{4}$ ", use Rule 5 Section D	
For solid softwood panels, thicker than $\frac{9}{16}$ ", use Rule 8, Section B.	
For Laminated Raised Panels or Flat Panels thicker than $\frac{5}{16}$ ", see Rule 8, Sections E-F-G.	

Rule 4 Thick Doors

(A)—Doors thicker than 1 $\frac{3}{4}$ ", up to and including 2 $\frac{1}{4}$ " (single or double thick), not splined, screwed or plugged, add to the list of 1 $\frac{3}{4}$ " thick door of same size.	65%
(B)—Doors thicker than 2 $\frac{1}{4}$ ", up to and including 2 $\frac{3}{4}$ " (single or double thick), not splined, screwed or plugged, add to the list of a 1 $\frac{3}{4}$ " thick door of same size.	100%
(C)—If double thick doors are splined, 2 splines to a stile, add in addition to Sections A or B of this rule.	\$ 2.25 List
If double thick doors are screwed and plugged, add in addition to Sections A or B of this rule.	12.50 List
(D)—Panels not over 1 $\frac{1}{8}$ " thick permitted in 2 $\frac{1}{4}$ " and 2 $\frac{1}{2}$ " doors without extra charge. For thicker panels, see Rule 8.	

Rule 5 Wide Stiles, Rails, Munts and Panels

	1 $\frac{3}{8}$ "	1 $\frac{3}{4}$ "
(A)—For stiles including top rail, wider than layouts shown, add for each additional $\frac{1}{4}$ " wider or fraction thereof.	16c List	25c List
(B)—Top, cross, lock or bottom rails, wider than layouts shown, and not wider than 10", add for each additional $\frac{1}{4}$ " wider or fraction thereof.	4c List	6c List
Over 10" wide and up to and including 11 $\frac{3}{4}$ ", add for each additional $\frac{1}{4}$ " or fraction thereof.	5c List	7 $\frac{1}{2}$ c List
Wide rails over 11 $\frac{3}{4}$ ", add for each additional $\frac{1}{4}$ " or fraction thereof.	7 $\frac{1}{2}$ c List	10c List
(C)—For mullions wider than layouts shown, add for each additional $\frac{1}{4}$ " wider or fraction thereof. For lengths not over 1'11".	2c List	2 $\frac{1}{2}$ c List
For lengths over 1'11" to 3'11".	5 $\frac{1}{2}$ c List	8c List
For lengths over 3'11" to 5'11".	8c List	12c List
(D)—Solid softwood panels (not otherwise specified) wider than 11 $\frac{3}{4}$ ", add extra for each one inch or fraction thereof wider.	7 $\frac{1}{2}$ c List	7 $\frac{1}{2}$ c List

Panel and Sash Door Extras—Continued

Rule 6 Standard Arrangement of Raised Panel Doors

- (A)—4 regular and 5 regular panel doors when over 3'0" and not wider than 4'2" will be made 3 upright panels wide.
 Over 4'2" and not wider than 5'6" will be made 4 upright panels wide.
 Over 5'6" and not wider than 6'8" will be made 5 upright panels wide.
 Over 6'8" and not wider than 8'0" will be made 6 upright panels wide.
- (B)—Cross panel doors, up to and including 7'2" high, will be made 5 panels high.
 Over 7'2" and not higher than 8'6", will be made 6 panels high.
 Over 8'6" and not higher than 9'10" will be made 7 panels high.
- (C)—For a less number of panels than shown above, (making wider panels necessary) add extra per Rule 5, Section D.
- (D)—For a greater number of panels than provided, for 4 regular, 5 regular and 5 cross panel doors, add for each additional panel. . . **45c List**
 This includes only the 3 designs of doors mentioned above.
- (E)—For other types of doors containing 6 or 8 or more panels, see page 89.

Rule 7 Divided Lights

In doors not listed or otherwise provided for, and special designs.

- | | | |
|--|---------------|---------------|
| (A)—Rectangular lights (not marginal) including beads for glass, add as follows: | <u>1 3/8"</u> | <u>1 3/4"</u> |
| Up to and including lights 16" high, add per light. | 30c List | 35c List |
| Over 16", up to and including 30" high, add per light. | 35c List | 40c List |
| Over 30", up to and including 50" high, add per light. | 45c List | 50c List |
| Over 50", add per light. | 75c List | 85c List |
| (B)—Marginal lights, add to the rectangular light basis, per light. | 2c List | 2 1/2c List |
| (C)—Diamond, triangular or irregular shaped lights, if formed by straight bars, add per light. | 90c List | \$1.00 List |
| (D)—Diamond lights, entirely suspended by bars, add per light. | \$5.00 List | 5.20 List |
| And for surrounding lights, add per the rectangular light basis per Section A of this rule. | | |
| (E)—Circular or oval lights, entirely suspended by bars, add per light. | 6.60 List | 7.05 List |
| And for surrounding lights, add per the rectangular light basis, per Section A of this rule. | | |
| (F)—Serpentine lights, add per full length bar, for each bar. | 6.00 List | 6.45 List |
| And for the other lights, add per light, per Section C of this rule. | | |

Combination
Doors and
Extras
161

Window
Screens
183

Veneered
Door Lists
and Extras
197

Flush Door
Lists and
Extras
223

Panel and Sash Door Extras—Continued

Rule 7 (Continued)	1½"	1¾"
(G)—Half circle lights, add per bar And for the lights formed by circle and straight bar, add per Section C of this rule.	\$3.00 List	\$3.25 List
(H)—Segment lights, add per bar	1.50 List	1.60 List
(I)—For lights similar to lights in doors N. D. 606 and 607 (scalloped lights) add to the rec- tangular light basis, per light	2.15 List	2.20 List
(J)—For lights with "Sunken Bars", add to the basic price, per light15 List	.15 List
(K)—For lights with "Bars Coped to Nailed in moulding," add to the basic price per light If bars are "Sunken Face" add also the "Sunken Bar" extra, per Section J of Rule 7.	.20 List	.20 List
(L)—Oval or circle lights cut in panels, add per light	4.50 List	\$4.50 List
(M)—Rectangular lights cut in panels, add per light	1.50 List	1.50 List
(N)—Diamond lights cut in panels, add per light	2.50 List	2.50 List
(O)—For glass beads omitted from rectangular lights, deduct as follows: For rectangular lights up to and including lights 16" high, deduct per light Over 16", and up to and including lights 30" high Over 30", and up to and including lights 50" high Over 50" For glass beads omitted from diamond, triangular and irregular shaped lights, deduct per light08 List .10 List .15 List .20 List .20 List	 .08 List .10 List .15 List .20 List .2; List
(P)—For bars wider than ½" between glass, for each ¼" wider, add per light03 List	.03 List
(Q)—For lights in doors over 1¾" thick, figure the entire door 1¾" thick and then add as per Rule 4, Sections A or B according to the thickness desired.		

Rule 8 Thick Panels

(A)—For solid raised or solid flat panels, thicker than ⅝", add to the list of regular listed panel doors, list extra per door as below, for the desired thickness of panel and design of door, for doors up to and including 3-0x7-0. For doors higher or wider, see Sections B-1, 2 or 3.

	¾" Thick	1½" Thick	1¾" Thick	1¾" Thick
1 Panel	\$2.25	\$3.60	\$4.55	\$7.90
2 Regular Panels	1.65	2.85	3.75	6.20
2 Vertical Panels	1.55	2.60	3.80	6.95
2 Vertical and 1 X Panel	1.60	3.00	3.85	6.50
4 Regular Panels	1.40	2.35	3.70	6.10
5 Regular Panels	1.15	2.15	3.25	5.55
5 Cross Panel85	1.75	2.80	4.70
6 Colonial Panel	1.05	2.05	3.05	4.95
8 Panel80	1.60	2.65	4.20

Panel and Sash Door Extras—Continued

Rule 8 (Continued)

(B-1)—For thick solid raised or solid flat panels in designs of panel or sash doors not shown or otherwise provided for, add to the list of desired door with standard thickness of panels.

For panels up to and including:

LIST PER PANEL

	$\frac{3}{4}"$	$1\frac{1}{2}"$	$1\frac{3}{4}"$	$1\frac{3}{4}"$
12x15.....	\$.12 $\frac{1}{2}$	\$.30	\$.40	\$.60
20.....	.20	.35	.55	.85
30.....	.25	.40	.60	1.05
36.....	.40	.70	1.00	1.70
45.....	.55	1.05	1.35	2.30
60.....	.80	1.30	1.90	3.50
75.....	.90	1.50	2.00	4.00
20x20.....	.50	1.05	1.25	2.00
30.....	.80	1.50	1.85	2.75
36.....	.95	1.75	2.20	3.35
45.....	1.20	1.95	2.50	4.20
60.....	1.50	2.45	3.25	5.60
75.....	2.30	3.60	4.60	8.00
28x20.....	.65	1.35	1.65	2.50
30.....	1.10	1.95	2.45	3.75
36.....	1.30	2.30	2.70	4.50
45.....	1.60	2.60	3.35	5.35
60.....	1.90	3.55	4.50	7.75
75.....	3.15	4.95	6.00	10.05

(B-2)—For each 2" or fraction thereof in width over 28", add to the 28" width for same height. 10%

(B-3)—For each 6" or fraction thereof in height over 75", add to the 75" height of same width. 10%

(C)—For panels 2" or 2 $\frac{1}{4}"$ thick in 2 $\frac{1}{4}"$ or 2 $\frac{1}{2}"$ thick doors, add to the list of desired door with standard thickness panels per square foot of panel surface. \$ 1.40 List

For panels 2 $\frac{1}{2}"$ thick in 2 $\frac{1}{2}"$ thick doors, add to the list of desired door with standard thickness panels per square foot of panel surface. 1.80 List

(D)—For irregular shaped thick panels, add to the price of a regular panel of similar size and thickness. 10.00 List

(E)—For 3 ply laminated raised panels regardless of thickness, add in addition to the above thick panel extras where required, per door 1.50 List

(F)—For 3 ply laminated flat panels over $\frac{5}{16}"$ thick add for each $\frac{1}{4}"$ or fraction in thickness, per door .75 List

(G)—For 5 ply laminated panels double the three ply extras.

Rule 9

Special Raised Panels

(A)—If raise is wider than 2" and not over 3", add per panel.....
 1 Panel. \$0.55 List
 2 or 3 Panel. .40 List
 For more than 3 Panels. .25 List

(B)—When panels are of a different raise on the two sides of a door, add per panel. .60 List

Rule 10

Irregular Shaped Panels

(A)—For rectangular suspended panels, solid stuck and flat panels, (per sketch "X") add to the base list price of a door with an equal number of panels. \$18.00 List

(B)—For diamond shaped suspended panels, solid stuck and flat panels, (per sketch "Y") add to the base list price of a door with an equal number of panels. 24.00 List

(C)—For oval or circle shaped suspended panels, solid stuck and flat panels, (per sketch "Z") add to the base list price of a door with an equal number of panels. 24.00 List

Combination
Doors and
Extras
161

Window
Screens
183


Veneered
Door Lists
and Extras
197

Flush Door
Lists and
Extras
223

Panel and Sash Door Extras—Continued

Rule 10—(Continued)


- (D)—For small sunken triangular panel, in stiles or rails at top of special head doors, add extra for each panel, one side. \$1.50 List
- (E)—For door with diamond shaped panels, solid stuck, (per sketch "ZZ") add to the base list price of a door with an equal number of panels, per panel. 5.50 List



X



Y



Z



ZZ

- (F)—For triangular panels, standard thickness, when set in stiles and rails, add to the base list price of a door with an equal number of panels, per panel. 2.00 List
(This extra covers the diagonal rails)

NOTE:—The extras on the foregoing three types of doors apply where the irregular shaped Panel covers practically the full length of the door within the frame, like the sketches. Where such panels are inserted in either the top or bottom section of a door divided into a greater number of panels; deduct 35% from the three foregoing extras.

- (G)—For flush or raised moulding around panels described in Sections A and B, add to the regular moulding extras for doors with an equal number of panels. 50%
- For flush or raised moulding around panels described in Section C, add to the regular moulding extras for doors with an equal number of panels. 100%
- For doors described in Section E, if flush or raised moulded, add to the regular moulding basis for an equal number of panels, per panel.90 List

Rule 11 Clipped Corner Raised Panels

(Per Sketch A)

- Add per panel (4 corners) two sides. \$2.50 List



A

Rule 12 Blocking In Corner Of Panels

(Per Sketch B)

- Add per panel for blocked in corners two sides. \$5.00 List
- If moulded, add in addition to the foregoing price over the regular Moulded Extra, per panel. 1.50 List



B

Rule 13 Offsetting Corners Of Panels

(Per Sketch C)

- Add for extra width stiles and rails, for the width they are at the widest part, and add extra. \$9.00 List



C

Rule 14 Stiles Different Face Width At Panels Than At Light

- When face width of stiles is different at the light than at the panels, add per door. \$7.00 List

Rule 15 Grooves In Panels

- For V grooves in panels, add for each groove or bead, per side. . . . \$0.15 List

Rule 16 Ceiling Panels

- For vertical ceiling panels use same extras as provided for raised panels of same number and thickness, as shown under Rule 8.
- For thinner than $\frac{3}{4}$ ", use $\frac{3}{4}$ " extra.
- For diagonal ceiling panels, add to the vertical panel basis. 50%

Panel and Sash Door Extras—Continued

Rule 17

Diagonal Braces

(A)—For one diagonal cross brace planted on face of panel, one side, add per panel.....	\$2.50 List
Two sides, add per panel.....	4.50 List
(B)—For two diagonal cross braces planted on face of panel, one side, add per panel.....	4.50 List
Two sides, add per panel.....	8.00 List

Rule 18

Chamfering Stiles and Rails

(A)—Ordinary machine chamfer, one side, add per cut.....	\$0.08 List
(B)—Stop chamfering, one side, add per cut.....	.15 List

Rule 19

Lock Blocks

For lock blocks where required, add.....	\$2.00 List
--	-------------

Rule 20

Wood Louvers

Up to 12" high, add.....	\$2.50 List
For each 6" or fraction thereof, higher than 12", add.....	.65 List
If louver has center vertical mullion, add per mullion.....	.85 List

Rule 21

Moulding Around Panels Or Lights

(A)—Plain flush or raised moulding two sides for panel doors, with or without fillet, add per door as follows:
--

	Flush Mould not over ¾"x1¼"	Raised Mould not over ¾"x1¼"
1 Panel.....	\$2.10 List	\$3.10 List
2 Regular Panel.....	2.70 List	3.50 List
2 Vertical Panel.....	3.20 List	4.15 List
3 Panel.....	3.45 List	4.55 List
4 Panel.....	4.00 List	4.95 List
5 Panel.....	4.70 List	5.70 List
6 Panel.....	5.25 List	6.70 List
8 Panel.....	6.35 List	8.15 List

(B)—Plain flush or raised moulding two sides for the following designs of sash doors, no fillet included, add per door as follows:
--

	Flush Mould not over ¾"x 1¼ around panel and light 2/S	Flush Mould not over ¾"x 1¼ 2/S around panel only	Raised Mould not over ¾"x 1¼ around panel and light 2/S	Raised Mould not over ¾"x 1¼ 2/S around panel only
N. D. 500 and 575.....	\$3.10 List	\$1.35 List	\$3.85 List	\$1.65 List
N. D. 507.....	3.15 List	1.20 List	3.90 List	1.40 List
N. D. 514.....	3.35 List	2.15 List	4.25 List	2.55 List
N. D. 522.....	3.95 List	2.55 List	5.15 List	3.10 List
N. D. 530.....	4.10 List	3.05 List	4.95 List	3.65 List
N. D. 537.....	4.15 List	3.00 List	5.00 List	3.55 List
N. D. 544.....	4.60 List	3.45 List	6.20 List	4.20 List
N. D. 549.....	4.90 List	3.85 List	5.90 List	4.55 List
N. D. 554.....	5.35 List	4.30 List	6.50 List	5.20 List
N. D. 559.....	3.20 List	1.70 List	4.15 List	2.05 List
N. D. 567.....	3.95 List	2.55 List	5.05 List	3.05 List
N. D. 591.....	3.60 List	2.50 List	4.60 List	3.15 List
N. D. 600, 601, 602.....	9.80 List	3.40 List	10.45 List	4.00 List
N. D. 603.....	21.70 List	9.00 List	22.20 List	9.50 List
N. D. 604.....	9.25 List	2.50 List	9.90 List	3.00 List
N. D. 605.....	11.05 List	10.50 List	14.05 List	13.30 List
N. D. 606, 607.....		3.10 List		4.35 List
N. D. 635.....	2.10 List		3.10 List	

Combination
Doors and
Extras
161

Window
Screens
183

Veneered
Door Lists
and Extras
197

Flush Door
Lists and
Extras
223

Panel and Sash Door Extras—Continued

Rule 21—Continued

- (C)—Flush or raised moulding for doors not listed or otherwise provided for, or around extra panels.
 Flush moulding not over $\frac{3}{4}$ " x $1\frac{1}{4}$ " add per lineal foot or fraction thereof around panel or light for each side \$0.09 List
 Raised moulding not over $\frac{3}{4}$ " x $1\frac{3}{4}$ ", add per lineal foot or fraction thereof around panel or light for each side..... .12 List
 For fillet around glass opening, add per lineal foot or fraction thereof around opening..... .03½ List
 For flush moulding one side, raised moulding one side, use average of both extras.
- (D)—Doors solid stuck one side and moulded one side, use one half of the regular flush or raised moulded basis and add..... .20 List
- (E)—For moulding narrower or wider than specified above, add to or deduct from the foregoing for each $\frac{1}{8}$ " or fraction thereof, for one or two panels..... .15 List
 For two vertical or two vertical and one X Panel..... .25 List
 For four or more panels..... .30 List
- (F)—For flush or raised moulding over $\frac{3}{4}$ " thick and up to and including $1\frac{1}{8}$ " thick, to the $\frac{3}{4}$ " thick basis, add..... 50%
 For flush or raised moulding over $1\frac{1}{8}$ " thick and up to and including $1\frac{3}{8}$ " thick, to the $\frac{3}{4}$ " thick basis, add..... 75%
- (G)—For glueing moulding around panels and lights, in addition to the extras for flush and raised moulding, add the following:
 For the first opening, add..... .50 List
 For each additional opening, add..... .25 List

Hip Raised Moulding

- (H)—Use flush moulding basis for same design of door, and size of mould, and add per door..... \$0.30 List

Rule 22

Mirror Doors

For preparing doors for flush mirror including beads.

- (A)—Add to regular panel door list, the following list extras.
- | | |
|----------------------------|-------------|
| 1 Panel Door | \$0.75 List |
| 2 Regular Panel Door..... | 1.75 List |
| 2 Vertical Panel Door..... | 2.50 List |
| 3 and 4 Panel Door | 3.00 List |
| 5 and 6 Panel Door | 3.50 List |
| 8 Panel Door..... | 5.00 List |
| Insert Frame Door | 1.60 List |
- (B)—Moulding planted on face, for mirror, all designs..... 2.00 List
 If shipped loose..... 1.50 List
- (C)—Bars and beads for divided lights, planted on one side of panel doors, add per light..... .60 List
- (D)—Panel mirror back in divided light doors, add extra to sash door list of equal number of lights, per light..... .30 List

Rule 23

Dutch Doors

- (A)—Made with double width lock rail so as to permit cutting through center, but not cut..... \$1.50 List
- (B)—Cut through center rail, not rabbeted..... 2.00 List
- (C)—Cut through center rail, and rabbeted..... 3.50 List
- (D)—Shelf and bracket one side, loose..... 6.00 List
- (E)—Shelf and bracket two sides, loose, add to the one side basis.... 3.00 List

Rule 24

Banding

- Banding sliding doors two sides, add to proper list for such doors, for each lineal foot around opening of each door..... \$0.20 List

Panel and Sash Door Extras—Continued

Rule 25 Rabbeting and Rule Joint

(A)—Rabbeting and beading folding doors including wide stiles for rabbeting, add to list for such doors, per pair.....	\$1.75 List
(B)—Astragal Joint or Rule Joint on stiles add per pair.....	2.00 List
(C)—Doors plain rabbeted, including wide stiles for rabbeting, add to list for such doors per pair.....	1.00 List
(D)—Minimum charge for any one order.....	5.00 List

Rule 26 Segment, Circle and Gothic Top Doors, Etc.

For doors 3'6" wide and under, add per door:

	Square Head Outside Special Inside, List	In and Out, List	Standard Insert Frame Doors In and Out, List	For Flush or Raised Mould- ing bordering on Special Tops, add to 1st or 2nd Column, List
(A)—Segment Top	\$ 4.50	\$ 5.75	\$11.00	\$4.00
(B)—Circle and Elliptic Tops....	9.60	11.00	20.00	6.50
(C)—Gothic and Tudor Tops....	10.40	11.00	20.00	8.00
(D)—Clipped Corner Top	7.20	9.00	13.60	1.60
(E)—Rake Top	4.50	6.50	10.40	1.10
(F)—Peak Top	7.20	10.40	15.00	2.00
(G)—Circle Top glass opening with Panel Corners.....	15.00	6.50
(H)—Shaped Top Rail for one light, (Scroll Light).....	5.50
For head shaped for 3 or 4 lights, follow rule 7, Section 1.				
(I)—For segment, circle or gothic top doors in pairs double the fore- going extras, and deduct.....				20%
(J)—For doors with segment and circle top etc., wider than 3'6", add for each 6" wider.....				10%
Note: For five or more doors of the size and kind, deduct from Rule-26 extras.....				10%

Rule 27 Blind Mortising and Tenoning

Add per rail.....	\$0.25 List
Minimum per door.....	1.00 List
If wedged, add extra per rail.....	.15 List
Minimum per door.....	.50 List

Rule 28 Caps and Sills

	Loose	Put on
(A)—One member plain moulded, not over 1½"x 1¾", add for each.....	\$0.20 List	\$0.30 List
(B)—One member plain moulded, not over 1½"x 1¾", add for each.....	.26 List	.36 List
(C)—One member stool and 3 blocks S4S, add.....	.65 List	1.05 List


Rule 29 Letter Slots

Straight cut, add per opening.....	.45 List
Bevel cut, add per opening.....	.70 List


Rule 30 Special Sticking

(A)—For any sticking other than standard stock C & B, B & C, Bead, Ovolo, Quarter Round, P. G. or O. G., add per door.....	\$0.30 List
Minimum charge on any one order.....	8.00 List
Maximum charge on any one order.....	15.00 List
(B)—When different sticking is used around the lights than what is used around the panels, add per door.....	.50 List
Minimum charge on any one order.....	13.00
Maximum charge on any one order.....	25.00

Garage Doors




N. D. 718




N. D. 719

Prices quoted on application.

Garage Doors



N. D. 720



N. D. 721

Prices quoted on application.


Combination
Doors and
Extras
161

Window
Screens
183


Veneered
Door Lists
and Extras
197

Flush Door
Lists and
Extras
223

Garage Doors




N. D. 722




N. D. 723

Prices quoted on application.

Garage Doors




N. D. 724



N. D. 725

Prices quoted on application.



Combination Door Lists

1 1/8" Thick, Open and Glazed

Stiles, Top and Cross Rails not over 4 3/4" wide overall.

Bottom Rail not over 9 3/4" wide overall.

Sash Section for putty glazing.

Screen Wired, 14 Mesh Galvanized Wire.

Fasteners for sash and screen sections included and installed.

Doors made not more than 1/2" wider and 1" higher than actual door size.

Sash and Screen Sections fitted.

Note: For wire other than shown above including 16-Mesh Bronze and other extras, see page 180. For Glazed Doors use lists shown below.

N. D. 736

Net Size of Door	List Door Section	List Sash Section Open	List Screen Section Not Wired	Total Open List No Wire
2- 6x6- 6.....	\$6.20	\$1.35	\$1.25	\$8.80
6- 8.....	6.25	1.40	1.30	8.95
7- 0.....	6.70	1.50	1.35	9.55
2- 8x6- 8.....	6.40	1.45	1.30	9.15
7- 0.....	6.85	1.50	1.40	9.75
2-10x6- 8.....	6.55	1.50	1.35	9.40
6-10.....	6.95	1.50	1.40	9.85
7- 0.....	7.00	1.55	1.45	10.00
3- 0x6- 8.....	6.65	1.50	1.40	9.55
7- 0.....	7.15	1.55	1.45	10.15

Net Size of Door	List Door Section	List Sash Section Open	List Screen Section Wired 14-Mesh Galv. Wire	Total List Sash Open Screen Section Wired
2- 6x6- 6.....	6.20	1.35	2.05	9.60
6- 8.....	6.25	1.40	2.10	9.75
7- 0.....	6.70	1.50	2.20	10.40
2- 8x6- 8.....	6.40	1.45	2.20	10.05
7- 0.....	6.85	1.50	2.25	10.60
2-10x6- 8.....	6.55	1.50	2.25	10.30
6-10.....	6.95	1.50	2.30	10.75
7- 0.....	7.00	1.55	2.35	10.90
3- 0x6- 8.....	6.65	1.50	2.30	10.45
7- 0.....	7.15	1.55	2.40	11.10

Net Size of Door	List Door Section	List Sash Section Glazed SS Glass	List Screen Section Wired 14-Mesh Galv. Wire	Total List Sash Glazed Screen Section Wired
2- 6x6- 6.....	6.20	2.50	2.05	10.75
6- 8.....	6.25	2.70	2.10	11.05
7- 0.....	6.70	2.80	2.20	11.70
2- 8x6- 8.....	6.40	2.85	2.20	11.45
7- 0.....	6.85	2.90	2.25	12.00
2-10x6- 8.....	6.55	3.00	2.25	11.80
6-10.....	6.95	3.00	2.30	12.25
7- 0.....	7.00	3.05	2.35	12.40
3- 0x6- 8.....	6.65	3.10	2.30	12.05
7- 0.....	7.15	3.15	2.40	12.70

For extras, see page 180.

Combination Door Lists

1 1/8" Thick, Open and Glazed

Stiles, Top and Cross Rails not over 4 3/4" wide overall.

Bottom Rail not over 9 3/4" wide overall.


Sash Section for putty glazing.

Screen Wired, 14 Mesh Galvanized Wire.

Fasteners for sash and screen sections included and installed.

Doors made not more than 1/2" wider and 1" higher than actual door size.

Sash and Screen Sections fitted.



N. D. 737

Note: For wire other than shown above including 16-Mesh Bronze and other extras, see page 180.
For Glazed Doors use lists shown below.

Net Size of Door	List Door Section	List Sash Section Open	List Screen Section Not Wired	Total List Open List No Wire
2- 6x6- 6	\$5.85	\$1.85	\$1.55	\$ 9.25
6- 8	5.95	1.85	1.55	9.35
7- 0	6.50	1.85	1.55	9.90
2- 8x6- 8	6.05	1.90	1.60	9.55
7- 0	6.60	1.90	1.60	10.10
2-10x6- 8	6.10	1.90	1.65	9.65
6-10	6.55	1.90	1.65	10.10
7- 0	6.70	1.90	1.65	10.25
3- 0x6- 8	6.20	1.95	1.65	9.80
7- 0	6.80	1.95	1.65	10.40

Net Size of Door	List Door Section	List Sash Section Open	List Screen Section Wired 14-Mesh Galv. Wire	Total List Sash Open Screen Section Wired
2- 6x6- 6	\$5.85	\$1.85	\$2.55	\$10.25
6- 8	5.95	1.85	2.55	10.35
7- 0	6.50	1.85	2.55	10.90
2- 8x6- 8	6.05	1.90	2.60	10.55
7- 0	6.60	1.90	2.60	11.10
2-10x6- 8	6.10	1.90	2.70	10.70
6-10	6.55	1.90	2.70	11.15
7- 0	6.70	1.90	2.70	11.30
3- 0x6- 8	6.20	1.95	2.80	10.95
7- 0	6.80	1.95	2.80	11.55

Net Size of Door	List Door Section	List Sash Section Glazed SS Glass	List Screen Section Wired 14-Mesh Galv. Wire	Total List Sash Glazed Screen Section Wired
2- 6x6- 6	\$5.85	\$3.65	\$2.55	\$12.05
6- 8	5.95	3.65	2.55	12.15
7- 0	6.50	3.65	2.55	12.70
2- 8x6- 8	6.05	3.90	2.60	12.55
7- 0	6.60	3.90	2.60	13.10
2-10x6- 8	6.10	4.00	2.70	12.80
6-10	6.55	4.00	2.70	13.25
7- 0	6.70	4.00	2.70	13.40
3- 0x6- 8	6.20	4.20	2.80	13.20
7- 0	6.80	4.20	2.80	13.80


For extras, see page 180.

Combination
Doors and
Extras
161

Window
Screens
183

Veneered
Door Lists
and Extras
197

Flush Door
Lists and
Extras
223



N. D. 738

Combination Door Lists

1 $\frac{1}{8}$ " Thick, Open and Glazed

Stiles, Top and Cross Rails not over 4 $\frac{3}{4}$ " wide overall.

Bottom Rail not over 9 $\frac{3}{4}$ " wide overall.

Sash Section for putty glazing.

Screen Wired, 14 Mesh Galvanized Wire.

Fasteners for sash and screen sections included and installed.

Doors made not more than $\frac{1}{2}$ " wider and 1" higher than actual door size.

Sash and Screen Sections fitted.

Note: For wire other than shown above including 16-Mesh Bronze and other extras, see page 180.
For Glazed Doors use lists shown below.

Net Size of Door	List Door Section	List Sash Section Open	List Screen Section Not Wired	Total List Open List No Wire
2- 6x6- 6.....	\$5.85	\$2.10	\$1.55	\$ 9.50
6- 8.....	5.95	2.10	1.55	9.60
7- 0.....	6.50	2.10	1.55	10.15
2- 8x6- 8.....	6.05	2.10	1.60	9.75
7- 0.....	6.60	2.10	1.60	10.30
2-10x6- 8.....	6.10	2.15	1.65	9.90
6-10.....	6.55	2.15	1.65	10.35
7- 0.....	6.70	2.15	1.65	10.50
3- 0x6- 8.....	6.20	2.20	1.65	10.05
7- 0.....	6.80	2.20	1.65	10.65

Net Size of Door	List Door Section	List Sash Section Open	List Screen Section Wired 14-Mesh Galv. Wire	Total List Sash Open Screen Section Wired
2- 6x6- 6.....	\$5.85	\$2.10	\$2.55	\$10.50
6- 8.....	5.95	2.10	2.55	10.60
7- 0.....	6.50	2.10	2.55	11.15
2- 8x6- 8.....	6.05	2.10	2.60	10.75
7- 0.....	6.60	2.10	2.60	11.30
2-10x6- 8.....	6.10	2.15	2.70	10.95
6-10.....	6.55	2.15	2.70	11.40
7- 0.....	6.70	2.15	2.70	11.55
3- 0x6- 8.....	6.20	2.20	2.80	11.20
7- 0.....	6.80	2.20	2.80	11.80

Net Size of Door	List Door Section	List Sash Section Glazed SS Glass	List Screen Section Wired 14-Mesh Galv. Wire	Total List Sash Glazed Screen Section Wired
2- 6x6- 6.....	\$5.85	\$4.65	\$2.55	\$13.05
6- 8.....	5.95	4.65	2.55	13.15
7- 0.....	6.50	4.65	2.55	13.70
2- 8x6- 8.....	6.05	4.95	2.60	13.60
7- 0.....	6.60	4.95	2.60	14.15
2-10x6- 8.....	6.10	5.25	2.70	14.05
6-10.....	6.55	5.25	2.70	14.50
7- 0.....	6.70	5.25	2.70	14.65
3- 0x6- 8.....	6.20	5.30	2.80	14.30
7- 0.....	6.80	5.30	2.80	14.90

For extras, see page 180.

Combination Door Lists

1 1/8" Thick, Open and Glazed

Stiles, Top and Cross Rails not over 4 3/4" wide overall.

Bottom Rail not over 9 3/4" wide overall.

Sash Section for putty glazing.


Screen Wired, 14 Mesh Galvanized Wire.

Fasteners for sash and screen sections included and installed.

Doors made not more than 1 1/2" wider and 1" higher than actual door size.

Sash and Screen Sections fitted.

Note: For wire other than shown above including 16-Mesh Bronze and other extras, see page 180.
For Glazed Doors use lists shown below.




N. D. 739

Net Size of Door	List Door Section	List Sash Section Open	List Screen Section Not Wired	Total Open List No Wire
2- 6x6- 6.....	\$5.85	\$2.15	\$1.55	\$ 9.55
6- 8.....	5.95	2.15	1.55	9.65
7- 0.....	6.50	2.15	1.55	10.20
2- 8x6- 8.....	6.05	2.20	1.60	9.85
7- 0.....	6.60	2.20	1.60	10.40
2-10x6- 8.....	6.10	2.20	1.65	9.95
6-10.....	6.55	2.20	1.65	10.40
7- 0.....	6.70	2.20	1.65	10.55
3- 0x6- 8.....	6.20	2.25	1.65	10.10
7- 0.....	6.80	2.25	1.65	10.70

Net Size of Door	List Door Section	List Sash Section Open	List Screen Section Wired 14-Mesh Galv. Wire	Total List Sash Open Screen Section Wired
2- 6x6- 6.....	\$5.85	\$2.15	\$2.55	\$10.55
6- 8.....	5.95	2.15	2.55	10.65
7- 0.....	6.50	2.15	2.55	11.20
2- 8x6- 8.....	6.05	2.20	2.60	10.85
7- 0.....	6.60	2.20	2.60	11.40
2-10x6- 8.....	6.10	2.20	2.70	11.00
6-10.....	6.55	2.20	2.70	11.45
7- 0.....	6.70	2.20	2.70	11.60
3- 0x6- 8.....	6.20	2.25	2.80	11.25
7- 0.....	6.80	2.25	2.80	11.85

Net Size of Door	List Door Section	List Sash Section Glazed SS Glass	List Screen Section Wired 14-Mesh Galv. Wire	Total List Sash Glazed Screen Section Wired
2- 6x6- 6.....	\$5.85	\$4.30	\$2.55	\$12.70
6- 8.....	5.95	4.30	2.55	12.80
7- 0.....	6.50	4.30	2.55	13.35
2- 8x6- 8.....	6.05	4.75	2.60	13.40
7- 0.....	6.60	4.75	2.60	13.95
2-10x6- 8.....	6.10	4.80	2.70	13.60
6-10.....	6.55	4.80	2.70	14.05
7- 0.....	6.70	4.80	2.70	14.20
3- 0x6- 8.....	6.20	4.85	2.80	13.85
7- 0.....	6.80	4.85	2.80	14.45

For extras, see page 180.



N. D. 740

Combination Door Lists

1 1/8" Thick, Open and Glazed

Stiles, Top and Cross Rails not over 4 3/4" wide overall.

Bottom Rail not over 9 3/4" wide overall.

Sash Section for putty glazing.

Screen Wired, 14 Mesh Galvanized Wire.

Fasteners for sash and screen sections included and installed.

Doors made not more than 1/2" wider and 1" higher than actual door size.

Sash and Screen Sections fitted.

Note: For wire other than shown above including 16-Mesh Bronze and other extras, see page 180.
For Glazed Doors use lists shown below.

Net Size of Door	List Door Section	List Sash Section Open	List Screen Section Not Wired	Total Open List No Wire
2- 6x6- 6.....	\$5.85	\$2.25	\$1.55	\$ 9.65
6- 8.....	5.95	2.25	1.55	9.75
7- 0.....	6.50	2.25	1.55	10.30
2- 8x6- 8.....	6.05	2.30	1.60	9.95
7- 0.....	6.60	2.30	1.60	10.50
2-10x6- 8.....	6.10	2.35	1.65	10.10
6-10.....	6.55	2.35	1.65	10.55
7- 0.....	6.70	2.35	1.65	10.70
3- 0x6- 8.....	6.20	2.40	1.65	10.25
7- 0.....	6.80	2.40	1.65	10.85

Net Size of Door	List Door Section	List Sash Section Open	List Screen Section Wired 14-Mesh Galv. Wire	Total List Sash Open Screen Section Wired
2- 6x6- 6.....	\$5.85	\$2.25	\$2.55	\$10.65
6- 8.....	5.95	2.25	2.55	10.75
7- 0.....	6.50	2.25	2.55	11.30
2- 8x6- 8.....	6.05	2.30	2.60	10.95
7- 0.....	6.60	2.30	2.60	11.50
2-10x6- 8.....	6.10	2.35	2.70	11.15
6-10.....	6.55	2.35	2.70	11.60
7- 0.....	6.70	2.35	2.70	11.75
3- 0x6- 8.....	6.20	2.40	2.80	11.40
7- 0.....	6.80	2.40	2.80	12.00

Net Size of Door	List Door Section	List Sash Section Glazed SS Glass	List Screen Section Wired 14-Mesh Galv. Wire	Total List Sash Glazed Screen Section Wired
2- 6x6- 6.....	\$5.85	\$4.65	\$2.55	\$13.05
6- 8.....	5.95	4.65	2.55	13.15
7- 0.....	6.50	4.65	2.55	13.70
2- 8x6- 8.....	6.05	4.85	2.60	13.50
7- 0.....	6.60	4.85	2.60	14.05
2-10x6- 8.....	6.10	5.00	2.70	13.80
6-10.....	6.55	5.00	2.70	14.25
7- 0.....	6.70	5.00	2.70	14.40
3- 0x6- 8.....	6.20	5.35	2.80	14.35
7- 0.....	6.80	5.35	2.80	14.95

For extras, see page 180.

Combination Door Lists

1 1/8" Thick, Open and Glazed

Stiles, Top and Cross Rails not over 4 3/4" wide overall.

Bottom Rail not over 9 3/4" wide overall.


Sash Section for putty glazing.

Screen Wired, 14-Mesh Galvanized Wire.

Fasteners for sash and screen sections included and installed.

Doors made not more than 1/2" wider and 1" higher than actual door size.

Sash and Screen Sections fitted.



N. D. 741


Note: For wire other than shown above including 16-Mesh Bronze and other extras, see page 180.
For Glazed Doors use lists shown below.

Net Size of Door	List Door Section	List Sash Section Open	List Screen Section Not Wired	Total Open List No Wire
2- 6x6- 6	\$5.85	\$2.20	\$1.55	\$ 9.60
6- 8	5.95	2.20	1.55	9.70
7- 0	6.50	2.20	1.55	10.25
2- 8x6- 8	6.05	2.25	1.60	9.90
7- 0	6.60	2.25	1.60	10.45
2-10x6- 8	6.10	2.30	1.65	10.05
6-10	6.55	2.30	1.65	10.50
7- 0	6.70	2.30	1.65	10.65
3- 0x6- 8	6.20	2.35	1.65	10.20
7- 0	6.80	2.35	1.65	10.80

Net Size of Door	List Door Section	List Sash Section Open	List Screen Section Wired 14-Mesh Galv. Wire	Total List Sash Open Screen Section Wired
2- 6x6- 6	\$5.85	\$2.20	\$2.55	\$10.60
6- 8	5.95	2.20	2.55	10.70
7- 0	6.50	2.20	2.55	11.25
2- 8x6- 8	6.05	2.25	2.60	10.90
7- 0	6.60	2.25	2.60	11.45
2-10x6- 8	6.10	2.30	2.70	11.10
6-10	6.55	2.30	2.70	11.55
7- 0	6.70	2.30	2.70	11.70
3- 0x6- 8	6.20	2.35	2.80	11.35
7- 0	6.80	2.35	2.80	11.95

Net Size of Door	List Door Section	List Sash Section Glazed SS Glass	List Screen Section Wired 14-Mesh Galv. Wire	Total List Sash Glazed Screen Section Wired
2- 6x6- 6	\$5.85	\$4.35	\$2.55	\$12.75
6- 8	5.95	4.35	2.55	12.85
7- 0	6.50	4.35	2.55	13.40
2- 8x6- 8	6.05	4.65	2.60	13.30
7- 0	6.60	4.65	2.60	13.85
2-10x6- 8	6.10	4.75	2.70	13.55
6-10	6.55	4.75	2.70	14.00
7- 0	6.70	4.75	2.70	14.15
3- 0x6- 8	6.20	5.05	2.80	14.05
7- 0	6.80	5.05	2.80	14.65

For extras, see page 180.



N. D. 742

Combination Door Lists

1 1/8" Thick, Open and Glazed

Stiles, Top and Cross Rails not over 4 3/4" wide overall.
 Bottom Rail not over 9 3/4" wide overall.
 Sash Section for putty glazing.
 Screen Wired, 14-Mesh Galvanized Wire.
 Fasteners for sash and screen sections included and installed.
 Doors made not more than 1/2" wider and 1" higher than actual door size.
 Sash and Screen Sections fitted.

Note: For wire other than shown above including 16-Mesh Bronze and other extras, see page 180.
 For Glazed Doors use lists shown below.

Net Size of Door	List Door Section	List Sash Section Open	List Screen Section Not Wired	Total Open List No Wire
2- 6x6- 6	\$5.85	\$2.25	\$1.55	\$ 9.65
6- 8	5.95	2.25	1.55	9.75
7- 0	6.50	2.25	1.55	10.30
2- 8x6- 8	6.05	2.30	1.60	9.95
7- 0	6.60	2.30	1.60	10.50
2-10x6- 8	6.10	2.35	1.65	10.10
6-10	6.55	2.35	1.65	10.55
7- 0	6.70	2.35	1.65	10.70
3- 0x6- 8	6.20	2.40	1.65	10.25
7- 0	6.80	2.40	1.65	10.85

Net Size of Door	List Door Section	List Sash Section Open	List Screen Section Wired 14-Mesh Galv. Wire	Total List Sash Open Screen Section Wired
2- 6x6- 6	\$5.85	\$2.25	\$2.55	\$10.65
6- 8	5.95	2.25	2.55	10.75
7- 0	6.50	2.25	2.55	11.30
2- 8x6- 8	6.05	2.30	2.60	10.95
7- 0	6.60	2.30	2.60	11.50
2-10x6- 8	6.10	2.35	2.70	11.15
6-10	6.55	2.35	2.70	11.60
7- 0	6.70	2.35	2.70	11.75
3- 0x6- 8	6.20	2.40	2.80	11.40
7- 0	6.80	2.40	2.80	12.00

Net Size of Door	List Door Section	List Sash Section Glazed SS Glass	List Screen Section Wired 14-Mesh Galv. Wire	Total List Sash Glazed Screen Section Wired
2- 6x6- 6	\$5.85	\$4.40	\$2.55	\$12.80
6- 8	5.95	4.40	2.55	12.90
7- 0	6.50	4.40	2.55	13.45
2- 8x6- 8	6.05	4.60	2.60	13.25
7- 0	6.60	4.60	2.60	13.80
2-10x6- 8	6.10	4.75	2.70	13.55
6-10	6.55	4.75	2.70	14.00
7- 0	6.70	4.75	2.70	14.15
3- 0x6- 8	6.20	4.95	2.80	13.95
7- 0	6.80	4.95	2.80	14.55

For extras, see page 180.

Combination Door Lists

1½" Thick, Open and Glazed

Stiles, Top and Cross Rails not over 4¾" wide overall.

Bottom Rail not over 9¾" wide overall.

Sash Section for putty glazing.


Screen Wired, 14-Mesh Galvanized Wire.

Fasteners for sash and screen sections included and installed.

Doors made not more than ½" wider and 1" higher than actual door size.

Sash and Screen Sections fitted.

Note: For wire other than shown above including 16-Mesh Bronze and other extras, see page 180.
For Glazed Doors use lists shown below.



N. D. 743

Net Size of Door	List Door Section	List Sash Section Open	List Screen Section Not Wired	Total Open List No Wire
2- 6x6- 6.....	\$5.85	\$2.20	\$1.55	\$ 9.60
6- 8.....	5.95	2.20	1.55	9.70
7- 0.....	6.50	2.20	1.55	10.25
2- 8x6- 8.....	6.05	2.25	1.60	9.90
7- 0.....	6.60	2.25	1.60	10.45
2-10x6- 8.....	6.10	2.35	1.65	10.10
6-10.....	6.55	2.35	1.65	10.55
7- 0.....	6.70	2.35	1.65	10.70
3- 0x6- 8.....	6.20	2.40	1.65	10.25
7- 0.....	6.80	2.40	1.65	10.85

Net Size of Door	List Door Section	List Sash Section Open	List Screen Section Wired 14-Mesh Galv. Wire	Total List Sash Open Screen Section Wired
2- 6x6- 6.....	\$5.85	\$2.20	\$2.55	\$10.60
6- 8.....	5.95	2.20	2.55	10.70
7- 0.....	6.50	2.20	2.55	11.25
2- 8x6- 8.....	6.05	2.25	2.60	10.90
7- 0.....	6.60	2.25	2.60	11.45
2-10x6- 8.....	6.10	2.35	2.70	11.15
6-10.....	6.55	2.35	2.70	11.60
7- 0.....	6.70	2.35	2.70	11.75
3- 0x6- 8.....	6.20	2.40	2.80	11.40
7- 0.....	6.80	2.40	2.80	12.00


Net Size of Door	List Door Section	List Sash Section Glazed SS Glass	List Screen Section Wired 14-Mesh Galv. Wire	Total List Sash Glazed Screen Section Wired
2- 6x6- 6.....	\$5.85	\$3.75	\$2.55	\$12.15
6- 8.....	5.95	3.75	2.55	12.25
7- 0.....	6.50	3.75	2.55	12.80
2- 8x6- 8.....	6.05	3.95	2.60	12.60
7- 0.....	6.60	3.95	2.60	13.15
2-10x6- 8.....	6.10	4.20	2.70	13.00
6-10.....	6.55	4.20	2.70	13.45
7- 0.....	6.70	4.20	2.70	13.60
3- 0x6- 8.....	6.20	4.40	2.80	13.40
7- 0.....	6.80	4.40	2.80	14.00

For extras, see page 180.

Window
Screens
183

Veneered
Door Lists
and Extras
197

Flush Door
Lists and
Extras
223



N. D. 744

Combination Door Lists

1 $\frac{1}{8}$ " Thick, Open and Glazed

Stiles, Top and Cross Rails not over 4 $\frac{3}{4}$ " wide overall.

Bottom Rail not over 9 $\frac{3}{4}$ " wide overall.

Sash Section for putty glazing.

Screen Wired, 14-Mesh Galvanized Wire.

Fasteners for sash and screen sections included and installed.

Doors made not more than $\frac{1}{2}$ " wider and 1" higher than actual door size.

Sash and Screen Sections fitted.

Note: For wire other than shown above including 16-Mesh Bronze and other extras, see page 180. For Glazed Doors use lists shown below.

Net Size of Door	List Door Section	List Sash Section Open	List Screen Section Not Wired	Total Open List No Wire
2- 6x6- 6	\$5.85	\$2.25	\$1.55	\$ 9.65
6- 8	5.95	2.25	1.55	9.75
7- 0	6.50	2.25	1.55	10.30
2- 8x6- 8	6.05	2.30	1.60	9.95
7- 0	6.60	2.30	1.60	10.50
2-10x6- 8	6.10	2.40	1.65	10.15
6-10	6.55	2.40	1.65	10.60
7- 0	6.70	2.40	1.65	10.75
3- 0x6- 8	6.20	2.45	1.65	10.30
7- 0	6.80	2.45	1.65	10.90

Net Size of Door	List Door Section	List Sash Section Open	List Screen Section Wired 14-Mesh Galv. Wire	Total List Sash Open Screen Section Wired
2- 6x6- 6	\$5.85	\$2.25	\$2.55	\$10.65
6- 8	5.95	2.25	2.55	10.75
7- 0	6.50	2.25	2.55	11.30
2- 8x6- 8	6.05	2.30	2.60	10.95
7- 0	6.60	2.30	2.60	11.50
2-10x6- 8	6.10	2.40	2.70	11.20
6-10	6.55	2.40	2.70	11.65
7- 0	6.70	2.40	2.70	11.80
3- 0x6- 8	6.20	2.45	2.80	11.45
7- 0	6.80	2.45	2.80	12.05

Net Size of Door	List Door Section	List Sash Section Glazed SS Glass	List Screen Section Wired 14-Mesh Galv. Wire	Total List Sash Glazed Screen Section Wired
2- 6x6- 6	\$5.85	\$3.95	\$2.55	\$12.35
6- 8	5.95	3.95	2.55	12.45
7- 0	6.50	3.95	2.55	13.00
2- 8x6- 8	6.05	4.15	2.60	12.80
7- 0	6.60	4.15	2.60	13.35
2-10x6- 8	6.10	4.25	2.70	13.05
6-10	6.55	4.25	2.70	13.50
7- 0	6.70	4.25	2.70	13.65
3- 0x6- 8	6.20	4.70	2.80	13.70
7- 0	6.80	4.70	2.80	14.30

For extras, see page 180.

Combination Door Lists

1 1/8" Thick, Open and Glazed

Stiles, Top and Cross Rails not over 4 3/4" wide overall.

Bottom Rail not over 9 3/4" wide overall.


Sash Section for putty glazing.

Screen Wired, 14-Mesh Galvanized Wire.

Fasteners for sash and screen sections included and installed.

Doors made not more than 1/2" wider and 1" higher than actual door size.

Sash and Screen Sections fitted.



N. D. 745

Net Size of Door	List Door Section	List Sash Section Open	List Screen Section Not Wired	Total Open List No Wire
2- 6x6- 6	\$5.85	\$2.65	\$1.55	\$10.05
6- 8	5.95	2.65	1.55	10.15
7- 0	6.50	2.65	1.55	10.70
2- 8x6- 8	6.05	2.70	1.60	10.35
7- 0	6.60	2.70	1.60	10.90
2-10x6- 8	6.10	2.80	1.65	10.55
6-10	6.55	2.80	1.65	11.00
7- 0	6.70	2.80	1.65	11.15
3- 0x6- 8	6.20	2.85	1.65	10.70
7- 0	6.80	2.85	1.65	11.30

Net Size of Door	List Door Section	List Sash Section Open	List Screen Section Wired 14-Mesh Galv. Wire	Total List Sash Open Screen Section Wired
2- 6x6- 6	\$5.85	\$2.65	\$2.55	\$11.05
6- 8	5.95	2.65	2.55	11.15
7- 0	6.50	2.65	2.55	11.70
2- 8x6- 8	6.05	2.70	2.60	11.35
7- 0	6.60	2.70	2.60	11.90
2-10x6- 8	6.10	2.80	2.70	11.60
6-10	6.55	2.80	2.70	12.05
7- 0	6.70	2.80	2.70	12.20
3- 0x6- 8	6.20	2.85	2.80	11.85
7- 0	6.80	2.85	2.80	12.45


Net Size of Door	List Door Section	List Sash Section Glazed SS Glass	List Screen Section Wired 14-Mesh Galv. Wire	Total List Sash Glazed Screen Section Wired
2- 6x6- 6	\$5.85	\$4.60	\$2.55	\$13.00
6- 8	5.95	4.60	2.55	13.10
7- 0	6.50	4.60	2.55	13.65
2- 8x6- 8	6.05	4.85	2.60	13.50
7- 0	6.60	4.85	2.60	14.05
2-10x6- 8	6.10	5.00	2.70	13.80
6-10	6.55	5.00	2.70	14.25
7- 0	6.70	5.00	2.70	14.40
3- 0x6- 8	6.20	5.15	2.80	14.15
7- 0	6.80	5.15	2.80	14.75

For extras, see page 180.

Window
Screens
183

Veneered
Door Lists
and Extras
197

Flush Door
Lists and
Extras
223



N. D. 746

Combination Door Lists

1 1/8" Thick, Open and Glazed

Stiles, Top and Cross Rails not over 4 3/4" wide overall.

Bottom Rail not over 9 3/4" wide overall.

Sash Section for putty glazing.

Screen Wired, 14-Mesh Galvanized Wire.

Fasteners for sash and screen sections included and installed.

Doors made not more than 1/2" wider and 1" higher than actual door size.

Sash and Screen Sections fitted.

Note: For wire other than shown above including 16-Mesh Bronze and other extras, see page 180.
For Glazed Doors use lists shown below.

Net Size of Door	List Door Section	List Sash Section Open	List Screen Section Not Wired	Total Open List No Wire
2- 6x6- 6	\$5.85	\$2.70	\$1.55	\$10.10
6- 8	5.95	2.70	1.55	10.20
7- 0	6.50	2.70	1.55	10.75
2- 8x6- 8	6.05	2.75	1.60	10.40
7- 0	6.60	2.75	1.60	10.95
2-10x6- 8	6.10	2.85	1.65	10.60
6-10	6.55	2.85	1.65	11.05
7- 0	6.70	2.85	1.65	11.20
3- 0x6- 8	6.20	2.90	1.65	10.75
7- 0	6.80	2.90	1.65	11.35

Net Size of Door	List Door Section	List Sash Section Open	List Screen Section Wired 14-Mesh Galv. Wire	Total List Sash Open Screen Section Wired
2- 6x6- 6	\$5.85	\$2.70	\$2.55	\$11.10
6- 8	5.95	2.70	2.55	11.20
7- 0	6.50	2.70	2.55	11.75
2- 8x6- 8	6.05	2.75	2.60	11.40
7- 0	6.60	2.75	2.60	11.95
2-10x6- 8	6.10	2.85	2.70	11.65
6-10	6.55	2.85	2.70	12.10
7- 0	6.70	2.85	2.70	12.25
3- 0x6- 8	6.20	2.90	2.80	11.90
7- 0	6.80	2.90	2.80	12.50

Net Size of Door	List Door Section	List Sash Section Glazed SS Class	List Screen Section Wired 14-Mesh Galv. Wire	Total List Sash Glazed Screen Section Wired
2- 6x6- 6	\$5.85	\$4.75	\$2.55	\$13.15
6- 8	5.95	4.75	2.55	13.25
7- 0	6.50	4.75	2.55	13.80
2- 8x6- 8	6.05	4.85	2.60	13.50
7- 0	6.60	4.85	2.60	14.05
2-10x6- 8	6.10	5.05	2.70	13.85
6-10	6.55	5.05	2.70	14.30
7- 0	6.70	5.05	2.70	14.45
3- 0x6- 8	6.20	5.20	2.80	14.20
7- 0	6.80	5.20	2.80	14.80

For extras, see page 180.

Combination Door Lists

1 1/8" Thick, Open and Glazed

Stiles, Top and Cross Rails not over 4 3/4" wide overall.

Bottom Rail not over 9 3/4" wide overall.

Sash Section for putty glazing.


Screen Wired, 14-Mesh Galvanized Wire.

Fasteners for sash and screen sections included and installed.

Doors made not more than 1/2" wider and 1" higher than actual door size.

Sash and Screen Sections fitted.

Note: For wire other than shown above including 16-Mesh Bronze and other extras, see page 180.
For Glazed Doors use lists shown below.



N. D. 747


Net Size of Door	List Door Section	List Sash Section Open	List Screen Section Not Wired	Total Open List No Wire
2- 6x6- 6.....	\$5.85	\$2.35	\$1.55	\$ 9.75
6- 8.....	5.95	2.35	1.55	9.85
7- 0.....	6.50	2.35	1.55	10.40
2- 8x6- 8.....	6.05	2.40	1.60	10.05
7- 0.....	6.60	2.40	1.60	10.60
2-10x6- 8.....	6.10	2.50	1.65	10.25
6-10.....	6.55	2.50	1.65	10.70
7- 0.....	6.70	2.50	1.65	10.85
3- 0x6- 8.....	6.20	2.60	1.65	10.45
7- 0.....	6.80	2.60	1.65	11.05

Net Size of Door	List Door Section	List Sash Section Open	List Screen Section Wired 14-Mesh Galv. Wire	Total List Sash Open Screen Section Wired
2- 6x6- 6.....	\$5.85	\$2.35	\$2.55	\$10.75
6- 8.....	5.95	2.35	2.55	10.85
7- 0.....	6.50	2.35	2.55	11.40
2- 8x6- 8.....	6.05	2.40	2.60	11.05
7- 0.....	6.60	2.40	2.60	11.60
2-10x6- 8.....	6.10	2.50	2.70	11.30
6-10.....	6.55	2.50	2.70	11.75
7- 0.....	6.70	2.50	2.70	11.90
3- 0x6- 8.....	6.20	2.60	2.80	11.60
7- 0.....	6.80	2.60	2.80	12.20

Net Size of Door	List Door Section	List Sash Section Glazed SS Glass	List Screen Section Wired 14-Mesh Galv. Wire	Total List Sash Glazed Screen Section Wired
2- 6x6- 6.....	\$5.85	\$3.60	\$2.55	\$12.00
6- 8.....	5.95	3.60	2.55	12.10
7- 0.....	6.50	3.60	2.55	12.65
2- 8x6- 8.....	6.05	3.70	2.60	12.35
7- 0.....	6.60	3.70	2.60	12.90
2-10x6- 8.....	6.10	3.95	2.70	12.75
6-10.....	6.55	3.95	2.70	13.20
7- 0.....	6.70	3.95	2.70	13.35
3- 0x6- 8.....	6.20	4.15	2.80	13.15
7- 0.....	6.80	4.15	2.80	13.75

For extras, see page 180.

Window
Screens
183Veneered
Door Lists
and Extras
197Flush Door
Lists and
Extras
223



N. D. 748

Combination Door Lists

1 $\frac{1}{8}$ " Thick, Open and Glazed

Stiles, Top and Cross Rails not over 4 $\frac{3}{4}$ " wide overall.

Bottom Rail not over 9 $\frac{3}{4}$ " wide overall.

Sash Section for putty glazing.

Screen Wired, 14-Mesh Galvanized Wire.

Fasteners for sash and screen sections included and installed.

Doors made not more than $\frac{1}{2}$ " wider and 1" higher than actual door size.

Sash and Screen Sections fitted.

Note: For wire other than shown above including 16-Mesh Bronze and other extras, see page 180. For Glazed Doors use lists shown below.

Net Size of Door	List Door Section	List Sash Section Open	List Screen Section Not Wired	Total Open List No Wire
2- 6x6- 6.....	\$5.85	\$2.55	\$1.55	\$ 9.95
6- 8.....	5.95	2.55	1.55	10.05
7- 0.....	6.50	2.55	1.55	10.60
2- 8x6- 8.....	6.05	2.65	1.60	10.30
7- 0.....	6.60	2.65	1.60	10.85
2-10x6- 8.....	6.10	2.75	1.65	10.50
6-10.....	6.55	2.75	1.65	10.95
7- 0.....	6.70	2.75	1.65	11.10
3- 0x6- 8.....	6.20	2.85	1.65	10.70
7- 0.....	6.80	2.85	1.65	11.30

Net Size of Door	List Door Section	List Sash Section Open	List Screen Section Wired 14-Mesh Galv. Wire	Total List Sash Open Screen Section Wired
2- 6x6- 6.....	\$5.85	\$2.55	\$2.55	\$10.95
6- 8.....	5.95	2.55	2.55	11.05
7- 0.....	6.50	2.55	2.55	11.60
2- 8x6- 8.....	6.05	2.65	2.60	11.30
7- 0.....	6.60	2.65	2.60	11.85
2-10x6- 8.....	6.10	2.75	2.70	11.55
6-10.....	6.55	2.75	2.70	12.00
7- 0.....	6.70	2.75	2.70	12.15
3- 0x6- 8.....	6.20	2.85	2.80	11.85
7- 0.....	6.80	2.85	2.80	12.45

Net Size of Door	List Door Section	List Sash Section Glazed SS Glass	List Screen Section Wired 14-Mesh Galv. Wire	Total List Sash Glazed Screen Section Wire
2- 6x6- 6.....	\$5.85	\$3.85	\$2.55	\$12.25
6- 8.....	5.95	3.85	2.55	12.35
7- 0.....	6.50	3.85	2.55	12.90
2- 8x6- 8.....	6.05	4.05	2.60	12.70
7- 0.....	6.60	4.05	2.60	13.25
2-10x6- 8.....	6.10	4.25	2.70	13.05
6-10.....	6.55	4.25	2.70	13.50
7- 0.....	6.70	4.25	2.70	13.65
3- 0x6- 8.....	6.20	4.45	2.80	13.45
7- 0.....	6.80	4.45	2.80	14.05

For extras, see page 180.

Combination Door Lists

1 1/8" Thick, Open and Glazed

Stiles, Top and Cross Rails not over 4 3/4" wide overall.

Bottom Rail not over 9 3/4" wide overall.


Sash Section for putty glazing.

Screen Wired, 14-Mesh Galvanized Wire.

Fasteners for sash and screen sections included and installed.

Doors made not more than 1/2" wider and 1" higher than actual door size.

Sash and Screen Sections fitted.



N. D. 749

Net Size of Door	List Door Section	List Sash Section Open	List Screen Section Not Wired	Total Open List No Wire
2- 6x6- 6.....	\$5.85	\$2.70	\$1.55	\$10.10
6- 8.....	5.95	2.70	1.55	10.20
7- 0.....	6.50	2.70	1.55	10.75
2- 8x6- 8.....	6.05	2.80	1.60	10.45
7- 0.....	6.60	2.80	1.60	11.00
2-10x6- 8.....	6.10	2.90	1.65	10.65
6-10.....	6.55	2.90	1.65	11.10
7- 0.....	6.70	2.90	1.65	11.25
3- 0x6- 8.....	6.20	2.95	1.65	10.80
7- 0.....	6.80	2.95	1.65	11.40

Net Size of Door	List Door Section	List Sash Section Open	List Screen Section Wired 14-Mesh Galv. Wire	Total List Sash Open Screen Section Wired
2- 6x6- 6.....	\$5.85	\$2.70	\$2.55	\$11.10
6- 8.....	5.95	2.70	2.55	11.20
7- 0.....	6.50	2.70	2.55	11.75
2- 8x6- 8.....	6.05	2.80	2.60	11.45
7- 0.....	6.60	2.80	2.60	12.00
2-10x6- 8.....	6.10	2.90	2.70	11.70
6-10.....	6.55	2.90	2.70	12.15
7- 0.....	6.70	2.90	2.70	12.30
3- 0x6- 8.....	6.20	2.95	2.80	11.95
7- 0.....	6.80	2.95	2.80	12.55


Net Size of Door	List Door Section	List Sash Section Glazed SS Glass	List Screen Section Wired 14-Mesh Galv. Wire	Total List Sash Glazed Screen Section Wire
2- 6x6- 6.....	\$5.85	\$4.15	\$2.55	\$12.55
6- 8.....	5.95	4.15	2.55	12.65
7- 0.....	6.50	4.15	2.55	13.20
2- 8x6- 8.....	6.05	4.35	2.60	13.00
7- 0.....	6.60	4.35	2.60	13.55
2-10x6- 8.....	6.10	4.40	2.70	13.20
6-10.....	6.55	4.40	2.70	13.65
7- 0.....	6.70	4.40	2.70	13.80
3- 0x6- 8.....	6.20	4.75	2.80	13.75
7- 0.....	6.80	4.75	2.80	14.35

For extras, see page 180.

Window
Screens
183

Veneered
Door Lists
and Extras
197

Flush Door
Lists and
Extras
223



N. D. 750

Combination Door Lists

1 1/8" Thick, Open and Glazed

Stiles, Top and Cross Rails not over 4 3/4" wide overall.
 Bottom Rail not over 9 3/4" wide overall.
 Sash Section for putty glazing.
 Screen Wired, 14-Mesh Galvanized Wire.
 Fasteners for sash and screen sections included and installed.
 Doors made not more than 1/2" wider and 1" higher than actual door size.
 Sash and Screen Sections fitted.

Note: For wire other than shown above including 16-Mesh Bronze and other extras, see page 180.
 For Glazed Doors use lists shown below.

Net Size of Door	List Door Section	List Sash Section Open	List Screen Section Not Wired	Total Open List No Wire
2- 6x6- 6	\$5.85	\$2.85	\$1.55	\$10.25
6- 8	5.95	2.85	1.55	10.35
7- 0	6.50	2.85	1.55	10.90
2- 8x6- 8	6.05	2.95	1.60	10.60
7- 0	6.60	2.95	1.60	11.15
2-10x6- 8	6.10	3.05	1.65	10.80
6-10	6.55	3.05	1.65	11.25
7- 0	6.70	3.05	1.65	11.40
3- 0x6- 8	6.20	3.20	1.65	11.05
7- 0	6.80	3.20	1.65	11.65

Net Size of Door	List Door Section	List Sash Section Open	List Screen Section Wired 14-Mesh Galv. Wire	Total List Sash Open Screen Section Wired
2- 6x6- 6	\$5.85	\$2.85	\$2.55	\$11.25
6- 8	5.95	2.85	2.55	11.35
7- 0	6.50	2.85	2.55	11.90
2- 8x6- 8	6.05	2.95	2.60	11.60
7- 0	6.60	2.95	2.60	12.15
2-10x6- 8	6.10	3.05	2.70	11.85
6-10	6.55	3.05	2.70	12.30
7- 0	6.70	3.05	2.70	12.45
3- 0x6- 8	6.20	3.20	2.80	12.20
7- 0	6.80	3.20	2.80	12.80

Net Size of Door	List Door Section	List Sash Section Glazed SS Glass	List Screen Section Wired 14-Mesh Galv. Wire	Total List Sash Glazed Screen Section Wired
2- 6x6- 6	\$5.85	\$3.70	\$2.55	\$12.10
6- 8	5.95	3.70	2.55	12.20
7- 0	6.50	3.70	2.55	12.75
2- 8x6- 8	6.05	3.90	2.60	12.55
7- 0	6.60	3.90	2.60	13.10
2-10x6- 8	6.10	4.05	2.70	12.85
6-10	6.55	4.05	2.70	13.30
7- 0	6.70	4.05	2.70	13.45
3- 0x6- 8	6.20	4.30	2.80	13.30
7- 0	6.80	4.30	2.80	13.90

For extras, see page 180.

Combination Door Lists

1 1/8" Thick, Open and Glazed

Stiles, Top and Cross Rails not over 4 3/4" wide overall.

Bottom Rail not over 9 3/4" wide overall.


Sash Section for putty glazing.

Screen Wired, 14-Mesh Galvanized Wire.

Fasteners for sash and screen sections included and installed.

Doors made not more than 1/2" wider and 1" higher than actual door size.

Sash and Screen Sections fitted.



Note: For wire other than shown above including 16-Mesh Bronze and other extras, see page 180.
For Glazed Doors use lists shown below.


N. D. 751

Net Size of Door	List Door Section	List Sash Section Open	List Screen Section Not Wired	Total Open List No Wire
2- 6x6- 6.....	\$5.85	\$3.00	\$1.55	\$10.40
6- 8.....	5.95	3.00	1.55	10.50
7- 0.....	6.50	3.00	1.55	11.05
2- 8x6- 8.....	6.05	3.15	1.60	10.80
7- 0.....	6.60	3.15	1.60	11.35
2-10x6- 8.....	6.10	3.25	1.65	11.00
6-10.....	6.55	3.25	1.65	11.45
7- 0.....	6.70	3.25	1.65	11.60
3- 0x6- 8.....	6.20	3.40	1.65	11.25
7- 0.....	6.80	3.40	1.65	11.85

Net Size of Door	List Door Section	List Sash Section Open	List Screen Section Wired 14-Mesh Galv. Wire	Total List Sash Open Screen Section Wired
2- 6x6- 6.....	\$5.85	\$3.00	\$2.55	\$11.40
6- 8.....	5.95	3.00	2.55	11.50
7- 0.....	6.50	3.00	2.55	12.05
2- 8x6- 8.....	6.05	3.15	2.60	11.80
7- 0.....	6.60	3.15	2.60	12.35
2-10x6- 8.....	6.10	3.25	2.70	12.05
6-10.....	6.55	3.25	2.70	12.50
7- 0.....	6.70	3.25	2.70	12.65
3- 0x6- 8.....	6.20	3.40	2.80	12.40
7- 0.....	6.80	3.40	2.80	13.00

Net Size of Door	List Door Section	List Sash Section Glazed SS Glass	List Screen Section Wired 14-Mesh Galv. Wire	Total List Sash Glazed Screen Section Wired
2- 6x6- 6.....	\$5.85	\$4.10	\$2.55	\$12.50
6- 8.....	5.95	4.10	2.55	12.60
7- 0.....	6.50	4.10	2.55	13.15
2- 8x6- 8.....	6.05	4.35	2.60	13.00
7- 0.....	6.60	4.35	2.60	13.55
2-10x6- 8.....	6.10	4.55	2.70	13.35
6-10.....	6.55	4.55	2.70	13.80
7- 0.....	6.70	4.55	2.70	13.95
3- 0x6- 8.....	6.20	4.85	2.80	13.85
7- 0.....	6.80	4.85	2.80	14.45

For extras, see page 180.



Combination Door Lists

1 1/8" Thick, Open and Glazed

Stiles, Top and Cross Rails not over 4 3/4" wide overall.

Bottom Rail not over 9 3/4" wide overall.

Sash Section for putty glazing.

Screen Wired, 14-Mesh Galvanized Wire.

Fasteners for sash and screen sections included and installed.

Doors made not more than 1 1/2" wider and 1" higher than actual door size.

Sash and Screen Sections fitted.

Note: For wire other than shown above including 16-Mesh Bronze and other extras, see page 180.
For Glazed Doors use lists shown below.

N. D. 752

Net Size of Door	List Door Section	List Sash Section Open	List Screen Section Not Wired	Total Open List No Wire
2- 6x6- 6	\$5.85	\$3.15	\$1.55	\$10.55
6- 8	5.95	3.15	1.55	10.65
7- 0	6.50	3.15	1.55	11.20
2- 8x6- 8	6.05	3.30	1.60	10.95
7- 0	6.60	3.30	1.60	11.50
2-10x6- 8	6.10	3.40	1.65	11.15
6-10	6.55	3.40	1.65	11.60
7- 0	6.70	3.40	1.65	11.75
3- 0x6- 8	6.20	3.50	1.65	11.35
7- 0	6.80	3.50	1.65	11.95

Net Size of Door	List Door Section	List Sash Section Open	List Screen Section Wired 14-Mesh Galv. Wire	Total List Sash Open Screen Section Wired
2- 6x6- 6	\$5.85	\$3.15	\$2.55	\$11.55
6- 8	5.95	3.15	2.55	11.65
7- 0	6.50	3.15	2.55	12.20
2- 8x6- 8	6.05	3.30	2.60	11.95
7- 0	6.60	3.30	2.60	12.50
2-10x6- 8	6.10	3.40	2.70	12.20
6-10	6.55	3.40	2.70	12.65
7- 0	6.70	3.40	2.70	12.80
3- 0x6- 8	6.20	3.50	2.80	12.50
7- 0	6.80	3.50	2.80	13.10

Net Size of Door	List Door Section	List Sash Section Glazed SS Glass	List Screen Section Wired 14-Mesh Galv. Wire	Total List Sash Glazed Screen Section Wired
2- 6x6- 6	\$5.85	\$4.25	\$2.55	\$12.65
6- 8	5.95	4.25	2.55	12.75
7- 0	6.50	4.25	2.55	13.30
2- 8x6- 8	6.05	4.45	2.60	13.10
7- 0	6.60	4.45	2.60	13.65
2-10x6- 8	6.10	4.65	2.70	13.45
6-10	6.55	4.65	2.70	13.90
7- 0	6.70	4.65	2.70	14.05
3- 0x6- 8	6.20	4.85	2.80	13.85
7- 0	6.80	4.85	2.80	14.45

For extras, see page 180.

Combination Door Lists

1 1/8" Thick, Open and Glazed

Stiles, Top and Cross Rails not over 4 3/4" wide overall.

Bottom Rail not over 9 3/4" wide overall.

Sash Section for putty glazing.


Screen Wired, 14-Mesh Galvanized Wire.

Fasteners for sash and screen sections included and installed.

Doors made not more than 1/2" wider and 1" higher than actual door size.

Sash and Screen Sections fitted.

Note: For wire other than shown above including 16-Mesh Bronze and other extras, see page 180.
For Glazed Doors use lists shown below.



N. D. 753

Net Size of Door	List Door Section	List Sash Section Open	List Screen Section Not Wired	Total List Open No Wire
2- 6x6- 6.....	\$5.85	\$3.25	\$1.55	\$10.65
6- 8.....	5.95	3.25	1.55	10.75
7- 0.....	6.50	3.25	1.55	11.30
2- 8x6- 8.....	6.05	3.40	1.60	11.05
7- 0.....	6.60	3.40	1.60	11.60
2-10x6- 8.....	6.10	3.50	1.65	11.25
6-10.....	6.55	3.50	1.65	11.70
7- 0.....	6.70	3.50	1.65	11.85
3- 0x6- 8.....	6.20	3.60	1.65	11.45
7- 0.....	6.80	3.60	1.65	12.05

Net Size of Door	List Door Section	List Sash Section Open	List Screen Section Wired 14-Mesh Galv. Wire	Total List Sash Open Screen Section Wired
2- 6x6- 6.....	\$5.85	\$3.25	\$2.55	\$11.65
6- 8.....	5.95	3.25	2.55	11.75
7- 0.....	6.50	3.25	2.55	12.30
2- 8x6- 8.....	6.05	3.40	2.60	12.05
7- 0.....	6.60	3.40	2.60	12.60
2-10x6- 8.....	6.10	3.50	2.70	12.30
6-10.....	6.55	3.50	2.70	12.75
7- 0.....	6.70	3.50	2.70	12.90
3- 0x6- 8.....	6.20	3.60	2.80	12.60
7- 0.....	6.80	3.60	2.80	13.20


Net Size of Door	List Door Section	List Sash Section Glazed SS Glass	List Screen Section Wired 14-Mesh Galv. Wire	Total List Sash Glazed Screen Section Wired
2- 6x6- 6.....	\$5.85	\$4.35	\$2.55	\$12.75
6- 8.....	5.95	4.35	2.55	12.85
7- 0.....	6.50	4.35	2.55	13.40
2- 8x6- 8.....	6.05	4.50	2.60	13.15
7- 0.....	6.60	4.50	2.60	13.70
2-10x6- 8.....	6.10	4.75	2.70	13.55
6-10.....	6.55	4.75	2.70	14.00
7- 0.....	6.70	4.75	2.70	14.15
3- 0x6- 8.....	6.20	4.85	2.80	13.85
7- 0.....	6.80	4.85	2.80	14.45

For extras, see page 180.

Window Screens 183

Veneered Door Lists and Extras 197

Flush Door Lists and Extras 223



N. D. 754

Combination Door Lists

1 1/8" Thick, Open and Glazed

Stiles, Top and Cross Rails not over 4 3/4" wide overall.

Bottom Rail not over 9 3/4" wide overall.

Sash Section for putty glazing.

Screen Wired, 14-Mesh Galvanized Wire.

Fasteners for sash and screen sections included and installed.

Doors made not more than 1/2" wider and 1" higher than actual door size.

Sash and Screen Sections fitted.

Note: For wire other than shown above including 16-Mesh Bronze and other extras, see page 180.
For Glazed Doors use lists shown below.

Net Size of Door	List Door Section	List Sash Section Open	List Screen Section Not Wired	Total Open List No Wire
2- 6x6- 6	\$5.85	\$3.40	\$1.55	\$10.80
6- 8	5.95	3.40	1.55	10.90
7- 0	6.50	3.40	1.55	11.45
2- 8x6- 8	6.05	3.50	1.60	11.15
7- 0	6.60	3.50	1.60	11.70
2-10x6- 8	6.10	3.65	1.65	11.40
6-10	6.55	3.65	1.65	11.85
7- 0	6.70	3.65	1.65	12.00
3- 0x6- 8	6.20	3.75	1.65	11.60
7- 0	6.80	3.75	1.65	12.20
Net Size of Door	List Door Section	List Sash Section Open	List Screen Section Wired 14-Mesh Galv. Wire	Total List Sash Open Screen Section Wired
2- 6x6- 6	\$5.85	\$3.40	\$2.55	\$11.80
6- 8	5.95	3.40	2.55	11.90
7- 0	6.50	3.40	2.55	12.45
2- 8x6- 8	6.05	3.50	2.60	12.15
7- 0	6.60	3.50	2.60	12.70
2-10x6- 8	6.10	3.65	2.70	12.45
6-10	6.55	3.65	2.70	12.90
7- 0	6.70	3.65	2.70	13.05
3- 0x6- 8	6.20	3.75	2.80	12.75
7- 0	6.80	3.75	2.80	13.35
Net Size of Door	List Door Section	List Sash Section Glazed SS Glass	List Screen Section Wired 14-Mesh Galv. Wire	Total List Sash Glazed Screen Section Wired
2- 6x6- 6	\$5.85	\$4.60	\$2.55	\$13.00
6- 8	5.95	4.60	2.55	13.10
7- 0	6.50	4.60	2.55	13.65
2- 8x6- 8	6.05	4.75	2.60	13.40
7- 0	6.60	4.75	2.60	13.95
2-10x6- 8	6.10	4.95	2.70	13.75
6-10	6.55	4.95	2.70	14.20
7- 0	6.70	4.95	2.70	14.35
3- 0x6- 8	6.20	5.15	2.80	14.15
7- 0	6.80	5.15	2.80	14.75

For extras, see page 180.

Combination Door Lists

1 1/8" Thick, Open and Glazed

Stiles, Top and Cross Rails not over 4 3/4" wide overall.

Bottom Rail not over 9 3/4" wide overall.


Sash Section for putty glazing.

Screen Wired, 14-Mesh Galvanized Wire.

Fasteners for sash and screen sections included and installed.

Doors made not more than 1/2" wider and 1" higher than actual door size.

Sash and Screen Sections fitted.



N. D. 755

Net Size of Door	List Door Section	List Sash Section Open	List Screen Section Not Wired	Total Open List No Wire
2- 6x6- 6.....	\$5.85	\$1.45	\$1.55	\$ 8.85
6- 8.....	5.95	1.45	1.55	8.95
7- 0.....	6.50	1.45	1.55	9.50
2- 8x6- 8.....	6.05	1.50	1.60	9.15
7- 0.....	6.60	1.50	1.60	9.70
2-10x6- 8.....	6.10	1.55	1.65	9.30
6-10.....	6.55	1.55	1.65	9.75
7- 0.....	6.70	1.55	1.65	9.90
3- 0x6- 8.....	6.20	1.55	1.65	9.40
7- 0.....	6.80	1.55	1.65	10.00

Net Size of Door	List Door Section	List Sash Section Open	List Screen Section Wired 14-Mesh Galv. Wire	Total List Sash Open Screen Section Wired
2- 6x6- 6.....	\$5.85	\$1.45	\$2.55	\$ 9.85
6- 8.....	5.95	1.45	2.55	9.95
7- 0.....	6.50	1.45	2.55	10.50
2- 8x6- 8.....	6.05	1.50	2.60	10.15
7- 0.....	6.60	1.50	2.60	10.70
2-10x6- 8.....	6.10	1.55	2.70	10.35
6-10.....	6.55	1.55	2.70	10.80
7- 0.....	6.70	1.55	2.70	10.95
3- 0x6- 8.....	6.20	1.55	2.80	10.55
7- 0.....	6.80	1.55	2.80	11.15

Net Size of Door	List Door Section	List Sash Section Glazed SS Glass	List Screen Section Wired 14-Mesh Galv. Wire	Total List Sash Glazed Screen Section Wired
2- 6x6- 6.....	\$5.85	\$3.55	\$2.55	\$11.95
6- 8.....	5.95	3.55	2.55	12.05
7- 0.....	6.50	3.55	2.55	12.60
2- 8x6- 8.....	6.05	3.70	2.60	12.35
7- 0.....	6.60	3.70	2.60	12.90
2-10x6- 8.....	6.10	3.90	2.70	12.70
6-10.....	6.55	3.90	2.70	13.15
7- 0.....	6.70	3.90	2.70	13.30
3- 0x6- 8.....	6.20	4.10	2.80	13.10
7- 0.....	6.80	4.10	2.80	13.70

For extras, see page 180.

Rules for Combination Door Extras

The following list extras are intended to enable the building of a list on those sizes and thicknesses not already listed, and providing extras not included in the regular list.

Rule 1—For irregular or intermediate sizes, use list of the next largest listed size.

Rule 2—For wider than listed sizes, use list of a 3-0 door of same height and add for each additional 2" or fraction thereof in width, 20c list to the open list for all sections open, and 30c list for sash section open and screen section wired 14 mesh galvanized wire to the wired list.

Rule 3—For higher than listed sizes, use list of a 7-0 door of same width and add for each additional 2" or fraction thereof in height, 20c list to the open list for all sections open, and 40c list for sash section open and screen section wired 14 mesh galvanized wire to the wired list.

Rule 4—Combination Doors made oversize $\frac{3}{4}$ " or 1" wider, add. 30c List

Rule 5—(A) Doors with stiles and top rail wider than $4\frac{3}{4}$ " overall, for each additional $\frac{1}{4}$ " wider or fraction thereof, add. 30c List

(B) Top and lock rails wider than $4\frac{3}{4}$ " overall and bottom rail wider than $9\frac{3}{4}$ " overall, but not wider than 10", for each additional $\frac{1}{4}$ " wider or fraction thereof, add. 4c List

(C) For bottom rail over 10" wide for each additional $\frac{1}{4}$ " wider or fraction thereof, add. 5c List

Rule 6—For doors $1\frac{3}{8}$ " thick, add to the list of a $1\frac{1}{8}$ " thick door section of same size 20%. Sash and screen sections $1\frac{1}{8}$ " thick.

NOTE—Combination Doors $1\frac{3}{8}$ " thick will always be furnished with sash and screen sections $1\frac{1}{8}$ " thick, unless otherwise ordered.

Rule 7—For doors $1\frac{3}{4}$ " thick, add to the list of a $1\frac{1}{8}$ " thick door section of same size 60%. Sash and screen sections $1\frac{1}{8}$ " thick.

NOTE—Combination Doors $1\frac{3}{4}$ " thick will always be furnished with sash and screen sections $1\frac{1}{8}$ " thick, unless otherwise ordered.

Rule 8—For Sash and screen sections $1\frac{3}{8}$ " thick for $1\frac{3}{8}$ " or $1\frac{3}{4}$ " door section, add to the list of a $1\frac{1}{8}$ " open sash and screen section, screen section not wired, $12\frac{1}{2}\%$.

Rule 9—(A) For 12 mesh black or galvanized wire, deduct. 10c List

(B) For 16 mesh galvanized wire, add. 20c List

(C) For 18 mesh galvanized wire, add. 40c List

(D) For 14 or 16 mesh bronze wire, add. 85c List

(E) For 18 mesh bronze wire, add. \$ 1.25 List

(F) When screen sections are sold separately, the above extras must be added to the screen section list.

Rule 10—(A) Circle Top, add. 19.50 List

(B) Gothic or Semi-Gothic, add. 19.50 List

(C) Segment Head in and out, add. 10.00 List

(D) Peak Head, add. 14.50 List

Rule 11—Finishing combinations with 2 coats of varnish, add per door 3.50 List

Rule 12—For S. D.—736.	\$.90
For S. D.—737.	1.20
For S. D.—738.	1.35
For S. D.—739.	1.80
For S. D.—740.	2.25
For S. D.—741.	1.65
For S. D.—742.	1.80
For S. D.—743.90
For S. D.—744.90
For S. D.—745.	1.65
For S. D.—746.	1.80
For S. D.—747.25
For S. D.—748.60
For S. D.—749.90
For S. D.—750.25
For S. D.—751.45
For S. D.—752.90
For S. D.—753.90
For S. D.—754.	1.35
For S. D.—755.55

Flush Door
Lists and
Extras
223

Standard List of Full Size Window Screens

Two-Light Full Size Window Screens

Frames 1½" Thick - Pine - All "In the White" - Flush Moulding

2-Lt. Glass Size	Screen Size	12 Mesh Black	14 Mesh Galv.	16 Mesh Galv.	14 Mesh Bronze	16 Mesh Bronze	18 Mesh Bronze
10x10	1-2x2- 3⅜.....	\$1.65	\$1.70	\$1.75	\$2.10	\$2.15	\$2.20
12	2- 7⅜.....	1.75	1.80	1.85	2.25	2.30	2.35
14	2-11⅜.....	1.85	1.90	1.95	2.40	2.45	2.50
16	3- 3⅜.....	1.95	2.00	2.05	2.55	2.60	2.65
18	3- 7⅜.....	2.05	2.10	2.15	2.70	2.75	2.80
20	3-11⅜.....	2.10	2.20	2.30	2.85	2.90	2.95
22	4- 3⅜.....	2.20	2.35	2.40	3.00	3.05	3.10
24	4- 7⅜.....	2.30	2.45	2.50	3.20	3.25	3.30
26	4-11⅜.....	2.40	2.55	2.60	3.35	3.40	3.45
28	5- 3⅜.....	2.50	2.65	2.70	3.50	3.55	3.60
30	5- 7⅜.....	2.60	2.75	2.85	3.60	3.70	3.80
32	5-11⅜.....	2.70	2.85	2.95	3.75	3.85	3.95
34	6- 3⅜.....	2.80	2.95	3.05	3.90	4.00	4.10
36	6- 7⅜.....	2.90	3.05	3.15	4.05	4.15	4.25
12x10	1-4x2- 3⅜.....	1.70	1.80	1.85	2.25	2.30	2.35
12	2- 7⅜.....	1.80	1.90	1.95	2.40	2.45	2.50
14	2-11⅜.....	1.90	2.00	2.05	2.55	2.60	2.65
16	3- 3⅜.....	2.00	2.10	2.20	2.75	2.80	2.85
18	3- 7⅜.....	2.10	2.20	2.30	2.90	2.95	3.00
20	3-11⅜.....	2.20	2.35	2.40	3.05	3.10	3.15
22	4- 3⅜.....	2.30	2.45	2.50	3.25	3.30	3.35
24	4- 7⅜.....	2.40	2.55	2.65	3.40	3.45	3.50
26	4-11⅜.....	2.50	2.65	2.75	3.55	3.65	3.75
28	5- 3⅜.....	2.60	2.75	2.85	3.70	3.80	3.90
30	5- 7⅜.....	2.70	2.85	3.00	3.90	4.00	4.10
32	5-11⅜.....	2.80	3.00	3.10	4.05	4.15	4.25
34	6- 3⅜.....	2.90	3.10	3.20	4.25	4.35	4.45
36	6- 7⅜.....	3.00	3.20	3.35	4.35	4.50	4.65
14x10	1-6x2- 3⅜.....	1.80	1.85	1.90	2.40	2.45	2.50
12	2- 7⅜.....	1.90	2.00	2.05	2.55	2.60	2.65
14	2-11⅜.....	2.00	2.10	2.15	2.75	2.80	2.85
16	3- 3⅜.....	2.10	2.20	2.30	2.95	3.00	3.05
18	3- 7⅜.....	2.20	2.35	2.40	3.15	3.20	3.25
20	3-11⅜.....	2.30	2.45	2.55	3.30	3.35	3.40
22	4- 3⅜.....	2.40	2.55	2.65	3.50	3.55	3.60
24	4- 7⅜.....	2.50	2.65	2.75	3.65	3.75	3.85
26	4-11⅜.....	2.60	2.80	2.90	3.85	3.95	4.05
28	5- 3⅜.....	2.70	2.90	3.00	4.00	4.10	4.20
30	5- 7⅜.....	2.80	3.00	3.15	4.20	4.30	4.40
32	5-11⅜.....	2.90	3.10	3.25	4.35	4.50	4.65
34	6- 3⅜.....	3.00	3.25	3.40	4.55	4.70	4.85
36	6- 7⅜.....	3.10	3.35	3.50	4.70	4.85	5.00
16x10	1-8x2- 3⅜.....	1.85	1.95	2.00	2.55	2.60	2.65
12	2- 7⅜.....	1.95	2.05	2.15	2.75	2.80	2.85
14	2-11⅜.....	2.05	2.20	2.25	2.95	3.00	3.05
16	3- 3⅜.....	2.20	2.30	2.40	3.15	3.20	3.25
18	3- 7⅜.....	2.30	2.45	2.50	3.35	3.40	3.45
20	3-11⅜.....	2.40	2.55	2.65	3.50	3.60	3.70

Two-Light Full Size Window Screens (Continued)

Frames 1 1/8" Thick - Pine - All "In the White" Flush Moulding

2-Lt. Glass Size	Screen Size	12 Mesh Black	14 Mesh Galv.	16 Mesh Galv.	14 Mesh Bronze	16 Mesh Bronze	18 Mesh Bronze
16x22	1-8x4- 3 3/8.....	\$2.50	\$2.65	\$2.75	\$3.70	\$3.80	\$3.90
24	4- 7 3/8.....	2.60	2.80	2.90	3.90	4.00	4.10
26	4-11 3/8.....	2.70	2.90	3.05	4.10	4.20	4.30
28	5- 3 3/8.....	2.80	3.05	3.15	4.30	4.40	4.50
30	5- 7 3/8.....	2.90	3.15	3.30	4.45	4.60	4.75
32	5-11 3/8.....	3.00	3.25	3.40	4.65	4.80	4.95
34	6- 3 3/8.....	3.10	3.40	3.55	4.85	5.00	5.15
36	6- 7 3/8.....	3.25	3.50	3.70	5.00	5.20	5.40
18x10	1-10x2- 3 3/8.....	1.95	2.05	2.10	2.70	2.75	2.80
12	2- 7 3/8.....	2.05	2.15	2.20	2.90	2.95	3.00
14	2-11 3/8.....	2.15	2.30	2.35	3.15	3.20	3.25
16	3- 3 3/8.....	2.25	2.40	2.50	3.35	3.40	3.45
18	3- 7 3/8.....	2.35	2.55	2.65	3.50	3.60	3.70
20	3-11 3/8.....	2.45	2.65	2.75	3.75	3.85	3.95
22	4- 3 3/8.....	2.60	2.80	2.90	3.95	4.05	4.15
24	4- 7 3/8.....	2.70	2.90	3.05	4.15	4.25	4.35
26	4-11 3/8.....	2.80	3.05	3.15	4.35	4.50	4.65
28	5- 3 3/8.....	2.90	3.15	3.30	4.55	4.70	4.85
30	5- 7 3/8.....	3.00	3.30	3.45	4.75	4.90	5.05
32	5-11 3/8.....	3.10	3.40	3.60	4.95	5.15	5.35
34	6- 3 3/8.....	3.25	3.55	3.70	5.15	5.35	5.55
36	6- 7 3/8.....	3.35	3.65	3.85	5.35	5.55	5.75
20x10	2-0x2- 3 3/8.....	2.00	2.10	2.15	2.85	2.90	2.95
12	2- 7 3/8.....	2.10	2.25	2.30	3.05	3.10	3.15
14	2-11 3/8.....	2.20	2.35	2.45	3.30	3.35	3.40
16	3- 3 3/8.....	2.35	2.50	2.60	3.50	3.55	3.60
18	3- 7 3/8.....	2.45	2.65	2.75	3.70	3.80	3.90
20	3-11 3/8.....	2.55	2.75	2.90	3.95	4.05	4.15
22	4- 3 3/8.....	2.65	2.90	3.05	4.15	4.25	4.35
24	4- 7 3/8.....	2.80	3.05	3.15	4.35	4.50	4.65
26	4-11 3/8.....	2.90	3.15	3.30	4.60	4.75	4.90
28	5- 3 3/8.....	3.00	3.30	3.45	4.80	4.95	5.10
30	5- 7 3/8.....	3.10	3.45	3.60	5.00	5.20	5.40
32	5-11 3/8.....	3.25	3.55	3.75	5.25	5.45	5.65
34	6- 3 3/8.....	3.35	3.70	3.90	5.45	5.65	5.85
36	6- 7 3/8.....	3.45	3.85	4.05	5.70	5.90	6.10
22x10	2-2x2- 3 3/8.....	2.05	2.20	2.25	3.00	3.05	3.10
12	2- 7 3/8.....	2.20	2.30	2.40	3.25	3.30	3.35
14	2-11 3/8.....	2.30	2.45	2.55	3.50	3.55	3.60
16	3- 3 3/8.....	2.40	2.60	2.70	3.70	3.80	3.90
18	3- 7 3/8.....	2.55	2.75	2.85	3.95	4.05	4.15
20	3-11 3/8.....	2.65	2.85	3.00	4.20	4.30	4.40
22	4- 3 3/8.....	2.75	3.00	3.15	4.40	4.55	4.70
24	4- 7 3/8.....	2.90	3.15	3.30	4.65	4.80	4.95
26	4-11 3/8.....	3.00	3.30	3.45	4.90	5.05	5.20
28	5- 3 3/8.....	3.10	3.40	3.60	5.10	5.30	5.50
30	5- 7 3/8.....	3.25	3.55	3.75	5.35	5.55	5.75
32	5-11 3/8.....	3.35	3.70	3.90	5.60	5.80	6.00
34	6- 3 3/8.....	3.45	3.80	4.05	5.85	6.05	6.25
36	6- 7 3/8.....	3.55	3.95	4.20	6.10	6.30	6.50
24x10	2-4x2- 3 3/8.....	2.15	2.25	2.35	3.15	3.20	3.25
12	2- 7 3/8.....	2.25	2.40	2.50	3.40	3.45	3.50
14	2-11 3/8.....	2.40	2.55	2.65	3.60	3.70	3.80
16	3- 3 3/8.....	2.50	2.70	2.80	3.90	4.00	4.10
18	3- 7 3/8.....	2.60	2.85	2.95	4.15	4.25	4.35

Window
Screens
183

Veneered
Door Lists
and Extras
197

Flush Door
Lists and
Extras
223

Two-Light Full Size Window Screens (Continued)

Frames $1\frac{1}{8}$ " Thick - Pine - All "In the White" Flush Moulding

2-Lt. Glass Size	Screen Size	12 Mesh Black	14 Mesh Galv.	16 Mesh Galv.	14 Mesh Bronze	16 Mesh Bronze	18 Mesh Bronze
24x20	2-4x3- $1\frac{3}{8}$	\$2.75	\$2.95	\$3.10	\$4.35	\$4.50	\$4.65
22	4- $3\frac{3}{8}$	2.85	3.10	3.30	4.65	4.80	4.95
24	4- $7\frac{3}{8}$	2.95	3.25	3.45	4.90	5.05	5.20
26	4- $11\frac{3}{8}$	3.10	3.40	3.60	5.10	5.30	5.50
28	5- $3\frac{3}{8}$	3.20	3.55	3.75	5.40	5.60	5.80
30	5- $7\frac{3}{8}$	3.35	3.65	3.90	5.65	5.85	6.05
32	5- $11\frac{3}{8}$	3.45	3.80	4.05	5.90	6.10	6.30
34	6- $3\frac{3}{8}$	3.55	3.95	4.20	6.20	6.40	6.60
36	6- $7\frac{3}{8}$	3.70	4.10	4.40	6.40	6.65	6.90
26x10	2-6x2- $3\frac{3}{8}$	2.20	2.35	2.40	3.30	3.35	3.40
12	2- $7\frac{3}{8}$	2.35	2.50	2.60	3.50	3.60	3.70
14	2- $11\frac{3}{8}$	2.45	2.65	2.75	3.80	3.90	4.00
16	3- $3\frac{3}{8}$	2.60	2.80	2.90	4.05	4.15	4.25
18	3- $7\frac{3}{8}$	2.70	2.95	3.10	4.35	4.45	4.55
20	3- $11\frac{3}{8}$	2.85	3.10	3.25	4.55	4.70	4.85
22	4- $3\frac{3}{8}$	2.95	3.25	3.40	4.85	5.00	5.15
24	4- $7\frac{3}{8}$	3.10	3.40	3.55	5.10	5.30	5.50
26	4- $11\frac{3}{8}$	3.20	3.50	3.75	5.35	5.55	5.75
28	5- $3\frac{3}{8}$	3.35	3.65	3.90	5.65	5.85	6.05
30	5- $7\frac{3}{8}$	3.45	3.80	4.05	5.90	6.10	6.30
32	5- $11\frac{3}{8}$	3.60	3.95	4.25	6.20	6.40	6.60
34	6- $3\frac{3}{8}$	3.70	4.10	4.40	6.45	6.70	6.95
36	6- $7\frac{3}{8}$	3.85	4.25	4.55	6.75	7.00	7.25
28x10	2-8x2- $3\frac{3}{8}$	2.30	2.45	2.50	3.45	3.50	3.55
12	2- $7\frac{3}{8}$	2.40	2.60	2.65	3.65	3.75	3.85
14	2- $11\frac{3}{8}$	2.55	2.75	2.85	3.95	4.05	4.15
16	3- $3\frac{3}{8}$	2.70	2.90	3.00	4.25	4.35	4.45
18	3- $7\frac{3}{8}$	2.80	3.05	3.20	4.50	4.65	4.80
20	3- $11\frac{3}{8}$	2.95	3.20	3.35	4.80	4.95	5.10
22	4- $3\frac{3}{8}$	3.10	3.35	3.55	5.10	5.25	5.40
24	4- $7\frac{3}{8}$	3.20	3.55	3.70	5.35	5.55	5.75
26	4- $11\frac{3}{8}$	3.35	3.70	3.85	5.65	5.85	6.05
28	5- $3\frac{3}{8}$	3.50	3.85	4.05	5.95	6.15	6.35
30	5- $7\frac{3}{8}$	3.60	4.00	4.20	6.25	6.45	6.65
32	5- $11\frac{3}{8}$	3.75	4.15	4.40	6.50	6.75	7.00
34	6- $3\frac{3}{8}$	3.90	4.30	4.55	6.80	7.05	7.30
36	6- $7\frac{3}{8}$	4.00	4.50	4.75	7.10	7.35	7.60
30x10	2-10x2- $3\frac{3}{8}$	2.35	2.50	2.60	3.55	3.65	3.75
12	2- $7\frac{3}{8}$	2.50	2.65	2.75	3.85	3.95	4.05
14	2- $11\frac{3}{8}$	2.60	2.85	2.95	4.15	4.25	4.35
16	3- $3\frac{3}{8}$	2.75	3.00	3.10	4.40	4.55	4.70
18	3- $7\frac{3}{8}$	2.90	3.15	3.30	4.70	4.85	5.00
20	3- $11\frac{3}{8}$	3.05	3.35	3.50	5.00	5.15	5.30
22	4- $3\frac{3}{8}$	3.15	3.50	3.65	5.30	5.45	5.60
24	4- $7\frac{3}{8}$	3.30	3.65	3.85	5.55	5.75	5.95
26	4- $11\frac{3}{8}$	3.45	3.80	4.00	5.85	6.05	6.25
28	5- $3\frac{3}{8}$	3.60	4.00	4.20	6.20	6.40	6.60
30	5- $7\frac{3}{8}$	3.70	4.15	4.35	6.45	6.70	6.95
32	5- $11\frac{3}{8}$	3.85	4.30	4.55	6.80	7.05	7.30
34	6- $3\frac{3}{8}$	4.00	4.50	4.75	7.10	7.35	7.60
36	6- $7\frac{3}{8}$	4.15	4.65	4.90	7.45	7.70	7.95
32x10	3-0x2- $3\frac{3}{8}$	2.40	2.60	2.65	3.70	3.80	3.90
12	2- $7\frac{3}{8}$	2.55	2.75	2.85	4.00	4.10	4.20
14	2- $11\frac{3}{8}$	2.70	2.95	3.05	4.35	4.45	4.55
16	3- $3\frac{3}{8}$	2.85	3.10	3.25	4.60	4.75	4.90

Two-Light Full Size Window Screens (Continued)

Frames 1 $\frac{1}{8}$ " Thick - Pine - All "In the White" Flush Moulding

2-Lt. Glass Size	Screen Size	12 Mesh Black	14 Mesh Galv.	16 Mesh Galv.	14 Mesh Bronze	16 Mesh Bronze	18 Mesh Bronze
32x18	3-0x3- 7 $\frac{3}{8}$	\$3.00	\$3.25	\$3.40	\$4.95	\$5.10	\$5.25
20	3-11 $\frac{3}{8}$	3.15	3.45	3.60	5.25	5.40	5.55
22	4- 3 $\frac{3}{8}$	3.30	3.60	3.80	5.55	5.75	5.95
24	4- 7 $\frac{3}{8}$	3.45	3.80	3.95	5.85	6.05	6.25
26	4-11 $\frac{3}{8}$	3.55	3.95	4.15	6.20	6.40	6.60
28	5- 3 $\frac{3}{8}$	3.70	4.15	4.35	6.45	6.70	6.95
30	5- 7 $\frac{3}{8}$	3.85	4.30	4.50	6.80	7.05	7.30
32	5-11 $\frac{3}{8}$	4.00	4.50	4.70	7.15	7.40	7.65
34	6- 3 $\frac{3}{8}$	4.15	4.65	4.90	7.45	7.75	8.05
36	6- 7 $\frac{3}{8}$	4.30	4.80	5.10	7.80	8.10	8.40
34x10	3-2x2- 3 $\frac{3}{8}$	2.50	2.65	2.75	3.85	3.95	4.05
12	2- 7 $\frac{3}{8}$	2.65	2.85	2.95	4.15	4.25	4.35
14	2-11 $\frac{3}{8}$	2.80	3.00	3.15	4.45	4.60	4.75
16	3- 3 $\frac{3}{8}$	2.95	3.20	3.35	4.80	4.95	5.10
18	3- 7 $\frac{3}{8}$	3.10	3.40	3.50	5.15	5.30	5.45
20	3-11 $\frac{3}{8}$	3.25	3.55	3.70	5.45	5.65	5.85
22	4- 3 $\frac{3}{8}$	3.35	3.70	3.90	5.80	6.00	6.20
24	4- 7 $\frac{3}{8}$	3.50	3.90	4.10	6.15	6.35	6.55
26	4-11 $\frac{3}{8}$	3.65	4.05	4.30	6.45	6.70	6.95
28	5- 3 $\frac{3}{8}$	3.80	4.25	4.50	6.80	7.05	7.30
30	5- 7 $\frac{3}{8}$	3.95	4.40	4.70	7.15	7.40	7.65
32	5-11 $\frac{3}{8}$	4.10	4.60	4.85	7.50	7.75	8.00
34	6- 3 $\frac{3}{8}$	4.25	4.75	5.05	7.80	8.10	8.40
36	6- 7 $\frac{3}{8}$	4.40	4.95	5.25	8.15	8.45	8.75
36x10	3-4x2- 3 $\frac{3}{8}$	2.55	2.75	2.85	4.00	4.10	4.20
12	2- 7 $\frac{3}{8}$	2.70	2.95	3.05	4.35	4.45	4.55
14	2-11 $\frac{3}{8}$	2.85	3.10	3.25	4.65	4.80	4.95
16	3- 3 $\frac{3}{8}$	3.00	3.30	3.45	5.00	5.15	5.30
18	3- 7 $\frac{3}{8}$	3.20	3.50	3.65	5.40	5.55	5.70
20	3-11 $\frac{3}{8}$	3.35	3.65	3.85	5.70	5.90	6.10
22	4- 3 $\frac{3}{8}$	3.50	3.85	4.05	6.05	6.25	6.45
24	4- 7 $\frac{3}{8}$	3.65	4.00	4.25	6.40	6.60	6.80
26	4-11 $\frac{3}{8}$	3.80	4.20	4.45	6.75	7.00	7.25
28	5- 3 $\frac{3}{8}$	3.95	4.40	4.65	7.10	7.35	7.60
30	5- 7 $\frac{3}{8}$	4.10	4.55	4.85	7.45	7.70	7.95
32	5-11 $\frac{3}{8}$	4.25	4.75	5.05	7.75	8.05	8.35
34	6- 3 $\frac{3}{8}$	4.40	4.95	5.25	8.15	8.45	8.75
36	6- 7 $\frac{3}{8}$	4.55	5.10	5.50	8.50	8.80	9.10
38x10	3-6x2- 3 $\frac{3}{8}$	2.65	2.85	2.90	4.15	4.25	4.35
12	2- 7 $\frac{3}{8}$	2.80	3.00	3.15	4.45	4.60	4.75
14	2-11 $\frac{3}{8}$	2.95	3.20	3.35	4.85	5.00	5.15
16	3- 3 $\frac{3}{8}$	3.10	3.40	3.55	5.20	5.35	5.50
18	3- 7 $\frac{3}{8}$	3.25	3.60	3.75	5.55	5.75	5.95
20	3-11 $\frac{3}{8}$	3.40	3.80	3.95	5.90	6.10	6.30
22	4- 3 $\frac{3}{8}$	3.60	3.95	4.20	6.30	6.50	6.70
24	4- 7 $\frac{3}{8}$	3.75	4.15	4.40	6.60	6.85	7.10
26	4-11 $\frac{3}{8}$	3.90	4.35	4.60	7.00	7.25	7.50
28	5- 3 $\frac{3}{8}$	4.05	4.55	4.80	7.35	7.60	7.85
30	5- 7 $\frac{3}{8}$	4.20	4.70	5.00	7.70	8.00	8.30
32	5-11 $\frac{3}{8}$	4.35	4.90	5.25	8.05	8.35	8.65
34	6- 3 $\frac{3}{8}$	4.50	5.10	5.45	8.45	8.75	9.05
36	6- 7 $\frac{3}{8}$	4.70	5.30	5.65	8.80	9.15	9.50
40x10	3-8x2- 3 $\frac{3}{8}$	2.70	2.90	3.00	4.30	4.40	4.50
12	2- 7 $\frac{3}{8}$	2.85	3.10	3.25	4.60	4.75	4.90
14	2-11 $\frac{3}{8}$	3.05	3.30	3.45	5.00	5.15	5.30

Two-Light Full Size Window Screens (Continued)

Frames $1\frac{1}{8}$ " Thick - Pine - All "In the White" Flush Moulding

2-Lt. Glass Size	Screen Size	12 Mesh Black	14 Mesh Galv.	16 Mesh Galv.	14 Mesh Bronze	16 Mesh Bronze	18 Mesh Bronze
40x16	3-8x3- $3\frac{3}{8}$	\$3.20	\$3.50	\$3.65	\$5.40	\$5.55	\$5.70
18	3- $7\frac{3}{8}$	3.35	3.70	3.90	5.75	5.95	6.15
20	3- $11\frac{3}{8}$	3.50	3.90	4.10	6.15	6.35	6.55
22	4- $3\frac{3}{8}$	3.70	4.10	4.35	6.55	6.75	6.95
24	4- $7\frac{3}{8}$	3.85	4.30	4.55	6.90	7.15	7.40
26	4- $11\frac{3}{8}$	4.00	4.50	4.75	7.30	7.55	7.80
28	5- $3\frac{3}{8}$	4.20	4.65	5.00	7.70	7.95	8.20
30	5- $7\frac{3}{8}$	4.35	4.85	5.20	8.05	8.35	8.65
32	5- $11\frac{3}{8}$	4.50	5.05	5.45	8.45	8.75	9.05
34	6- $3\frac{3}{8}$	4.65	5.25	5.65	8.80	9.15	9.50
36	6- $7\frac{3}{8}$	4.85	5.45	5.85	9.20	9.55	9.90

Four-Light Full Size Window Screens

Frames $1\frac{1}{8}$ " Thick - Pine - All "In the White" Flush Moulding

4-Lt. Glass Size	Screen Size	12 Mesh Black	14 Mesh Galv.	16 Mesh Galv.	14 Mesh Bronze	16 Mesh Bronze	18 Mesh Bronze
10x10	2-1x2- $3\frac{3}{8}$	\$2.05	\$2.15	\$2.20	\$2.95	\$3.00	\$3.05
12	2- $7\frac{3}{8}$	2.15	2.30	2.35	3.15	3.20	3.25
14	2- $11\frac{3}{8}$	2.25	2.40	2.50	3.40	3.45	3.50
16	3- $3\frac{3}{8}$	2.40	2.55	2.65	3.60	3.70	3.80
18	3- $7\frac{3}{8}$	2.50	2.70	2.80	3.80	3.90	4.00
20	3- $11\frac{3}{8}$	2.60	2.85	2.95	4.05	4.15	4.25
22	4- $3\frac{3}{8}$	2.75	2.95	3.10	4.30	4.40	4.50
24	4- $7\frac{3}{8}$	2.85	3.10	3.25	4.45	4.60	4.75
26	4- $11\frac{3}{8}$	2.95	3.25	3.40	4.70	4.85	5.00
28	5- $3\frac{3}{8}$	3.10	3.40	3.55	4.95	5.10	5.25
30	5- $7\frac{3}{8}$	3.20	3.50	3.70	5.15	5.35	5.55
32	5- $11\frac{3}{8}$	3.30	3.65	3.80	5.40	5.60	5.80
34	6- $3\frac{3}{8}$	3.40	3.80	3.95	5.65	5.85	6.05
36	6- $7\frac{3}{8}$	3.55	3.90	4.10	5.90	6.10	6.30
12x10	2-5x2- $3\frac{3}{8}$	2.20	2.30	2.40	3.25	3.30	3.35
12	2- $7\frac{3}{8}$	2.30	2.45	2.55	3.50	3.55	3.60
14	2- $11\frac{3}{8}$	2.40	2.60	2.70	3.75	3.85	3.95
16	3- $3\frac{3}{8}$	2.55	2.75	2.85	4.00	4.10	4.20
18	3- $7\frac{3}{8}$	2.65	2.90	3.00	4.30	4.40	4.50
20	3- $11\frac{3}{8}$	2.80	3.05	3.20	4.50	4.65	4.80
22	4- $3\frac{3}{8}$	2.90	3.20	3.35	4.80	4.95	5.10
24	4- $7\frac{3}{8}$	3.05	3.35	3.50	5.05	5.20	5.35
26	4- $11\frac{3}{8}$	3.15	3.50	3.65	5.30	5.50	5.70
28	5- $3\frac{3}{8}$	3.30	3.65	3.80	5.55	5.75	5.95
30	5- $7\frac{3}{8}$	3.40	3.80	4.00	5.85	6.05	6.25
32	5- $11\frac{3}{8}$	3.50	3.95	4.15	6.10	6.30	6.50
34	6- $3\frac{3}{8}$	3.65	4.05	4.30	6.35	6.60	6.80
36	6- $7\frac{3}{8}$	3.75	4.20	4.45	6.60	6.85	7.10
14x10	2-9x2- $3\frac{3}{8}$	2.30	2.45	2.55	3.50	3.60	3.70
12	2- $7\frac{3}{8}$	2.45	2.65	2.70	3.80	3.90	4.00
14	2- $11\frac{3}{8}$	2.60	2.80	2.90	4.10	4.20	4.30
16	3- $3\frac{3}{8}$	2.70	2.95	3.05	4.35	4.50	4.65
18	3- $7\frac{3}{8}$	2.85	3.10	3.25	4.65	4.80	4.95
20	3- $11\frac{3}{8}$	3.00	3.25	3.40	4.95	5.10	5.25
22	4- $3\frac{3}{8}$	3.10	3.45	3.60	5.20	5.40	5.60
24	4- $7\frac{3}{8}$	3.25	3.60	3.75	5.50	5.70	5.90
26	4- $11\frac{3}{8}$	3.40	3.75	3.95	5.80	6.00	6.20

Four-Light Full Size Window Screens (Continued)

Frames 1 1/8" Thick - Pine - All "In the White" Flush Moulding

4-Lt. Glass Size	Screen Size	12 Mesh Black	14 Mesh Galv.	16 Mesh Galv.	14 Mesh Bronze	16 Mesh Bronze	18 Mesh Bronze	
14x28	2-9x5-	3 3/8.....	\$3.50	\$3.90	\$4.10	\$6.10	\$6.30	\$6.50
30	5-	7 3/8.....	3.65	4.10	4.30	6.55	6.60	6.85
32	5-11	3 3/8.....	3.80	4.25	4.45	6.65	6.90	7.15
34	6-	3 3/8.....	3.90	4.40	4.65	6.95	7.20	7.45
36	6-	7 3/8.....	4.05	4.55	4.80	7.30	7.55	7.80

One-Light Sash Screens

HALF SCREENS SAME PRICE

Frames 1 1/8" Thick - Pine - All "In the White" Flush Moulding

Half Screens are same width but 1" shorter than 1-light.

1-Lt. Glass Size	Screen Size	12 Mesh Black	14 Mesh Galv.	16 Mesh Galv.	14 Mesh Bronze	16 Mesh Bronze	18 Mesh Bronze	
12x12	1-4x1-	6 ³ / ₈	\$1.35	\$1.40	\$1.45	\$1.65	\$1.70	\$1.75
14	1-	8 ³ / ₈	1.40	1.45	1.50	1.75	1.80	1.85
16	1-10	3 ³ / ₈	1.45	1.50	1.55	1.80	1.85	1.90
18	2-	0 ³ / ₈	1.50	1.55	1.60	1.90	1.95	2.00
20	2-	2 ³ / ₈	1.55	1.60	1.65	2.00	2.05	2.10
22	2-	4 ³ / ₈	1.60	1.65	1.70	2.05	2.10	2.15
24	2-	6 ³ / ₈	1.65	1.70	1.75	2.15	2.20	2.25
26	2-	8 ³ / ₈	1.70	1.75	1.80	2.25	2.30	2.35
28	2-10	3 ³ / ₈	1.75	1.80	1.85	2.35	2.40	2.45
30	3-	0 ³ / ₈	1.80	1.85	1.90	2.40	2.45	2.50
32	3-	2 ³ / ₈	1.85	1.90	1.95	2.50	2.55	2.60
14x12	1-6x1-	6 ³ / ₈	1.40	1.50	1.55	1.75	1.80	1.85
14	1-	8 ³ / ₈	1.45	1.55	1.60	1.85	1.90	1.95
16	1-10	3 ³ / ₈	1.50	1.60	1.65	1.95	2.00	2.05
18	2-	0 ³ / ₈	1.55	1.65	1.70	2.05	2.10	2.15
20	2-	2 ³ / ₈	1.60	1.70	1.75	2.10	2.15	2.20
22	2-	4 ³ / ₈	1.65	1.75	1.80	2.20	2.25	2.30
24	2-	6 ³ / ₈	1.70	1.80	1.85	2.30	2.35	2.40
26	2-	8 ³ / ₈	1.75	1.85	1.90	2.40	2.45	2.50
28	2-10	3 ³ / ₈	1.80	1.90	1.95	2.50	2.55	2.60
30	3-	0 ³ / ₈	1.85	1.95	2.00	2.55	2.60	2.65
32	3-	2 ³ / ₈	1.90	2.00	2.05	2.65	2.70	2.75
16x12	1-8x1-	6 ³ / ₈	1.50	1.55	1.60	1.85	1.90	1.95
14	1-	8 ³ / ₈	1.55	1.60	1.65	1.95	2.00	2.05
16	1-10	3 ³ / ₈	1.60	1.65	1.70	2.05	2.10	2.15
18	2-	0 ³ / ₈	1.65	1.70	1.75	2.15	2.20	2.25
20	2-	2 ³ / ₈	1.70	1.80	1.85	2.25	2.30	2.35
22	2-	4 ³ / ₈	1.75	1.85	1.90	2.35	2.40	2.45
24	2-	6 ³ / ₈	1.80	1.90	1.95	2.45	2.50	2.55
26	2-	8 ³ / ₈	1.85	1.95	2.00	2.55	2.60	2.65
28	2-10	3 ³ / ₈	1.90	2.00	2.05	2.65	2.70	2.75
30	3-	0 ³ / ₈	1.95	2.05	2.10	2.75	2.80	2.85
32	3-	2 ³ / ₈	2.00	2.10	2.15	2.85	2.90	2.95
18x12	1-10x1-	6 ³ / ₈	1.55	1.60	1.65	1.95	2.00	2.05
14	1-	8 ³ / ₈	1.60	1.70	1.75	2.05	2.10	2.15
16	1-10	3 ³ / ₈	1.65	1.75	1.80	2.15	2.20	2.25
18	2-	0 ³ / ₈	1.70	1.80	1.85	2.25	2.30	2.35
20	2-	2 ³ / ₈	1.75	1.85	1.90	2.40	2.45	2.50
22	2-	4 ³ / ₈	1.80	1.90	1.95	2.50	2.55	2.60
24	2-	6 ³ / ₈	1.85	2.00	2.05	2.60	2.65	2.70
26	2-	8 ³ / ₈	1.90	2.05	2.10	2.70	2.75	2.80

Veneered
Door Lists
and Extras
197

Flush Door
Lists and
Extras
223

One-Light Sash Screens (Continued)

HALF SCREENS SAME PRICE

Frames 1 1/8" Thick - Pine - All "In the White" Flush Moulding

Half Screens are same width but 1" shorter than 1-light.

1-Lt. Glass Size	Screen Size	12 Mesh Black	14 Mesh Galv.	16 Mesh Galv.	14 Mesh Bronze	16 Mesh Bronze	18 Mesh Bronze	
18x28	1-10x1-	6 $\frac{3}{8}$	\$1.95	\$2.10	\$2.15	\$2.80	\$2.85	\$2.90
30	3-	0 $\frac{3}{8}$	2.00	2.15	2.20	2.90	2.95	3.00
32	3-	2 $\frac{3}{8}$	2.05	2.20	2.30	3.00	3.05	3.10
20x12	2-0x1-	6 $\frac{3}{8}$	1.60	1.70	1.75	2.05	2.10	2.15
14	1-	8 $\frac{3}{8}$	1.65	1.75	1.80	2.15	2.20	2.25
16	1-	10 $\frac{3}{8}$	1.70	1.80	1.85	2.30	2.35	2.40
18	2-	0 $\frac{3}{8}$	1.75	1.85	1.90	2.40	2.45	2.50
20	2-	2 $\frac{3}{8}$	1.85	1.95	2.00	2.50	2.55	2.60
22	2-	4 $\frac{3}{8}$	1.90	2.00	2.05	2.60	2.65	2.70
24	2-	6 $\frac{3}{8}$	1.95	2.05	2.10	2.75	2.80	2.85
26	2-	8 $\frac{3}{8}$	2.00	2.15	2.20	2.85	2.90	2.95
28	2-	10 $\frac{3}{8}$	2.05	2.20	2.25	2.95	3.00	3.05
30	3-	0 $\frac{3}{8}$	2.10	2.25	2.30	3.05	3.10	3.20
32	3-	2 $\frac{3}{8}$	2.15	2.30	2.40	3.15	3.20	3.30
22x12	2-2x1-	6 $\frac{3}{8}$	1.65	1.75	1.80	2.15	2.20	2.25
14	1-	8 $\frac{3}{8}$	1.70	1.80	1.85	2.25	2.35	2.40
16	1-	10 $\frac{3}{8}$	1.80	1.90	1.95	2.40	2.45	2.50
18	2-	0 $\frac{3}{8}$	1.85	1.95	2.00	2.50	2.55	2.60
20	2-	2 $\frac{3}{8}$	1.90	2.00	2.05	2.65	2.70	2.75
22	2-	4 $\frac{3}{8}$	1.95	2.10	2.15	2.75	2.80	2.85
24	2-	6 $\frac{3}{8}$	2.00	2.15	2.20	2.85	2.90	3.00
26	2-	8 $\frac{3}{8}$	2.05	2.20	2.30	3.00	3.05	3.10
28	2-	10 $\frac{3}{8}$	2.10	2.30	2.35	3.10	3.15	3.25
30	3-	0 $\frac{3}{8}$	2.15	2.35	2.40	3.25	3.30	3.35
32	3-	2 $\frac{3}{8}$	2.25	2.40	2.50	3.35	3.40	3.50
24x12	2-4x1-	6 $\frac{3}{8}$	1.70	1.80	1.85	2.25	2.30	2.35
14	1-	8 $\frac{3}{8}$	1.80	1.90	1.95	2.40	2.45	2.50
16	1-	10 $\frac{3}{8}$	1.85	1.95	2.00	2.50	2.55	2.60
18	2-	0 $\frac{3}{8}$	1.90	2.05	2.10	2.65	2.70	2.75
20	2-	2 $\frac{3}{8}$	1.95	2.10	2.15	2.75	2.80	2.90
22	2-	4 $\frac{3}{8}$	2.00	2.15	2.20	2.90	2.95	3.00
24	2-	6 $\frac{3}{8}$	2.10	2.25	2.30	3.00	3.05	3.15
26	2-	8 $\frac{3}{8}$	2.15	2.30	2.35	3.15	3.20	3.25
28	2-	10 $\frac{3}{8}$	2.20	2.40	2.45	3.25	3.30	3.40
30	3-	0 $\frac{3}{8}$	2.25	2.45	2.50	3.40	3.45	3.55
32	3-	2 $\frac{3}{8}$	2.30	2.50	2.60	3.50	3.55	3.60
26x12	2-6x1-	6 $\frac{3}{8}$	1.80	1.90	1.95	2.35	2.40	2.45
14	1-	8 $\frac{3}{8}$	1.85	1.95	2.00	2.50	2.55	2.60
16	1-	10 $\frac{3}{8}$	1.90	2.05	2.10	2.60	2.70	2.75
18	2-	0 $\frac{3}{8}$	1.95	2.10	2.15	2.75	2.80	2.90
20	2-	2 $\frac{3}{8}$	2.05	2.20	2.25	2.90	2.95	3.00
22	2-	4 $\frac{3}{8}$	2.10	2.25	2.30	3.00	3.10	3.15
24	2-	6 $\frac{3}{8}$	2.15	2.30	2.40	3.15	3.20	3.30
26	2-	8 $\frac{3}{8}$	2.20	2.40	2.45	3.30	3.35	3.45
28	2-	10 $\frac{3}{8}$	2.30	2.45	2.55	3.40	3.45	3.60
30	3-	0 $\frac{3}{8}$	2.35	2.55	2.60	3.55	3.60	3.70
32	3-	2 $\frac{3}{8}$	2.40	2.60	2.70	3.70	3.75	3.85
28x12	2-8x1-	6 $\frac{3}{8}$	1.85	1.95	2.00	2.45	2.50	2.55
14	1-	8 $\frac{3}{8}$	1.90	2.00	2.10	2.60	2.65	2.70
16	1-	10 $\frac{3}{8}$	1.95	2.10	2.15	2.75	2.80	2.85
18	2-	0 $\frac{3}{8}$	2.05	2.20	2.25	2.90	2.95	3.00
20	2-	2 $\frac{3}{8}$	2.10	2.25	2.30	3.00	3.10	3.15
22	2-	4 $\frac{3}{8}$	2.15	2.35	2.40	3.15	3.20	3.30

One-Light Sash Screens (*Continued*)

HALF SCREENS SAME PRICE

Frames $1\frac{1}{8}$ " Thick - Pine - All "In the White" Flush Moulding

Half Screens are same width but 1' shorter than 1-light.

1-Lt. Glass Size	Screen Size	12 Mesh Black	14 Mesh Galv.	16 Mesh Galv.	14 Mesh Bronze	16 Mesh Bronze	18 Mesh Bronze
28x24	2-8x2- $6\frac{3}{8}$	\$2.20	\$2.40	\$2.50	\$3.30	\$3.35	\$3.45
26	2- $8\frac{3}{8}$	2.30	2.50	2.55	3.45	3.50	3.60
28	2- $10\frac{3}{8}$	2.35	2.55	2.65	3.55	3.65	3.75
30	3- $0\frac{3}{8}$	2.40	2.65	2.70	3.70	3.80	3.90
32	3- $2\frac{3}{8}$	2.50	2.70	2.80	3.85	3.95	4.05
30x12	2-10x1- $6\frac{3}{8}$	1.90	2.00	2.05	2.55	2.60	2.65
14	1- $8\frac{3}{8}$	1.95	2.10	2.15	2.70	2.75	2.85
16	1- $10\frac{3}{8}$	2.05	2.15	2.25	2.85	2.90	3.00
18	2- $0\frac{3}{8}$	2.10	2.25	2.30	3.00	3.05	3.15
20	2- $2\frac{3}{8}$	2.15	2.35	2.40	3.15	3.20	3.30
22	2- $4\frac{3}{8}$	2.25	2.40	2.50	3.30	3.35	3.45
24	2- $6\frac{3}{8}$	2.30	2.50	2.55	3.45	3.50	3.60
26	2- $8\frac{3}{8}$	2.35	2.55	2.65	3.60	3.65	3.75
28	2- $10\frac{3}{8}$	2.45	2.65	2.75	3.75	3.80	3.90
30	3- $0\frac{3}{8}$	2.50	2.75	2.80	3.90	3.95	4.05
32	3- $2\frac{3}{8}$	2.55	2.80	2.90	4.00	4.10	4.20
32x12	3-0x1- $6\frac{3}{8}$	1.95	2.10	2.15	2.65	2.70	2.75
14	1- $8\frac{3}{8}$	2.05	2.15	2.20	2.80	2.85	2.95
16	1- $10\frac{3}{8}$	2.10	2.25	2.30	2.95	3.00	3.10
18	2- $0\frac{3}{8}$	2.15	2.35	2.40	3.10	3.15	3.25
20	2- $2\frac{3}{8}$	2.25	2.40	2.50	3.25	3.35	3.45
22	2- $4\frac{3}{8}$	2.30	2.50	2.55	3.40	3.50	3.60
24	2- $6\frac{3}{8}$	2.40	2.60	2.65	3.60	3.65	3.75
26	2- $8\frac{3}{8}$	2.45	2.65	2.75	3.75	3.85	3.95
28	2- $10\frac{3}{8}$	2.50	2.75	2.85	3.90	4.00	4.10
30	3- $0\frac{3}{8}$	2.60	2.85	2.90	4.05	4.15	4.25
32	3- $2\frac{3}{8}$	2.65	2.90	3.00	4.20	4.30	4.40
34x12	3-2x1- $6\frac{3}{8}$	2.05	2.15	2.20	2.75	2.80	2.85
14	1- $8\frac{3}{8}$	2.10	2.25	2.30	2.90	2.95	3.05
16	1- $10\frac{3}{8}$	2.15	2.30	2.40	3.10	3.15	3.20
18	2- $0\frac{3}{8}$	2.25	2.40	2.50	3.25	3.30	3.40
20	2- $2\frac{3}{8}$	2.30	2.50	2.55	3.40	3.50	3.55
22	2- $4\frac{3}{8}$	2.40	2.60	2.65	3.55	3.65	3.75
24	2- $6\frac{3}{8}$	2.45	2.65	2.75	3.70	3.80	3.90
26	2- $8\frac{3}{8}$	2.50	2.75	2.85	3.85	4.00	4.10
28	2- $10\frac{3}{8}$	2.60	2.85	2.95	4.05	4.15	4.25
30	3- $0\frac{3}{8}$	2.65	2.95	3.05	4.20	4.30	4.45
32	3- $2\frac{3}{8}$	2.75	3.00	3.10	4.35	4.50	4.60
36x12	3-4x1- $6\frac{3}{8}$	2.10	2.20	2.30	2.85	2.90	2.95
14	1- $8\frac{3}{8}$	2.15	2.30	2.35	3.00	3.10	3.15
16	1- $10\frac{3}{8}$	2.25	2.40	2.45	3.20	3.25	3.35
18	2- $0\frac{3}{8}$	2.30	2.50	2.55	3.35	3.45	3.55
20	2- $2\frac{3}{8}$	2.40	2.55	2.65	3.50	3.60	3.70
22	2- $4\frac{3}{8}$	2.45	2.65	2.75	3.70	3.80	3.90
24	2- $6\frac{3}{8}$	2.50	2.75	2.85	3.85	3.95	4.10
26	2- $8\frac{3}{8}$	2.60	2.85	2.95	4.05	4.15	4.25
28	2- $10\frac{3}{8}$	2.65	2.95	3.05	4.20	4.35	4.45
30	3- $0\frac{3}{8}$	2.75	3.05	3.15	4.35	4.50	4.65
32	3- $2\frac{3}{8}$	2.80	3.10	3.20	4.55	4.70	4.85

Veneered
Door Lists
and Extras
197

Flush Door
Lists and
Extras
223

Two-Light Cellar Screens

Frames $1\frac{1}{8}$ " Thick - Pine - All "In the White" Flush Moulding

2-Lt. Glass Size	Screen Size	12 Mesh Black	14 Mesh Galv.	16 Mesh Galv.	14 Mesh Bronze	16 Mesh Bronze	18 Mesh Bronze
9x12	1-11x1- $5\frac{1}{2}$	\$1.50	\$1.55	\$1.60	\$1.90	\$1.95	\$2.00
14	1- $7\frac{1}{2}$	1.55	1.60	1.65	2.00	2.05	2.10
16	1- $9\frac{1}{2}$	1.60	1.65	1.70	2.10	2.15	2.20
18	1-11 $\frac{1}{2}$	1.65	1.70	1.75	2.20	2.25	2.30
20	2- $1\frac{1}{2}$	1.70	1.80	1.85	2.30	2.35	2.40
10x12	2-1x1- $5\frac{1}{2}$	1.55	1.60	1.65	2.00	2.05	2.10
14	1- $7\frac{1}{2}$	1.60	1.65	1.70	2.10	2.15	2.20
16	1- $9\frac{1}{2}$	1.65	1.75	1.80	2.20	2.25	2.30
18	1-11 $\frac{1}{2}$	1.70	1.80	1.85	2.35	2.40	2.45
20	2- $1\frac{1}{2}$	1.75	1.85	1.90	2.45	2.50	2.55
12x12	2-5x1- $5\frac{1}{2}$	1.65	1.75	1.80	2.20	2.25	2.30
14	1- $7\frac{1}{2}$	1.70	1.80	1.85	2.30	2.35	2.40
16	1- $9\frac{1}{2}$	1.80	1.85	1.90	2.45	2.50	2.55
18	1-11 $\frac{1}{2}$	1.85	1.95	2.00	2.55	2.60	2.70
20	2- $1\frac{1}{2}$	1.90	2.00	2.05	2.70	2.75	2.80
14x12	2-9x1- $5\frac{1}{2}$	1.80	1.85	1.90	2.35	2.40	2.45
14	1- $7\frac{1}{2}$	1.85	1.95	2.00	2.50	2.55	2.60
16	1- $9\frac{1}{2}$	1.90	2.00	2.05	2.65	2.70	2.75
18	1-11 $\frac{1}{2}$	1.95	2.10	2.15	2.80	2.85	2.90
20	2- $1\frac{1}{2}$	2.05	2.15	2.20	2.95	3.00	3.05
16x12	3-1x1- $5\frac{1}{2}$	1.90	2.00	2.05	2.55	2.60	2.65
14	1- $7\frac{1}{2}$	1.95	2.05	2.10	2.70	2.75	2.85
16	1- $9\frac{1}{2}$	2.05	2.15	2.20	2.85	2.95	3.00
18	1-11 $\frac{1}{2}$	2.10	2.25	2.30	3.00	3.10	3.20
20	2- $1\frac{1}{2}$	2.15	2.30	2.40	3.15	3.25	3.35

Three-Light Cellar Screens

Frames 1½" Thick - Pine - All "In the White" Flush Moulding

3-Lt. Glass Size	Screen Size	12 Mesh Black	14 Mesh Galv.	16 Mesh Galv.	14 Mesh Bronze	16 Mesh Bronze	18 Mesh Bronze
8x10	2-4x1- 3½.....	\$1.55	\$1.65	\$1.70	\$2.00	\$2.05	\$2.10
12	1- 5½.....	1.65	1.70	1.75	2.10	2.15	2.20
14	1- 7½.....	1.70	1.75	1.80	2.25	2.30	2.35
16	1- 9½.....	1.75	1.80	1.85	2.35	2.40	2.45
18	1-11½.....	1.80	1.85	1.90	2.45	2.55	2.60
20	2- 1½.....	1.85	1.95	2.00	2.60	2.65	2.70
9x10	2-7x1- 3½.....	1.65	1.70	1.75	2.15	2.20	2.25
12	1- 5½.....	1.70	1.80	1.85	2.25	2.30	2.35
14	1- 7½.....	1.75	1.85	1.90	2.40	2.45	2.50
16	1- 9½.....	1.85	1.90	1.95	2.50	2.60	2.65
18	1-11½.....	1.90	2.00	2.05	2.65	2.70	2.80
20	2- 1½.....	1.95	2.05	2.10	2.75	2.85	2.90
10x10	2-10x1- 3½.....	1.75	1.80	1.85	2.25	2.30	2.35
12	1- 5½.....	1.80	1.90	1.95	2.40	2.45	2.50
14	1- 7½.....	1.85	1.95	2.00	2.55	2.60	2.65
16	1- 9½.....	1.90	2.05	2.10	2.70	2.75	2.80
18	1-11½.....	2.00	2.10	2.15	2.80	2.90	2.95
20	2- 1½.....	2.05	2.20	2.25	2.95	3.05	3.10
12x10	3-4x1- 3½.....	1.90	2.00	2.05	2.55	2.60	2.65
12	1- 5½.....	2.00	2.05	2.15	2.70	2.75	2.80
14	1- 7½.....	2.05	2.15	2.20	2.85	2.90	3.00
16	1- 9½.....	2.10	2.25	2.30	3.00	3.10	3.15
18	1-11½.....	2.20	2.30	2.40	3.15	3.25	3.35
20	2- 1½.....	2.25	2.40	2.50	3.30	3.40	3.50
14x10	3-10x1- 3½.....	2.10	2.20	2.25	2.80	2.85	2.90
12	1- 5½.....	2.15	2.25	2.35	2.95	3.05	3.10
14	1- 7½.....	2.20	2.35	2.45	3.15	3.20	3.30
16	1- 9½.....	2.30	2.45	2.55	3.35	3.40	3.50
18	1-11½.....	2.35	2.55	2.65	3.50	3.60	3.70
20	2- 1½.....	2.45	2.65	2.75	3.70	3.80	3.90
16x10	4-4x1- 3½.....	2.25	2.35	2.40	3.05	3.10	3.20
12	1- 5½.....	2.30	2.45	2.55	3.25	3.30	3.40
14	1- 7½.....	2.40	2.55	2.65	3.45	3.55	3.65
16	1- 9½.....	2.45	2.65	2.75	3.65	3.75	3.85
18	1-11½.....	2.55	2.75	2.85	3.85	3.95	4.10
20	2- 1½.....	2.60	2.85	2.95	4.05	4.15	4.30

2x16-46
- 1.40
+ 10%

Veneered
Door Lists
and Extras
197

Flush Door
Lists and
Extras
223

Index of Veneered Door Lists and Extras

	Rule		Rule
Aprons.....	43	Doors (Continued)	
Astragals.....	42	Sash Door Lists.....	..
Banding.....	41	Square Foot Door Table.....	..
Beads.....	9	Segment Heads.....	36
Belt Sanding.....	39	Slat.....	37
Braces.....	17	Thick Doors.....	2
Chamfering.....	16	Two or Three Ply.....	14
Circle Heads.....	36	Toilet.....	..
Circle Lights.....	8	To Represent Pairs.....	33
Cores, Special.....	51	Wide.....	1
Cross Band Stiles and Rails...	12	Dowels, Special.....	52
Cross Bucks or Braces.....	17	Dutch Doors.....	34
Cutting Lights in Panels.....	35	Edge Strip—Stile Ends.....	53
Designs—Typical Panel Sash		Fillet Extras.....	24
Doors and Side Lights.....	..	Flush Mouldings.....	19-21
Design Extras—Typical.....	..	Flush Door List and Extras...	..
Diagonal Cross Pieces.....	17	Glass Beads.....	9
Different Panel, 2 Sides.....	7	Glue, Screw and Plug.....	15
Divided Lights.....	8	Gothic Head.....	36
Doors		Gothic Lights.....	8
Casement Door List.....	..	Grilles, Wood.....	37
Circle Heads.....	36	Guarantee.....	..
Clipped Corner Top.....	36	Hand Smoothing.....	39
Double Thick.....	14	High Doors.....	1
Dutch.....	34	Hinge Cut.....	48
Dwarf.....	..	Hip Raised Moulding.....	20
Elliptic Head.....	36	Horns Cut Off.....	55
French Door Lists.....	..	Inserted Sash.....	8
Gothic Heads.....	36	Irregular Heads.....	36
High Doors.....	1	Irregular Lights.....	8
Irregular Heads.....	36	K. D. Veneered Door Stock List	..
K. D. Veneered Door List.....	..	Letter Slots.....	49
Mirror.....	6	Lights Divided	
Oversizes.....	1	Irregular.....	8
Over 1 3/4" Thick.....	2	Rectangular.....	8
Panel Door Designs—Typical..	..	Lists	
Panel Door Designs—Manufac-		Casement Doors.....	..
turers.....	..	French Doors.....	..
Panel Door Extras.....	..	K. D. Veneered Door Stock...	..
Panel Door List.....	..	Panel Doors.....	..
Panel Sash Door List.....	..	Panel Sash Doors.....	..
Peak Head.....	36	Sash.....	..
Rake Top.....	36		
Sash Door Designs—Typical..	..		
Sash Door Extras—Typical....	..		

Index of Veneered Door List and Extras—Cont.

	Rule		Rule
Lists (Continued)		Sash Inserted	8
Sash Doors	Sash Lists
Side Lights	Sawed Veneers	10
Toilet Doors	Segment Head	36
Transoms	Segment Lights	8
Lock Blocks	18	Sash Doors
Louvres		Side Light Lists
Metal	38	Single Doors to Represent Pair	33
Wood	37	Slab Door List and Extras
Lugs	44	Slat Doors	37
Metal Vent Louvres	38	Slots, Letter	49
Mirror Doors	6	Special Solid Sticking	5
Mortise and Tenon	45	Special Heads	36
Mortising for Locks	47	Squaring Door to Fit Jamb ..	46
Moulding		Square Foot Door Table
Flush (Panel Doors)	19	Staining, Finishing and	
Flush (Sash Doors)	21	Priming	F-28
Hip Raised	20	Stools	43
Raised (Panel Doors)	22	Thick Panels	25
Raised (Sash Doors)	23	Thick Veneers	11
Oversize Doors	1	Thick Doors	2
Panels		Toilet Doors
Ceiling	27	Transom Lists
Graduated	26	Two Kinds Wood	3
Irregular	29-32	Two or Three Ply Doors	14
Raised	28	Varnish, or Painting Edges ..	56
Thick	25	Veneers	
Three and Five Ply	25	Sawed	10
"V" joint or ceiling	27	Thick	11
Panel Different, 2 Sides	7	Vertical Grain on Rails	13
Pegs or Plugs	50	Ventilators	38
Rabbet and Bead	40	Waterproof Glue, High Test ..	57
Raised Moulding	22-23	White Leaded Joints	54
Raised Hip Moulding	20	Wide Doors	1
Raised Panels	28	Wide Door to Represent Pair ..	33
Rectangular Lights	8	Wide Stiles and Rails	4
Sanding		Wood Grilles	37
Belt	39	Wood Louvres	37
Hand	39		

Veneered
Door Lists
and Extras
197

Flush Door
Lists and
Extras
223

Veneered Door Guarantee

Veneered doors produced by members of the NATIONAL DOOR MANUFACTURERS ASSN. are guaranteed by the manufacturer to be of good material and workmanship, free from defects which render them unserviceable or unfit for the use for which they are intended. Natural variations in the color or texture of the wood are not to be considered as defects.

Veneered doors must be accorded reasonable treatment by the purchaser, and must not be stored in damp warehouses or placed in moist or freshly plastered buildings, or subjected to abnormal heat or dryness, as manufacturer will not assume responsibility for defects resulting from these causes. Top and bottom edges of all doors must be thoroughly painted or varnished to prevent absorption of moisture.

Doors must be inspected upon arrival and all claims or complaints must be filed before painters finish is applied.

The manufacturer agrees to repair or replace in the white, without charge, any door found to be defective within the meaning of this guarantee.

Do not repair or replace any goods without first obtaining the consent of the manufacturer.

Table of Square Feet

Showing
Actual Number of Square Feet, Surface Measure of Door
Decimal Basis

Width of Door	Height of Door							
	6-0	6-4	6-6	6-8	6-10	7-0	7-6	8-0
1- 8.....	10.0	10.6	10.8	11.1	11.4	11.7	12.5	13.3
1-10.....	11.0	11.6	11.9	12.2	12.5	12.8	13.8	14.7
2- 0.....	12.0	12.7	13.0	13.3	13.7	14.0	15.0	16.0
2- 2.....	13.0	13.7	14.1	14.4	14.8	15.2	16.3	17.3
2- 4.....	14.0	14.8	15.2	15.6	15.9	16.3	17.5	18.7
2- 6.....	15.0	15.8	16.3	16.7	17.1	17.5	18.8	20.0
2- 8.....	16.0	16.9	17.3	17.8	18.2	18.7	20.0	21.3
2-10.....	17.0	17.9	18.4	18.9	19.4	19.8	21.3	22.7
3- 0.....	18.0	19.0	19.5	20.0	20.5	21.0	22.5	24.0
3- 2.....	19.0	20.1	20.6	21.1	21.6	22.2	23.8	25.3
3- 4.....	20.0	21.1	21.7	22.2	22.8	23.3	25.0	26.7
3- 6.....	21.0	22.2	22.8	23.3	23.9	24.5	26.3	28.0
3- 8.....	22.0	23.2	23.8	24.4	25.1	25.7	27.5	29.3
3-10.....	23.0	24.3	24.9	25.6	26.2	26.8	28.8	30.7
4- 0.....	24.0	25.3	26.0	26.7	27.3	28.0	30.0	32.0
4- 2.....	25.0	26.4	27.1	27.8	28.5	29.2	31.3	33.3
4- 4.....	26.0	27.5	28.2	28.9	29.6	30.3	32.5	34.7
4- 6.....	27.0	28.5	29.3	30.0	30.8	31.5	33.8	36.0
4- 8.....	28.0	29.6	30.3	31.1	31.9	32.7	35.0	37.3
4-10.....	29.0	30.6	31.4	32.2	33.0	33.8	36.3	38.7
5- 0.....	30.0	31.7	32.5	33.3	34.2	35.0	37.5	40.0
5- 2.....	31.0	32.7	33.6	34.4	35.3	36.2	38.8	41.3
5- 4.....	32.0	33.8	34.7	35.6	36.4	37.3	40.0	42.7
5- 6.....	33.0	34.8	35.8	36.7	37.6	38.5	41.3	44.0
5- 8.....	34.0	35.9	36.8	37.8	38.7	39.7	42.5	45.3
5-10.....	35.0	37.0	37.9	38.9	39.9	40.8	43.8	46.7
6- 0.....	36.0	38.0	39.0	40.0	41.0	42.0	45.0	48.0

Veneered
Door Lists
and Extras
197

Flush Door
Lists and
Extras
223

Veneered Door Base List

Panel Doors and Panel Sash Doors

Stiles and Top Rails not over 4 $\frac{7}{8}$ "—Bottom Rail not over 9 $\frac{3}{4}$ "—Both overall sizes. Veneers Standard $\frac{1}{8}$ " faces, sawn or rotary-cut at factory option. Stock Sticking.

1 $\frac{3}{8}$ " Thick For Doors 1 $\frac{3}{4}$ " Thick See Current Discount Sheet

1- 8x6-0.....	\$12.80	2- 2x6-10.....	\$14.20
1-10x6-0.....	12.80	2- 4x6-10.....	14.60
2- 0x6-0.....	12.80	2- 6x6-10.....	15.10
2- 2x6-0.....	13.10	2- 8x6-10.....	15.70
2- 4x6-0.....	13.50	2-10x6-10.....	16.40
2- 6x6-0.....	14.00	3- 0x6-10.....	17.20
2- 8x6-0.....	14.60	3- 2x6-10.....	18.90
2-10x6-0.....	15.30	3- 4x6-10.....	20.60
3- 0x6-0.....	16.10		
1- 8x6-4.....	13.00	1- 8x7-0.....	14.40
1-10x6-4.....	13.00	1-10x7-0.....	14.40
2- 0x6-4.....	13.00	2- 0x7-0.....	14.40
2- 2x6-4.....	13.30	2- 2x7-0.....	14.70
2- 4x6-4.....	13.70	2- 4x7-0.....	15.10
2- 6x6-4.....	14.20	2- 6x7-0.....	15.60
2- 8x6-4.....	14.80	2- 8x7-0.....	16.20
2-10x6-4.....	15.50	2-10x7-0.....	16.90
3- 0x6-4.....	16.30	3- 0x7-0.....	17.70
		3- 2x7-0.....	19.45
1- 8x6-6.....	13.10	3- 4x7-0.....	21.20
1-10x6-6.....	13.10		
2- 0x6-6.....	13.10	1- 8x7-6.....	17.10
2- 2x6-6.....	13.40	1-10x7-6.....	17.10
2- 4x6-6.....	13.80	2- 0x7-6.....	17.10
2- 6x6-6.....	14.30	2- 2x7-6.....	17.10
2- 8x6-6.....	14.90	2- 4x7-6.....	17.10
2-10x6-6.....	15.60	2- 6x7-6.....	17.60
3- 0x6-6.....	16.40	2- 8x7-6.....	18.20
		2-10x7-6.....	18.90
1- 8x6-8.....	13.20	3- 0x7-6.....	19.70
1-10x6-8.....	13.20	3- 2x7-6.....	21.65
2- 0x6-8.....	13.20	3- 4x7-6.....	23.60
2- 2x6-8.....	13.50		
2- 4x6-8.....	13.90	1- 8x8-0.....	19.10
2- 6x6-8.....	14.40	1-10x8-0.....	19.10
2- 8x6-8.....	15.00	2- 0x8-0.....	19.10
2-10x6-8.....	15.70	2- 2x8-0.....	19.10
3- 0x6-8.....	16.50	2- 4x8-0.....	19.10
3- 2x6-8.....	18.15	2- 6x8-0.....	19.60
3- 4x6-8.....	19.80	2- 8x8-0.....	20.20
		2-10x8-0.....	20.90
1- 8x6-10.....	13.90	3- 0x8-0.....	21.70
1-10x6-10.....	13.90	3- 2x8-0.....	23.85
2- 0x6-10.....	13.90	3- 4x8-0.....	26.00

For smaller or intermediate sizes use next larger listed size.

For larger than listed sizes and up to 5'0"x10'0" add to the foregoing base list:

For each additional 2" in width, add to above list per door \$2.25.

For each additional 6" in height, add to above list per door \$2.50.

For larger sizes see Rule 1, page 202.

Veneered Casement Door Base List For

1 Light Doors, Blank Rim Doors and French Doors

Stiles and Top Rails not over $4\frac{7}{8}$ "—Bottom Rail not over $9\frac{3}{4}$ "—Both Overall sizes. Veneers Standard $\frac{1}{8}$ " faces, sawn or rotary-cut at factory option. Stock Sticking.

No Glass Beads included

$1\frac{3}{8}$ " Thick For Doors $1\frac{3}{4}$ " Thick See Current Discount Sheet

1- 8x6-0.....	\$ 9.65	1- 8x6-8.....	\$ 9.90	2- 4x7-0.....	\$11.05
1-10x6-0.....	9.65	1-10x6-8.....	9.90	2- 6x7-0.....	11.20
2- 0x6-0.....	9.65	2- 0x6-8.....	9.90	2- 8x7-0.....	11.35
2- 2x6-0.....	9.80	2- 2x6-8.....	10.05	2-10x7-0.....	11.55
2- 4x6-0.....	9.95	2- 4x6-8.....	10.20	3- 0x7-0.....	11.75
2- 6x6-0.....	10.10	2- 6x6-8.....	10.35	3- 2x7-0.....	12.15
2- 8x6-0.....	10.25	2- 8x6-8.....	10.50	3- 4x7-0.....	12.55
2-10x6-0.....	10.45	2-10x6-8.....	10.70		
3- 0x6-0.....	10.65	3- 0x6-8.....	10.90		
		3- 2x6-8.....	11.30	2- 0x7-6.....	12.15
1- 8x6-4.....	9.75	3- 4x6-8.....	11.70	2- 2x7-6.....	12.30
1-10x6-4.....	9.75			2- 4x7-6.....	12.45
2- 0x6-4.....	9.75	1- 8x6-10.....	10.40	2- 6x7-6.....	12.60
2- 2x6-4.....	9.90	1-10x6-10.....	10.40	2- 8x7-6.....	12.75
2- 4x6-4.....	10.05	2- 0x6-10.....	10.40	2-10x7-6.....	12.95
2- 6x6-4.....	10.20	2- 2x6-10.....	10.55	3- 0x7-6.....	13.15
2- 8x6-4.....	10.35	2- 4x6-10.....	10.70	3- 2x7-6.....	13.55
2-10x6-4.....	10.55	2- 6x6-10.....	10.85	3- 4x7-6.....	13.95
3- 0x6-4.....	10.75	2- 8x6-10.....	11.00		
		2-10x6-10.....	11.20	2- 0x8-0.....	13.55
1- 8x6-6.....	9.80	3- 0x6-10.....	11.40	2- 2x8-0.....	13.70
1-10x6-6.....	9.80	3- 2x6-10.....	11.80	2- 4x8-0.....	13.85
2- 0x6-6.....	9.80	3- 4x6-10.....	12.20	2- 6x8-0.....	14.00
2- 2x6-6.....	9.95			2- 8x8-0.....	14.15
2- 4x6-6.....	10.10	1- 8x7-0.....	10.75	2-10x8-0.....	14.35
2- 6x6-6.....	10.25	1-10x7-0.....	10.75	3- 0x8-0.....	14.55
2- 8x6-6.....	10.40	2- 0x7-0.....	10.75	3- 2x8-0.....	14.95
2-10x6-6.....	10.60	2- 2x7-0.....	10.90	3- 4x8-0.....	15.35
3- 0x6-6.....	10.80				

For smaller or intermediate sizes use next larger listed size.

For larger than listed sizes and up to 5'0"x10'0" add to the foregoing base list:

For each additional 2" in width, add to above list per door \$1.50.

For each additional 6" in height, add to above list per door \$1.75.

For larger sizes see Rule 1, page 202.

Side Light Base List—(1-Lt. Design)

$2\frac{1}{2}$ " Stiles; $4\frac{7}{8}$ " Top Rail and $9\frac{3}{4}$ " Bottom Rail, Overall, with Beads

$1\frac{3}{8}$ " Thick

Width	1'0"	1'2"	1'4"	1'6"	1'8"	1'10"	2'0"
6' 8" in height.....	\$ 9.60	\$ 9.60	\$ 9.60	\$ 9.60	\$ 9.90	\$ 9.90	\$ 9.90
6'10" in height.....	10.10	10.10	10.10	10.10	10.40	10.40	10.40
7' 0" in height.....	10.45	10.45	10.45	10.45	10.75	10.75	10.75
7' 6" in height.....	11.85	11.85	11.85	11.85	12.15	12.15	12.15

For wider Bottom Rail see Rule 4, page 202.

For other designs add list extras as shown on page 201.

Typical Panel Door Designs

See Design Extras Page 199



A



B




C



D



E



F



G



H



I



J



K



L




M



N



O



P



Q



R



S



T



U



V



W

Panels when made of rotary-cut Birch, Brown Ash, Calico Ash or Gum, permit up to 25% spliced panel faces distributed at random. When made of rotary-cut Oak or of sawn veneer in any wood, panels are not limited as to splicing. Panels may be rotary-cut or of sawn stock at the manufacturer's option.

Panel Door Layout and Design Extras

For Typical Panel Doors

NET EXTRAS as shown below are for design only, as illustrated on page 198, with standard layout. Extras for wide Stiles and Rails, etc., to be added as shown on page 202.

DESIGN		LAYOUT*		Uns. Birch, Uns. Gum, Cal. Ash	Red Gum, R. or Wh. Birch, Yel. Pine, R. Oak, Wh. Oak, Brown Ash	Qtr. R. Oak, Qtr. White Oak, Qtr. R. Gum, Phil. Hdwds., Cypress, Chest.	Afr. Mhgy., Mex. Mhgy., Am. Walnut, Red Cedar
		Specified Dimen- sions are Overall except for Insert Types which are face measure, and None Over					
		Stile Width	Bottom Rail Width				
A	One Panel	4 $\frac{7}{8}$	9 $\frac{3}{4}$	\$0.80	\$1.30	\$1.40	\$1.70
A	One Panel	4 $\frac{7}{8}$	12	.90	1.40	1.55	1.85
A	One Panel	5 $\frac{1}{2}$	12	1.00	1.50	1.70	2.00
B	2 Regular Panel	4 $\frac{7}{8}$	9 $\frac{3}{4}$.50	.80	1.00	1.30
C	2 Equal Panel	4 $\frac{7}{8}$	9 $\frac{3}{4}$.70	1.00	1.20	1.50
D	3 Equal Panel	4 $\frac{7}{8}$	9 $\frac{3}{4}$.90	1.20	1.40	1.70
E	4 Cross Panel	4 $\frac{7}{8}$	9 $\frac{3}{4}$	1.30	1.40	1.60	2.00
F	5 Cross Panel	4 $\frac{7}{8}$	9 $\frac{3}{4}$	1.10	1.40	1.60	2.00
G	2 Vertical Panel	4 $\frac{7}{8}$	9 $\frac{3}{4}$ or 12	1.30	1.70	2.00	2.50
H	3 Vertical Panel	4 $\frac{7}{8}$	9 $\frac{3}{4}$ or 12	1.90	2.30	2.60	3.20
I	4 Regular Panel	4 $\frac{7}{8}$	9 $\frac{3}{4}$	1.50	1.90	2.30	2.80
J	4 Colonial Panel	4 $\frac{7}{8}$	9 $\frac{3}{4}$ or 12	1.60	2.00	2.50	3.00
K	5 Regular Panel	4 $\frac{7}{8}$	9 $\frac{3}{4}$	1.80	2.20	2.80	3.40
L	6 Colonial Panel	4 $\frac{7}{8}$	9 $\frac{3}{4}$	2.20	2.60	3.20	3.80
M	8 Colonial Panel	4 $\frac{7}{8}$	9 $\frac{3}{4}$	2.60	3.00	3.60	4.20
N	10 Panel	4 $\frac{7}{8}$	9 $\frac{3}{4}$	3.00	3.40	4.20	4.90
O	15 Panel	4 $\frac{7}{8}$	9 $\frac{3}{4}$	4.00	4.40	5.20	6.20
P	2 Reverse Panel	4 $\frac{7}{8}$	9 $\frac{3}{4}$ or 12	.70	1.00	1.20	1.50
Q	3 Panel Craft	4 $\frac{7}{8}$	9 $\frac{3}{4}$ or 12	1.30	1.70	2.00	2.50
R	4 Panel Craft	4 $\frac{7}{8}$	9 $\frac{3}{4}$ or 12	1.70	2.20	2.80	3.40
S	One Panel—Insert . . .	4 $\frac{1}{4}$	9 $\frac{3}{4}$	1.00	1.50	1.70	2.00
T	2 Panel—Insert	4 $\frac{1}{4}$	9 $\frac{3}{4}$	1.50	2.00	2.20	2.60
U	3 Panel—Insert	4 $\frac{1}{4}$	9 $\frac{3}{4}$	1.70	2.20	2.40	2.90
V	2 Panel—Insert	4 $\frac{1}{4}$	9 $\frac{3}{4}$	1.50	2.00	2.70	3.30
W	3 Panel—Insert	4 $\frac{1}{4}$	9 $\frac{3}{4}$	2.00	2.50	3.20	3.80

For Full 1" thick Frame in Insert Frame Doors

add list in addition to extras S to W, incl.60 .70 .90 .20

*Note: The foregoing layout dimensions are maximum and range from 4 $\frac{5}{8}$ " to 4 $\frac{7}{8}$ " on the narrow layout, and 5 $\frac{3}{8}$ " to 5 $\frac{1}{2}$ " on the wider stiles, with the Top and Bottom Rails varying in about the same proportion.

Typical Sash Door and Sidelight Designs

See Design Extras on Page 201




A-A B-B C-C D-D E-E F-F G-G



H-H I-I J-J K-K L-L M-M N-N



O-O P-P Q-Q R-R S-S T-T U-U



V-V W-W X-X Y-Y Z-Z

Panels when made of rotary-cut Birch, Brown Ash, Calico Ash or Gum, permit up to 25% spliced panel faces distributed at random. When made of rotary-cut Oak or of sawn veneer in any wood, panels are not limited as to splicing. Panels may be rotary-cut or of sawn stock at the manufacturer's option.

Sash Door Layouts and Design Extras For Typical Sash Doors

NET EXTRAS as shown below are for design only, Beads one side included, as illustrated on page 200, with Standard Layout.

Extras for Wide Stiles, Divided Lights, etc., to be added for as shown on pages 202 and 205.

DESIGN		LAYOUT*		Uns. Birch, Gum, Cal. Ash	Red Gum, Red or Wh. Birch, Yellow Pine, R. Oak, Pl. Wh. Oak, Brown Ash	Qtr. R. Oak, Qtr. White Oak, Qtr. R. Gum, Phil. Hdws., Cypress, Chest.	African Mhgy., Mex. Mhgy., Amer. Walnut, Red Cedar
		Specified Dimensions are Overall except for Insert Types which are face measure, and None Over					
		Stile Width	Bottom Rail Width				
A-A	One Lt. † (See Note) ..	4 7⁄8	9 3⁄4	\$0.50 †	\$0.50 †	\$0.50 †	\$0.70 †
B-B	1 Pan. & 1 Lt.	4 7⁄8	9 3⁄4	.10	.20	.30	.40
C-C	1 Pan. & 1 Lt.	4 7⁄8	9 3⁄4	.50	.80	.90	1.10
D-D	2 Pan. & 1 Lt.	4 7⁄8	9 3⁄4	.90	1.10	1.30	1.50
E-E	2 X Pan. & 1 Lt.	4 7⁄8	9 3⁄4	.60	.70	.90	1.10
F-F	3 X Pan. & 1 Lt.	4 7⁄8	9 3⁄4	.80	.90	1.10	1.30
G-G	2 Pan. & 1 Lt.	4 7⁄8	9 3⁄4	.80	1.00	1.20	1.40
H-H	2 Long Lights.	4 7⁄8	9 3⁄4	1.10	1.20	1.40	1.60
I-I	3 Long Lights.	4 7⁄8	9 3⁄4	2.40	2.50	3.20	3.50
J-J	2 Ver. Pan. & 1 Lt. .	4 7⁄8	9 3⁄4	.90	1.10	1.30	1.50
K-K	3 Reg. Pan. & 1 Lt. .	4 7⁄8	9 3⁄4	1.40	1.60	1.90	2.20
L-L	4 Col. Pan. & 1 Lt. .	4 7⁄8	9 3⁄4	2.20	2.50	2.90	3.40
M-M	4 Col. Pan. & 1 Lt. .	4 7⁄8	9 3⁄4	1.60	1.80	2.10	2.40
N-N	6 Pan. & 1 Lt.	4 7⁄8	9 3⁄4	3.00	3.20	3.80	4.30
O-O	1 Pan. & 1 Lt. Craft.	4 7⁄8	9 3⁄4 or 12	.80	1.00	1.20	1.40
P-P	2 Pan. & 1 Lt. Craft.	4 7⁄8	9 3⁄4 or 12	1.40	1.70	2.00	2.30
Q-Q	3 Pan. & 1 Lt. Craft.	4 7⁄8	9 3⁄4 or 12	1.80	2.20	2.60	3.00
R-R	1 Light—Insert.	4 1⁄4	9 3⁄4	.70	.90	1.10	1.30
S-S	1 Pan. & 1 Lt. Insert	4 1⁄4	9 3⁄4	1.50	2.00	2.40	2.80
T-T	2 Pan. & 1 Lt. Insert	4 1⁄4	9 3⁄4	1.90	2.30	2.70	3.20
U-U	1 Ins. Pan. & 1 Lt. .	4 1⁄4	9 3⁄4	.80	1.00	1.20	1.40
V-V	{ 2 Pan. & 1 Lt. } { Ins. Bot. Pan. }	4 1⁄4	9 3⁄4	1.80	2.10	2.50	3.00
W-W	2 Long Lights Insert	4 1⁄4	9 3⁄4	1.60	1.80	2.10	2.50
For full 1" thick frame in Insert Frame Doors add list in addition to extras R-R to W-W, incl.				.60	.70	.90	1.20

*Note: The foregoing layout dimensions are maximum, ranging from 4 5/8" to 4 7/8" for the Stiles with the Top and Bottom Rails varying in about the same proportion.

†Note: For one light sash doors, "A-A," use Casement Door Base List. For all other designs indicated use Panel Door Base Lists.

For Typical Side Lights

Following Net Extras to Apply over Side Light List Shown on page 197

				No Extra	No Extra	No Extra	No Extra
X-X	1 Long Lt., No Pan. .	2 1/2	9 5/8				
Y-Y	1 Long Lt. & 1 Pan. .	2 1/2	9 5/8	\$0.80	\$0.90	\$1.20	\$1.50
Z-Z	1 Lt. & 1 Long Pan. .	2 1/2	9 5/8	1.40	1.60	2.00	2.70

Flush Door
Lists and
Extras
223

General Veneered Door Net Extras

The following NET EXTRAS apply to Panel Doors, Sash Doors and Side Lights and are to be added to the Base Price and Typical Design Extras as shown on the preceding pages.

Rule 1

Doors Oversize

Use base list extras as shown on Panel and Casement door lists (pages 196 and 197)
Plus the following net extras for doors over 5'0" wide and 10'0" high:

Over 5'0" wide.....	\$ 6.00
Over 10'0" high.....	10.00

Rule 2

Doors Over 1 $\frac{3}{4}$ " Thick

For each $\frac{1}{4}$ " or fraction thereof, add to the 1 $\frac{3}{4}$ " Veneered Door Basis, per door:

African Mahogany, American Walnut and Mexican Mahogany.....	\$1.00
Philippine Hardwood, Q. S. White Oak and Plain White Oak.....	.60
Other Native Woods.....	.50
On Insert Frame Doors (Panels standard thickness), add to the foregoing basis.....	50%

Rule 3

Two Kinds of Wood

Figure the average price of both woods; add the design extra for the more expensive wood and then add, per door:

If Insert Frame Type.....	\$2.00
For other designs.....	.50

Rule 4

Wide Stiles and Rails

For Stiles and Rails wider than Standard Layout, add net per door:

WIDTH	Uns. Birch, Uns. Gum, R. Oak, Wh. Oak, Br. Ash Cal. Ash, Yel. Pine, Red or Wh. Birch	Chestnut, Cypress, Phil. Hdwd., Qtr. Oak, Qtr. Fig. Red Gum	African Mhgy., Am. Wal. Mexican Mhgy.
Stiles & Top Rail Over 4 $\frac{7}{8}$ " to 5 $\frac{1}{2}$ ".....	\$0.20	\$0.30	\$0.40
Stiles & Top Rail Over 5 $\frac{1}{2}$ " to 6".....	.40	.60	.70
Stiles & Top Rail Over 6" to 6 $\frac{1}{2}$ ".....	.60	.90	1.00
Bottom Rail—Over 9 $\frac{3}{4}$ " to 12".....	.20	.30	.40
Bottom Rail—Over 12" to 14".....	.30	.50	.60
Bottom Rail—Over 14" to 16".....	.40	.70	.80
Bottom Rail—Over 16" to 18 $\frac{1}{2}$ ".....	.50	.90	1.00
Bottom Rail—Over 18 $\frac{1}{2}$ " Add for each add. 2".....	.10	.20	.30

Note: For Stiles and Rails narrower than 4 $\frac{7}{8}$ "—No Reduction in price.

Note: In pricing Sidelights with wider bottom rails than standard use 60% of foregoing extras.

Rule 5 Special Solid Sticking

For Square sticking (requiring full width veneers), add per door:

American Walnut, African or Mexican Mahogany.....	\$ 0.40
All other Native Woods.....	.20

For other designs, all Woods, if other than C & B, B & C, Bead, Ovolo, QR, PG, or OG:

If not over 1/2" wide, of practical machining design, add per door.....	.20
Minimum Charge on any one order.....	5.00
Maximum Charge on any one order.....	10.00
For new Special Knives, add for knives, in addition to foregoing, minimum	20.00

For any design, if Sticking is over 1/2" up to and including 3/4" wide, add to the foregoing, per door:

American Walnut, African or Mexican Mahogany.....	.30
All other Native Woods.....	.20

For different Sticking at glass than at panel, add per door 2.00

Rule 6 Mirror Doors

For preparing for Sunken Mirror, in addition to regular design extra, add per door:

DESIGN	Uns. Birch, Uns. Gum, Cal. Ash, Yel. Pine	R. Gum, R. Oak, Wh. Oak, Br. Ash, Red or Wh. Birch	All Other Native Woods	Phil. Hdwds., Qtr. Oak, Chestnut, Cypress	African Mhgy., Am. Wal. Mexican Mhgy., R. Cedar
Insert Frame Design.....	\$1.00	\$1.00	\$1.40	\$1.40	\$2.60
One Panel.....	.50	.50	.60	.60	.80
2 Regular Panel Design.....	1.20	1.20	1.40	1.40	1.60
2 Vertical Panel Design.....	1.60	1.60	1.80	1.80	2.00
3 and 4 Panel Design.....	2.00	2.00	2.20	2.20	2.40
5 and 6 Panel Design.....	2.40	2.40	2.60	2.60	2.80
8 Panel Design.....	3.20	3.20	3.40	3.40	3.60
*Planted on face, all designs	1.50	1.50	1.70	1.70	2.20
*If Shipped loose, deduct..	.50	.50	.50	.50	.50
Lights planted on 1/S Panel Doors per Light.....	.40	.40	.50	.50	.60
Panel Mirror Back in Div. Lt. Doors, add to Div. Lt. Basis, per Light.....	.20	.20	.30	.30	.40

Rule 7 Doors Paneled Differently Two Sides















All Woods (Same Framing both sides)

Add to the Basic Price of a Two-panel door:

If One-Panel 1/S, Two-Panel 1/S.....	\$3.00
If One-Panel 1/S, Two-vertical Panel 1/S.....	3.50
If One-Panel 1/S, 5 Cross Panel 1/S.....	4.00
If Two-Panel 1/S, 5 Cross Panel 1/S.....	5.00
If more than 5 cross panel 1/S, add per panel to the two foregoing prices....	1.00
If 6 Panel 1/S, 8 Panel 1/S.....	7.00
For each additional panel over 6 or 8 panels on either side add, per door..	1.00
If Insert Frame Door 1/S, One-Panel 1/S.....	6.00
If Different Framing both sides, add to the foregoing, per door.....	2.50
If Flush 1/S, One-Panel 1/S, add to the current Flush Door basis.....	7.00
For each additional panel on 1/S of Flush Door add to foregoing basis, per door	1.00

Divided Lights

See Divided Light Extras, page 205



Rule 8

Divided Lights (See Designs, page 204)

With Glass Beads 1/S, for doors not over 1 1/4" thick, apply Rule 9 Bead Deductions, then add net extra per light: (Bars not over 1 1/4" overall or 1/2" between glass.)	Uns. Birch, Uns. Gum, R. Gum, R. Oak, Br. Ash, Cal. Ash, Pl. Wh. Oak, Yel. Pine, R. or Wh. Birch	All Other Native Woods	Phil. Hdwd., Qtr. Wh. Oak Qtr. & Sel. Fig. R. Gum, Chestnut, Cypress	Af. Ma- hogany, Mex. Ma- hogany, Am. Walnut, R. Cedar
(A) Rectangular lts. up to 16' high.....	\$0.28	\$0.32	\$0.34	\$0.42
Rectangular lts. 17' to 30' high.....	.32	.36	.38	.48
Rectangular lts. 31' to 50' high.....	.40	.44	.46	.54
Rectangular lts. over 50' high.....	.50	.56	.64	.78
(B) Rec. Marginal lts. add per lt. to the Rectangular Basis (A).....	.04	.04	.04	.04
Inside lts. priced same as (A)				
(C) Irreg. arrangement of Rect. lts. (where Marginal basis does not apply), add to the regular Rectangular basis per light....	.04	.04	.04	.04
(D) Diamond, Triangular or Irreg. shaped lts. if formed by straight bars, add net per lt.	.70	.78	.84	.92
(E) Diamond shaped lts., entirely suspended by bars and mts., per light (Surrounding lights on Rectangular Basis).....	3.90	4.20	4.20	4.60
(F) Circular or Oval lts., entirely suspended by bars and mts., per light.....	3.90	4.20	4.20	4.60
(F1) If Oval or Circular light is not suspended, add per light.....	12.00	12.50	13.00	13.50
(G) Serpentine lts., add per full length bar to the basic divided light price.....	3.50	3.90	3.90	4.20
(H) Full Half Circle lts., add per lt.....	2.80	3.20	3.20	3.50
(I) Segment Lights, add per light.....	1.40	1.60	1.60	1.80
(J) Rect. Lts., Bordering on curved or Irreg. Top Doors, add to basic price per light..	.36	.36	.36	.36
For Doors Veneered "Two Woods," use aver. light price of both woods and add per light	.08	.08	.08	.08
For divided lights in doors over 1 1/4", add for each 1/2" or fraction in thickness to the Rect. or curved lt. basis, per light.....	.08	.08	.10	.12
If lights are furnished for putty, without Beads, deduct from the Rect. light basis, per light.....	.08	.08	.08	.10
If Beads "Two Sides," add to the Rect. light basis, per light.....	.10	.12	.12	.12
If Beads 2/S, (Diamond Lights), add to Diamond lt. basis, per light.....	.20	.22	.22	.26
For lights with "Sunken Bars," add to the basic price, per light.....	.10	.10	.10	.12
For lights with "Bars Coped to Nailed in Moulding," add to basic price per lt. (and if "Sunken Face," add also the "Sunken Bar" extra).....	.14	.14	.14	.16
For Bars wider than Standard 1 1/8", add for each additional 1/4, or fraction thereof in width, per light.....	.02	.03	.04	.04
*Inserted Sash with beads one side, add.....	2.30	2.30	3.30	4.20

*This extra contemplates one light sash. If sash has divided lights, add regular divided light basis to the foregoing.

Rule 9

Bead Deduction

Note: Before adding divided light extras under Rule 8, deduct for beads one side, (already included in sash door design extras) as follows:

Up to 25" high deduct.....	\$0.20	\$0.20	\$0.20	\$0.30
Over 25" to 50" high deduct.....	.40	.40	.40	.50
Over 50" high, deduct.....	.50	.50	.50	.70

Rule 10

Sawed Veneers

For Standard $\frac{1}{8}$ " Sawed Veneers in place of Rotary-cut Veneers, add per door:

NOTE: On all other woods, Sawed Veneers are included in the basic price.	Red Oak, Uns. Birch, Uns. Gum, Red Gum, Yel. Pine Br. Ash, Cal. Ash	R. & Wh. Birch
Stiles & Rails only		
1 Light or 1 Panel Doors.....	\$0.70	\$1.30
For each additional Rail or Munt, add...	.15	.20
Panels only.....	.90	1.40

Rule 11 Thick Veneers On Stiles & Rails—(Sawed)

Net Extra Per Door

NOTE: In all instances the following veneers will finish about $\frac{1}{16}$ " less than the thick- ness specified.	Uns. Birch, Uns. Gum, Red Gum, Red Oak, Brown Ash, Calico Ash, Yellow Pine	White Oak (add to $\frac{1}{8}$ " Sawed White Oak basis)	All Other Native Woods	Am. Wal., Mexican Mhgy., African Mhgy., Red Birch
$\frac{3}{16}$ " Before Sanding:				
1 Light or 1 Panel.....	\$1.20	\$0.70	\$1.40	\$1.60
For each additional Rail, add...	.15	.10	.15	.20
$\frac{1}{4}$ " Before Sanding:				
1 Light or 1 Panel.....	1.40	.80	1.60	1.80
For each additional Rail, add...	.15	.10	.15	.20
$\frac{5}{16}$ " Before Sanding:				
1 Light or 1 Panel.....	1.80	1.10	2.00	2.30
For each additional Rail, add...	.20	.15	.20	.30
$\frac{3}{8}$ " Before Sanding:				
1 Light or 1 Panel.....	2.10	1.30	2.40	2.70
For each additional Rail, add...	.30	.20	.30	.40
$\frac{1}{2}$ " Before Sanding:				
1 Light or 1 Panel.....	3.70	2.40	4.50	5.50
For each additional Rail, add...	.40	.30	.40	.50

Note: White Oak extras under Rule No. 11 are to be added to the basic $\frac{1}{8}$ " sawed White Oak price.

For Side Lights deduct from the foregoing extras..... 40%

Rule 12

Cross Banded Stiles & Rails

Add per door, All Woods:

1 Light or 1 Panel.....	\$1.00
For each additional Rail or Munt, add.....	.15

Rule 13

Vertical Grain Veneers on Rails

For Vertical Grain Veneers on Cross Rails, either for 1 Panel or 1 Light Rim or Sash Doors, and in any wood, add per door..... \$0.50

Rule 14 Two or Three Ply Doors—(Not Splined)

(Solid Stock Not Cored Up)

If $1\frac{3}{4}"$ or $2\frac{1}{4}"$ thick, add to the Veneered Door Basis of same design and thickness, per door:

Unselected Gum.....	\$ 5.00
Red and White Oak.....	6.00
(If White Oak, add to the Sawed White Oak Basis.)	
Unselected Birch, Red Gum and Brown Ash.....	7.50
Philippine Hardwood, Qtr. Oak and Qtr. Fig. Gum.....	8.00
Red or White Birch.....	9.00
African Mahogany.....	11.00
American Walnut and Mexican Mahogany.....	12.00

If Two Ply Doors are splined (2 splines to a stile), add extra per door..... 1.50

Rule 15 Glued, Screwed and Plugged

Add to the foregoing basis, for all woods, per door..... \$8.50

Rule 16 For Chamfering Stiles & Rails

Ordinary Machine Chamfer, One Side, add per cut.....	\$0.06
Stop Chamfering, One Side, add per cut.....	.12

Rule 17 Diagonal Cross Pieces or Braces

	Uns. Birch, Uns. Gum, R. Gum, White Oak, Red Oak, Br. Ash, Cal. Ash, Yellow Pine	All Other Native Woods	African Mahogany, American Walnut, Mexican Mahogany
--	--	---------------------------------	--

For 1 Diagonal Cross Piece, planted on face of panel 1/S, per Sketch 1, below, add per door.....

\$2.00 \$2.30 \$3.00

2/S, per Sketch 1


3.50 3.80 4.50

For 2 Diagonal Cross Pieces, planted on face on panel 1/S, per Sketch 2, below, add per door.....


4.00 4.60 6.00

2/S, per Sketch 2,

7.00 7.60 9.00



1



2

NOTE: If triangular panels in cross braced door are raised panels, add for cross braces, then add the raised panel extra per rule 28 for same thickness of panel, then add 50 cents net per panel.

If chamfered see Rule 16.

Rule 18 Lock Blocks

For lock blocks planted on face of door, add per side, all woods, if solid stuck \$1.50

For lock blocks planted on face of door, add per side, all woods, if moulded .. 2.20

Rule 19

Moulding Extras on Panel Doors or Sash Doors

(With Moulding Around Both Panel
and Glass Opening)

For Fillet around Glass Opening, add per door..... \$0.30

For Fillet around Panels, No Extra.

Beads around Glass Opening are included in Design Extra.

For Raised Moulding 1/S, Flush Moulding 1/S, use Average of both extras.

Flush Mouldings

The following extras apply to Glass Opening or Panels, Moulded Two Sides.

Not Over $\frac{3}{4}$ "x $1\frac{1}{4}$ " Wide, Two Sides, add net per door:

DESIGN	Uns. Birch, Uns. Gum, Cal. Ash	R. Gum, R. Oak, Wh. Oak, Br. Ash, Yel. Pine, Red or Wh. Birch	All Other Native Woods	Chestnut, Cypress, Phil. Hdwd., Qtr. Oak, Qtr. Fig. Gum	African Mahogany, Am. Wal., Mexican Mahogany, Red Cedar	If Mld'd 1/S, Sol. Stuck 1/S Deduct 1/4 All Woods
1 Panel.....	\$1.80	\$2.10	\$2.30	\$2.30	\$2.60	\$0.40
2 Regular Panel..	2.30	2.60	3.00	3.00	3.40	.60
2 Vertical Panel..	2.60	3.00	3.30	3.30	3.90	.60
3 Panel.....	2.80	3.20	3.60	3.60	4.10	.70
4 Panel.....	3.20	3.60	4.00	4.00	4.70	.70
5 Panel.....	3.60	4.10	4.60	4.60	5.20	.80
6 Panel.....	4.50	5.10	5.50	5.50	6.30	.90
8 Panel.....	5.00	5.70	6.20	6.20	7.20	1.00

For Flush Moulding Wider or narrower than $1\frac{1}{4}$ ", add to or deduct from the foregoing for each $\frac{1}{8}$ " or fraction thereof:

1, 2, or 3 Panel...	\$0.10	\$0.10	\$0.10	\$0.10	\$0.16
4 or more Panels..	.20	.20	.20	.20	.30

For Flush Moulding Over $\frac{3}{4}$ " thick and up to $1\frac{1}{8}$ " thick, add to the foregoing. 15%

For Flush Moulding Over $1\frac{1}{8}$ " thick and up to $1\frac{3}{8}$ " thick, add to $\frac{3}{4}$ " thickness 25%

For Glueing Moulding, add to the foregoing prices, per door:

1 and 2 Panel.....	\$0.50
3, 4 and 5 Panel.....	.80
6 and 8 Panel.....	1.20

For Special Mouldings requiring special knives, add for knives and set-up, minimum..... 10.00

Rule 20

Hip Raised Moulding

Use Flush Moulding basis for same design and size of mould, and add per door .20

Rule 21 Moulding Extras on Sash Doors

(With Solid Sticking at Glass Opening and Moulding Around Panel Two Sides)

Add following extras, per door, for Moulding around panels only.

For Designs see page 200.

Beads for glass 1/S are already included in Design Extra.

For Fillet around Panels, No Extra.

For Raised Moulding 1/S, Flush Moulding 1/S, use average of both extras.

In pricing this type of door, the price should be based on Overall Stile and Rail dimensions at the Solid Sticking.

Flush Mouldings

Not over $\frac{3}{4}$ " x $1\frac{1}{4}$ " wide, Two Sides, add net per door:

DESIGN For Designs See page 200	Uns. Birch, Uns. Gum, Cal. Ash	R. Gum, R. Oak, Wh. Oak, Br. Ash, Yel. Pine, R. or Wh. Birch	All Other Native Woods	Chestnut, Cypress, Phil. Hdwds., Qtr. Oak, Qtr. Fig. Gum	African Mhgy., Am. Wal. Mexican Mhgy., R. Cedar
1 Pan. & 1 Lt. Des. B-B, C-C and O-O.....	\$1.80	\$2.10	\$2.30	\$2.30	\$2.60
2 Pan. & 1 Lt. Des. D-D, E-E G-G, J-J.....	2.60	3.00	3.40	3.40	3.90
3 Pan. & 1 Lt. Des. F-F and K-K.....	3.00	3.40	3.80	3.80	4.50
4 Pan. & 1 Lt. Des. L-L and M-M.....	3.70	4.30	4.70	4.70	5.50
6 Pan. & 1 Lt. Des. N-N....	4.50	5.20	5.90	5.90	6.80
2 Ver. Pan. & 1 Lt. Des. P-P	2.90	3.30	3.70	3.70	4.30
3 Ver. Pan. & 1 Lt. Des. Q-Q	3.30	3.80	4.30	4.30	4.90

For Flush Moulding wider or narrower than $1\frac{1}{4}$ " add to or deduct from the foregoing for each $\frac{1}{8}$ " or fraction thereof:

1, 2, or 3 Panel.....	\$0.10	\$0.10	\$0.10	\$0.10	\$0.16
4 or more Panels.....	.20	.20	.20	.20	.30

For Flush Moulding 1/S only, deduct from the foregoing prices..... 40%

For Flush Moulding over $\frac{3}{4}$ " thick and up to $1\frac{1}{8}$ " thick, add to the foregoing 15%

For Flush Moulding over $1\frac{1}{8}$ " thick and up to $1\frac{3}{8}$ " thick, add to $\frac{3}{4}$ " thickness 25%

For Glueing Moulding around Panels in Sash Doors, add to the foregoing prices, per door:

1 and 2 Panel and 1 Light.....	\$0.40
3 and 4 Panel and 1 Light.....	.70
6 Panel and 1 Light.....	1.10

For Special Mouldings requiring special knives, add for knives and set-up minimum..... 10.00

Rule 22

Moulding Extras on Panel Doors or Sash Doors

(With Moulding Around Both Panel and Glass Opening)

For Fillet around Glass Opening, add per door..... \$0.30

For Fillet around Panels, No Extra.

Beads around Glass Opening are included in Design Extra.

For Raised Moulding 1/S, Flush Moulding 1/S, use Average of both extras.

Rabbeted Raised Mouldings

The following extras apply to Glass Opening or Panels, Moulded Two Sides.

Not over $\frac{3}{4}$ " x $1\frac{3}{4}$ " wide, Two Sides, add net per door:

DESIGN	Uns. Birch, Uns. Gum, Cal. Ash	R. Gum, R. Oak, Wh. Oak, Br. Ash, Yel. Pine, Red or Wh. Birch	All Other Native Woods	Chestnut, Cypress, Phil. Hdwd., Qtr. Oak, Qtr. Fig. Gum	African Mhgy., Am. Walnut, Mexican Mhgy., Red Cedar	If Mld'd 1/S, Sol. Stuck 1/S Deduct All Woods
1 Panel.....	\$2.60	\$3.00	\$3.30	\$3.30	\$3.80	\$0.40
2 Regular Panel.	3.30	3.80	4.40	4.40	5.40	.60
2 Vertical Panel.	3.70	4.30	4.80	4.80	5.70	.60
3 Panel.....	4.00	4.60	5.20	5.20	5.90	.70
4 Panel.....	4.60	5.20	5.80	5.80	6.80	.70
5 Panel.....	5.10	5.90	6.60	6.60	7.50	.80
6 Panel.....	6.20	7.10	7.70	7.70	8.90	.90
8 Panel.....	7.10	8.10	8.90	8.90	10.40	1.00

For Raised Moulding wider or narrower than $1\frac{3}{4}$ " add to or deduct from the foregoing for each $\frac{1}{8}$ " or fraction thereof:

1, 2 or 3 Panel....	\$0.10	\$0.10	\$0.10	\$0.10	\$0.16
4 or more Panels	.20	.20	.20	.20	.30

For Raised Moulding over $\frac{3}{4}$ " thick and up to $1\frac{1}{8}$ " thick, add to the foregoing 15%

For Raised Moulding over $1\frac{1}{8}$ " thick and up to $1\frac{3}{8}$ " thick, add to $\frac{3}{4}$ " thickness 25%

For Glueing Moulding, add to the foregoing prices, per door:

1 and 2 Panel.....	\$0.50
3, 4 and 5 Panel.....	.80
6 and 8 Panel.....	1.20

For Special Mouldings requiring special knives, add for knives and set-up minimum..... 10.00

Rule 23

Moulding Extras on Sash Doors

(With Solid Sticking at Glass Opening and Moulding
Around Panel Two Sides)

Add following extras, per door, for Moulding around panels only. For designs see page 200.

Beads for Glass 1/S are already included in Design Extra.

For Fillet around Panels, No Extra.

For Raised Moulding 1/S, Flush Moulding 1/S, use Average of both extras.

In pricing this type of door, the price should be based on Overall Stile and Rail dimensions at the Solid Sticking.

Rabbeted Raised Mouldings

Not over $\frac{3}{4}$ " x $1\frac{1}{4}$ " wide, Two Sides, add net per door:

DESIGN For Designs See page 200	Uns. Birch, Uns. Gum, Cal. Ash	R. Gum, R. Oak, Wh. Oak, Br. Ash, Yel. Pine, R. or White Birch	All Other Native Woods	Chestnut, Cypress, Phil. Hdwds., Qtr. Oak, Mexican Mhgy., R. Cedar	African Mhgy., Am. Walnut, Mexican Mhgy., R. Cedar
1 Pan. & 1 Lt. Des. B-B, C-C, and O-O.....	\$2.60	\$3.00	\$3.30	\$3.30	\$3.80
2 Pan. & 1 Lt. Des. D-D, E-E, G-G, J-J.....	3.80	4.40	5.00	5.00	5.70
3 Pan. & 1 Lt. Des. F-F and K-K.....	4.40	5.00	5.60	5.60	6.60
4 Pan. & 1 Lt. Des. L-L and M-M.....	5.40	6.30	6.90	6.90	8.10
6 Pan. & 1 Lt. Des. N-N.....	6.60	7.70	8.70	8.70	10.10
2 Ver. Pan. & 1 Lt. Des. P-P	4.20	4.80	5.40	5.40	6.30
3 Ver. Pan. 1 Lt. Des. Q-Q..	4.80	5.60	6.30	6.30	7.20

For Raised Moulding wider or narrower than $1\frac{3}{4}$ ", add to or deduct from the foregoing for each $\frac{1}{8}$ " or fraction thereof:

1, 2, or 3 Panel.....	\$0.10	\$0.10	\$0.10	\$0.10	\$0.16
4 or more Panels.....	.20	.20	.20	.20	.30

For Raised Moulding on 1/S only, deduct from the foregoing prices..... 40%

For Raised Moulding over $\frac{3}{4}$ " thick and up to $1\frac{1}{8}$ " thick, add to the foregoing 15%

For Raised Moulding over $1\frac{1}{8}$ " thick and up to $1\frac{3}{8}$ " thick, add to $\frac{3}{4}$ " thickness 25%

For Glueing Moulding around Panels in Sash Doors, add to the foregoing prices, per door:

1 and 2 Panel and 1 Light.....	\$0.40
3 and 4 Panel and 1 Light.....	.70
6 Panel and 1 Light.....	1.10

For Special Mouldings requiring special knives, add for knives and set-up, minimum..... 10.00

Rule 24

Fillet Extras

For Fillet in One-Light Blank Doors, add per door..... \$0.30
 (For Fillet in other designs, see Moulding Rules.)

Rule 25

Thick Flat Panels

(Standard face veneers)

Add per door:

THICKNESS	5 PLY		3 PLY	
	American Walnut, Mexican or African Mahogany, Qtr. Oak, Qtr. Fig. Gum	All Other Native Woods	American Walnut, Mexican or African Mahogany, Qtr. Oak, Qtr. Fig. Gum	All Other Native Woods
$\frac{5}{16}$ " or under.....	\$0.60
Over $\frac{5}{16}$ " to $\frac{7}{16}$ ".....	\$.30	.80	\$.30	\$.30
Over $\frac{7}{16}$ " to $\frac{9}{16}$ ".....	.60	1.10	.60	.60
Over $\frac{9}{16}$ " to $\frac{5}{8}$ ".....	1.10	1.60	1.20	1.20
Over $\frac{5}{8}$ " to $\frac{3}{4}$ ".....	1.60	2.00	1.90	1.90
Over $\frac{3}{4}$ " add for each $\frac{1}{4}$ " or fraction thereof.....	.50	.50	.50	.50

For Sash Doors, in which Glass Opening reduces Panel area $\frac{1}{2}$ or more, use $\frac{1}{2}$ of the foregoing extras.

Rule 26

Graduated Panels

For doors with panels of graduated height, add to the design extra for a door of the same number of panels, for All Woods..... \$0.50

Rule 27

Ceiling Panels "V" Joint or Beaded

For vertical panels use same extras as provided for raised panels of same number and thickness. See Rule 28.

For diagonal ceiling panels add to Rule 27, as provided above..... 50%

Rule 28 Raised Panels

Add to the regular $\frac{5}{16}$ " Flat Panel Basis, per panel:

RAISED PANELS NOT OVER $\frac{3}{4}$ " THICK, Standard Bevel Raise (raise not over 2" from edge of panel to shoulder of raise). Panel Groove not less than $\frac{1}{16}$ " wide. If Panel Groove for Raised Panels is less than $\frac{1}{16}$ " wide, thus requiring heavier face veneers, use $1\frac{1}{8}$ " Raised Panel Basis.

Apply regular Design Extras (See pages 199 and 201, etc.,) and add LIST EXTRA per panel	Uns. Birch, Uns. Gum, Red Gum	All Other Native Woods	Afr. Mhgy., Am. Walnut, Mex. Mhgy.	If Mitred Frame Con- struction Add to Regular Raised Panel Extras
1 Panel Design—per panel (Ven.).....	\$3.60	\$3.90	\$4.40	Figure same
2 Reg. Pan. Design—per pan. (Ven.)...	2.10	2.30	2.70	as $1\frac{1}{8}$ " RSD.
3 Panel Design—per panel (Ven.).....	1.60	1.70	2.00	Panel with
5 or 6 Pan. Design—per pan. (Solid)...	.40	.50	.60	Mitred
5 or 6 Pan. Design—per pan. (Ven.)...	.50	.60	.70	Frame (See Below)
For each additional panel over 6 panels add per panel Solid or Veneered.....	.30	.40	.40	

RAISED PANELS OVER $\frac{3}{4}$ " THICK, up to and including $1\frac{1}{8}$ ", Standard Bevel Raise (raise not over 2" from edge of panel to shoulder of raise). Panel Groove not less than $\frac{1}{16}$ " wide.

If Panel Groove for Raised Panels is less than $\frac{1}{16}$ " wide, thus requiring heavier face veneers, use $1\frac{3}{4}$ " Raised Panel Basis.

1 Panel Design—per panel (Ven.).....	\$5.00	\$5.40	\$6.00	\$1.40
2 Reg. Pan. Design—per pan. (Ven.)...	3.00	3.20	3.50	.90
3 Panel Design—per panel (Ven.).....	2.00	2.10	2.40	.80
5 or 6 Pan. Des. per pan. (Sol. or Ven.)	.80	.90	1.00	.50
For each additional panel over 6 panels, add per panel Solid or Veneered.....	.30	.40	.40	.50

RAISED PANELS OVER $1\frac{1}{8}$ " THICK, up to and including $1\frac{3}{4}$ ", Standard Bevel Raise (raise not over 2" from edge of panel to shoulder of raise).

1 Panel Design—per panel (Ven.).....	\$7.00	\$7.60	\$8.50	
2 Reg. Pan. Design—per pan. (Ven.)...	4.30	4.60	5.30	No
3 Panel Design—per panel (Ven.).....	3.00	3.30	3.80	Extra
5 or 6 Pan. Des. per pan. (Sol. or Ven.)	1.50	1.70	1.90	Charge
For each additional panel over 6 panels, add per panel Solid or Veneered.....	1.00	1.10	1.30	

If Raise is wider than 2" and not over 3", add to the foregoing extras, per panel:

1 Panel.....	\$0.40
2 Regular Panel.....	.30
3, 5, or 6 Panel.....	.20

For panels raised differently two sides, add 50 cents per panel over and above the regular raised panel price.

Flush Door
Lists and
Extras
223

Rule 29	Clipped Corner Raised Panels (See Sketch A)	
Add per panel (4 Corners) Two Sides.....		\$1.60
Rule 30	Blocking in Corner of Panels (See Sketch B)	
Add per panel, All Woods, Solid Stuck, Two Sides.....		3.20
If Moulded, add in addition to the foregoing price over the regular Moulded Extra, per panel.....		1.00
Rule 31	Offsetting Corners of Panels (See Sketch C)	
Figure widths of Stiles and Rails at widest point, and add per panel, Two Sides, All Woods, in addition to the regular Flush Moulded Extra, Flush Moulded.....		6.00



A




B



C

Rule 32 Irregular Shaped Panels

For small Sunken Triangle Panel at top of Gothic Doors, add extra per triangle, One Side.....		1.00
For Rectangular Suspended Panels (Per Sketch "X" below). If Flat Panel and Solid Stuck, to basic price of door with equal number of panels, add...		12.00
★See note.		
For Diamond Shaped Suspended Panels (Per Sketch "Y" below). If Flat Panel and Solid Stuck, to basic price of door with equal number of panels, add.....		16.00
★See note.		
For Oval or Circle Shaped suspended Panels (Per Sketch "Z" below). If Flat Panel and Solid Stuck, to basic price of door with equal number of panels, add.....		16.00
★Note: The extras on the foregoing three types of doors apply where the irregular shaped Panel covers practically the full length of the door within the frame, like the sketches. Where such panels are inserted in either the top or bottom section of a door divided into a greater number of panels, deduct 35% from the three foregoing extras.		
For Raised Panels in foregoing three types of doors, add to the foregoing extras, in addition to regular Raised Panel Extras Rule 28, per door.....		8.00
For Octagonal Shaped Panels. If Flat Panels and Solid Stuck, add per panel.....		4.00
If Octagonal Raised Panels, add to the foregoing, per panel.....		1.50
If Octagonal Panels have Flush or Raised mould, add to the base mould price (Rules 19, 21, 22 and 23) per panel.....		1.50
For Flush or Raised Moulding in foregoing three types of doors, add to the regular Moulding Extras for doors with equal number of panels, for Designs X and Y.....		50%
For Design Z.....		100%
For Doors with Diamond Shaped Panels (Per Sketch "ZZ" below), Solid Stuck, to basic price of door with equal number of panels, add per panel..		3.50
If Moulded, add to the regular Moulding Basis for equal number of panels, per panel, Two Sides.....		.60
For Special Gothic Head (Per Sketch "YY" below), either Panel or Sash Door, if Solid Stuck, per head.....		6.00
Per door.....		12.00
If Flush Moulded, add to the foregoing, per head.....		4.00
Per door.....		8.00
For different width of stiles at panel than at light, add per door.....		5.00



X



Y



Z



YY



ZZ

Rule 33 Single Doors To Represent a Pair

If made simply as a wide door, duplicating arrangement of panels, with top and bottom rails extending across center mullion, add regular extra for Wide Door, Plus double the Design extra for similar design of single door.
 If made with double width center stile extending full height of door, and beaded to represent a pair, in addition to the foregoing, add..... \$3.50
 For extra wide doors, made by doweling two doors together, with bead at joint, add per joint..... 3.50

Rule 34 Dutch Doors

	All Other Native Woods	Phil. Hdwd., Qtr. Oak, Qtr. Fig. Gum	African Mahogany, Am. Walnut, Mexican Mahogany
Cut through Center Rail, Not Rabtd. .	\$2.00	\$2.10	\$2.30
Cut through Center Rail, Rabbeted . .	3.00	3.10	3.30
Shelf & Bracket One Side, add extra . .	5.00	5.50	6.50
Shelf & Bracket Two Sides, add to the One Side Basis.....	2.50	3.00	4.00

Rule 35 Cutting Small Light in Panels With Beads Two Sides

Rectangular Lights, add per light.....	\$1.00	\$1.10	\$1.30
Diamond Lights, add per light	1.60	1.70	2.00
Circle or Oval Lights, add per light.....	3.00	3.30	3.80

Rule 36 Segment and Circle Top Doors, Etc. (Sash Doors and Flat Panel Doors)


For Single Doors not over 3'6" Wide, for all Stock Wood, add per door:

Prices are for Stock Woods. For Special Woods see Extra below	If Square Head outside Special Head inside	In and Out	Standard Insert Frame Doors In and Out	For Flush or Raised Mould'g bordering on Special Tops, add to 1st or 2nd col.
Segment Top.....	\$3.30	\$3.85	\$ 7.70	\$2.75
Circle and Elliptic Tops....	6.60	7.70	14.30	4.40
Gothic and Tudor Tops....	7.15	7.70	14.30	5.50
Clipped Corner Top.....	4.95	6.00	9.35	1.10
Rake Top.....	3.30	4.40	7.15	.75
Peak Top.....	4.95	7.15	10.50	1.30


(If over 3'6" wide, add 10% for each 6" in width or multiple)
 Extra for munt or rail bordering on irregular top, add for each rail or munt \$2.00
 For Segment, Circle or Gothic Top Doors, in Pairs, double the foregoing extras and deduct..... 20%
 (This deduction applies to first 3 columns only)

If Special Woods, add to the foregoing extras as follows:
 Qtr. Oak, Qtr. Fig. Gum and Philippine Hardwood..... 15%
 American Walnut, African and Mexican Mahogany..... 25%
 (Other Native Woods take extras as shown above.)

For Munts bordering on special shaped heads, add per munt..... 2.00
 If Special Tops on Raised Panel Door, add per panel bordering on head, in addition to the Raised Panel Basis (Rule 28) and the Special Top Extra shown above, per panel..... .80
 For 3 special Head Lts., Solid Stuck, add for all 3 lts. per door, (Sketch No. 1) 13.50
 For 3 special Head Lts., Solid Stuck, add for all 3 lts. per door, (Sketch No. 2) 11.50



No. 1



No. 2

Rule 37 Louver Doors and Wood Grilles

Following prices are for Louvre opening not wider than Two Feet. If wider than Two Feet see extras below.

In pricing Louver doors use Sash Door Extras for Designs (page 201) and add following extras for Louvers in place of glass (without deduction for beads.)	All Other Native Woods	Phil. Hdwd., Qtr. Oak, Qtr. Fig. Gum	African Mahogany, Mexican Mahogany, American Walnut
If Louver is 12" high or under.....	\$1.50	\$1.80	\$2.20
For each additional 6" in height or fraction thereof, add.....	.40	.50	.60
If Louver opening is wider than 2 feet thus requiring Center Mullion, not over 12" high	1.90	2.20	2.80
If Louver opening is wider than 2 feet thus requiring Center Mullion, for each additional 6" in Height or fraction thereof, add	.40	.50	.60
If Grille Construction, double the Louver Basis as shown in lines 1 and 2 of this bracket			
If Sliding Panel of Standard Construction, add to the Louver Basis, per door (No Hardware nor Metal Track).....	4.00	5.20	6.50
If Metal Track, add.....	1.20	1.20	1.20

If 2 Wooded Louvers, add for each 12" in Height of Louver \$0.30.

For Special Louvers, flush with surface of stiles, add to regular basis 50%.

For Special Louvers, requiring dadoed or tenoned ends, add to regular basis 50%.

Rule 38 Metal Ventilouwer

Preparing Door for Metal Ventilouwer, between Stiles and Rails, beads 2/S, add per opening.....	\$0.50	\$0.70	\$0.80
---	--------	--------	--------

Note: This extra is to be added to the Panel Door Basis, that is, if opening above or below One Panel, use the One-panel extra plus the foregoing extra.

(Special prices on application for furnishing Metal Ventilouwer also.)

Rule 39 Hand Smoothing and Belt Sanding

Add for All Woods, per door:

	Belt Sanding	Hand Smoothing	If Moulded, add extra for Sanding to either column
Panel Doors—(1 to 3 Panels).....	\$0.80	\$1.20	\$0.50
Panel Doors—(5 to 8 Panels).....	1.20	1.80	.80
1 Light Doors.....	.60	.90	.50
Stall Doors.....	.60	.90	.40
Panel Transoms.....	.30	.50	.20
1 Light Transoms.....	.20	.30	.20

Rule 40 Rabbeting and Beading

	Plain Rabbeting	Rabbeting & Beading	Astragal Joint or Rule Joint
Add per Joint or pair.....	\$0.60	\$1.00	\$1.00
Minimum Charge on any one order.....	3.00	4.00	4.00

If Rounded Edges, add per edge \$0.60.

Rule 41 Banding Sliding Doors Two Sides

(Banding not over $\frac{3}{8}$ " x $2\frac{1}{2}$ ")

Add for each Lineal Foot around edge of door:

All Other Native Woods.....	\$0.14
Philippine Hardwood, Qtr. White Oak or Qtr. Fig. Red Gum.....	.16
African Mahogany.....	.20
American Walnut and Mexican Mahogany.....	.30

Rule 42 Astragals

Add per Joint (Stock Designs):

Minimum Charge for Special Design \$3.00	All Other Native Woods	Phil. Hardwood, Qtr. Oak, Qtrd. Fig. Gum	African Mahogany, Am. Walnut, Mexican Mahogany
Single "T" Astr. $1\frac{3}{8}$ " or $1\frac{3}{4}$ "....	\$0.80	\$1.10	\$1.40
Single "T" Astragal, $2\frac{1}{4}$ ".....	.90	1.20	1.60
Sliding Door Astr. (Per Set)....	1.00	1.30	1.80
Astragal Joint or Rule Joint....	.80	.80	.80
If Two-Wooded Astragal, use Average and add30	.30	.30

Rule 43 Stools

Plain Stock One-member Stool.	\$0.60	\$1.00	\$1.20
Plain Stock with Dentil or Bead	1.00	1.50	1.70
Plain Stock with 3 or 4 square blocks below	1.00	1.50	1.70

Rule 44 Lugs—Top and Bottom

Cove and Bead or O. G. Lugs, add per door (Figure Ht. of Dr. excl. of lugs) ..	\$1.00
For Extending Stiles to form a Square Vent opening below Bottom Rail, Sticking not cut out (Figure overall Ht. incl. extended Stiles).....	No Extra
For extending, etc., Sticking removed.....	.20

Rule 45 Blind Mortising and Tenoning

Add per Rail 20 cents. Minimum per door.....	\$0.80
If Wedged, per rail 10 cents. Minimum per door40

Rule 46 Squaring Door to Fit Jamb

Cut to exact size.....	\$0.50
------------------------	--------

Rule 47 Mortising Door for Locks

But not housed for Face Plate, per door.....	\$0.30
If recessed for face plate, add to foregoing extra20
If necessary to square to fit Jamb, add per Rule 46.	

Rule 48 Hinge Cut

Add per hinge.....	\$0.10
If necessary to square to fit Jamb, add per Rule 46.	

Rule 49 Letter Slots

Straight Cut, add per opening.....	\$0.30
Bevel Cut, add per opening.....	.50

Rule 50

Pegs, or Plugs

For pegs flush with surface of door, add per peg.....	\$0.08
For pegs plain and projecting above surface of door, add per peg.....	.12
For pegs chiseled and projecting above surface of door, add per peg.....	.16

Rule 51 Cores Certain Specified Widths or Lengths

Where cores must conform to any one specified width:	
For Panel Doors, add.....	\$0.50
Where cores must be of one piece full length of stiles and rails:	
If alternating pieces full length, add.....	.60
If all pieces full length, add.....	1.20

Rule 52

Miscellaneous Rules

For Panel Doors

Where specifications require any special arrangement of dowels, add per rail net.....	\$0.10
For double rows of dowels, add per rail, net.....	.30

Rule 53

For top and bottom edge strip extending across ends of stiles, add per door..	1.00
---	------

Rule 54

For joints set in white lead or water-proof glue, add, net.....	.20
---	-----

Rule 55

For cutting off horns on ends of stiles, add, net.....	.20
--	-----

Rule 56

For varnishing or painting top or bottom edges, add, net.....	.20
---	-----

Rule 57

For high test water-proof glue to stand 48 hours soaking test, add, net.....	1.50
--	------

Rule 58

Center-Matched Panel Veneer

For regular panel doors, all woods, add per door.....	.50
For panel sash doors, any design, all woods, add per door.....	.35

Rule 59

Staining and Priming

See Rule F-28, page 230.

Toilet and Dwarf Door Base List

(Solid and Veneered)

1 Panel, 2 Panel and 3X Panel designs. *(For greater number of panels see extra below.)

Stiles not over 3½" Wide and Bottom Rail 5" Wide, Overall.

1½" Thick

1-0x1-6.....	\$2.20	1- 0x3-6.....	\$6.20	2- 0x4-6.....	\$10.00
1-2x1-6.....	2.50	1- 2x3-6.....	6.50	2- 2x4-6.....	10.30
1-4x1-6.....	2.80	1- 4x3-6.....	6.80	2- 4x4-6.....	10.60
1-6x1-6.....	3.10	1- 6x3-6.....	7.10	2- 6x4-6.....	10.90
1-8x1-6.....	3.40	1- 8x3-6.....	7.40		
		1-10x3-6.....	7.70	1- 0x5-0.....	9.20
1-0x2-0.....	3.20	2- 0x3-6.....	8.00	1- 2x5-0.....	9.50
1-2x2-0.....	3.50	2- 2x3-6.....	8.30	1- 4x5-0.....	9.80
1-4x2-0.....	3.80	2- 4x3-6.....	8.60	1- 6x5-0.....	10.10
1-6x2-0.....	4.10	2- 6x3-6.....	8.90	1- 8x5-0.....	10.40
1-8x2-0.....	4.40			1-10x5-0.....	10.70
		1- 0x4-0.....	7.20	2- 0x5-0.....	11.00
1-0x2-6.....	4.20	1- 2x4-0.....	7.50	2- 2x5-0.....	11.30
1-2x2-6.....	4.50	1- 4x4-0.....	7.80	2- 4x5-0.....	11.60
1-4x2-6.....	4.80	1- 6x4-0.....	8.10	2- 6x5-0.....	11.90
1-6x2-6.....	5.10	1- 8x4-0.....	8.40		
1-8x2-6.....	5.40	1-10x4-0.....	8.70	1- 0x5-6.....	10.20
		2- 0x4-0.....	9.00	1- 2x5-6.....	10.50
1- 0x3-0.....	5.20	2- 2x4-0.....	9.30	1- 4x5-6.....	10.80
1- 2x3-0.....	5.50	2- 4x4-0.....	9.60	1- 6x5-6.....	11.10
1- 4x3-0.....	5.80	2- 6x4-0.....	9.90	1- 8x5-6.....	11.40
1- 6x3-0.....	6.10			1-10x5-6.....	11.70
1- 8x3-0.....	6.40	1- 0x4-6.....	8.20	2- 0x5-6.....	12.00
1-10x3-0.....	6.70	1- 2x4-6.....	8.50	2- 2x5-6.....	12.30
2- 0x3-0.....	7.00	1- 4x4-6.....	8.80	2- 4x5-6.....	12.60
2- 2x3-0.....	7.30	1- 6x4-6.....	9.10	2- 6x5-6.....	12.90
2- 4x3-0.....	7.60	1- 8x4-6.....	9.40		
2- 6x3-0.....	7.90	1-10x4-6.....	9.70		

For smaller or intermediate sizes use next larger listed size.

For the foregoing items, if ¾" thick, deduct.....	10%
For the foregoing items, if 1¼" or 1⅜" thick, Solid, add.....	10%
For the foregoing items, if 1¼" or 1⅜" thick, Veneered.....	No Extra
For the foregoing items, if 1¾" thick, Solid, add to the 1½" basis.....	25%
For the foregoing items, if 1¾" thick, Veneered, add to the 1½" basis.....	15%
*For each Additional Panel over Three (3) Panels, add per door All Woods	\$0.40
For full ⅛" Veneers, add to the foregoing list.....	20%
For Standard ¼" Veneers, add to the foregoing list.....	30%
For Flush Molding, deduct from the Molding Extra for a Regular Panel Door of the same design.....	20%
For O. G. Lugs, top and bottom (heights given do not include lugs), add per door.....	\$1.50
For Hand Smoothing, and Belt Sanding See Rule 39, page 216.	

For Stationary Slats instead of Panels, add list to the foregoing basis, for each foot or fraction thereof in height of Slats:

	All Other Native Woods	Phil. Hrdwd., Q. S. Oak, Q. S. Fig. Gum	African Mahogany, Am. Walnut, Mexican Mahogany
Per Foot or fraction thereof.....	\$0.60	\$0.80	\$1.00
Minimum Charge.....	1.20	1.40	1.80

If two rows of slats are required to match 2 Vertical Panels or 4 Regular Panel Doors use Double the foregoing extras.

Transoms and Hardwood Sash Base Lists

Stiles and Top Rail not over $2\frac{1}{2}$ " wide, Bottom Rail not over $3\frac{1}{2}$ " wide, overall. One Light—Beads included—Solid or 2-Ply Construction. If Wider Frame than listed, add 5% for each $\frac{1}{2}$ " or fraction on stiles and 5% for each $\frac{1}{2}$ " or fraction on rails.

Minimum Charge based on 80 Lineal Inches.

Extra for Panel Transoms is based on $\frac{5}{16}$ " 3-Ply Panels.

Woods	The following prices are per 100 Lineal Inches around the outside measurement of sash.		
	1 Light $1\frac{1}{4}$ "	1 Light $1\frac{3}{4}$ "	If Pan. Transoms, add to one light list
Unselected Birch.....	\$2.55	\$3.00	\$0.90
Unselected Gum.....	2.40	2.85	.75
Red Gum.....	2.85	3.15	1.05
Plain Red Oak.....	2.85	3.45	1.35
Yellow Pine.....	2.25	2.70	.90
Fig. Red Gum, Rotary-cut.....	3.15	3.45	1.35
White or Red Birch.....	2.85	3.75	1.20
Brown Ash.....	2.55	3.30	1.05
White Oak.....	2.85	3.75	1.65
Qtr. White Oak.....	3.60	4.35	1.80
Philippine Hardwood.....	2.85	3.60	1.35
Qtr. Fig. Red Gum.....	3.60	4.35	1.65
African Mahogany.....	5.40	6.60	1.80
Native Walnut.....	5.75	6.95	2.00

For Standard $\frac{1}{8}$ " Veneered Construction, add to the foregoing list..... \$0.45

For $2\frac{1}{4}$ " thick Transoms, Solid or Veneered, add to the $1\frac{3}{4}$ " Ven. Basis.... 10%

Transom Flush Moulding Extras

Add net per transom (One-light design). Moulding not over $1\frac{1}{4}$ " wide, Two Sides:

Unselected Birch, Unselected Gum, Yellow Pine and White Pine.....	\$1.00
Red Gum, Red Oak and Brown Ash.....	1.10
All Other Native Woods.....	1.20
Philippine Hardwood, White Oak and Qtr. White Oak.....	1.50
African Mahogany.....	1.80
American Walnut.....	1.80

Divided Lights

For divided lights in transoms use regular door extras, see page 205, Rules 8 and 9, etc., and deduct $\frac{1}{8}$.

Segment and Circle Top Transoms

Use Regular Door Basis, see Page 23, Rule 36, less..... 40%

Miscellaneous Transom Extras:

Thick Panels	Use $\frac{1}{3}$ of door extras under Rule 25.
Thick Veneers	If $\frac{1}{4}$ ", add 10% to Standard $\frac{1}{8}$ " Basis.
Raised Panels	Use nearest corresponding size of Panel per Rule 28.
Two Woods	Use average and add per transom 20 cents.
Spec. Sticking	Use 50% of full size door extras per Rule 5.

K. D. Veneered Door Stock

Standard Face Veneers $\frac{1}{8}$ " Rotary-Cut or Sawn at Manufacturer's Option.

Width	List prices per 100 Lineal Feet.	
	$1\frac{3}{8}$ "	$1\frac{3}{4}$ "
$4\frac{7}{8}$ " Stiles.....	\$ 54.75	\$ 71.20
$5\frac{1}{8}$ " Stiles.....	59.00	76.45
$6\frac{1}{8}$ " Stiles.....	61.60	79.40
$6\frac{5}{8}$ " Stiles.....	64.10	82.60
$4\frac{7}{8}$ " Rails.....	46.60	62.35
$5\frac{1}{8}$ " Rails.....	49.60	65.70
$6\frac{1}{8}$ " Rails.....	53.45	70.95
$6\frac{5}{8}$ " Rails.....	55.25	72.65
$7\frac{1}{8}$ " Rails.....	58.60	76.20
$7\frac{5}{8}$ " Rails.....	60.65	80.15
$8\frac{1}{4}$ " Rails.....	65.20	85.70
$8\frac{5}{8}$ " Rails.....	67.05	88.05
$9\frac{1}{8}$ " Rails.....	73.65	99.90
$9\frac{5}{8}$ " Rails.....	80.65	103.45
$11\frac{1}{8}$ " Rails.....	84.00	112.50
$12\frac{1}{8}$ " Rails.....	87.75	116.50
$12\frac{5}{8}$ " Rails.....	91.50	121.00
$14\frac{1}{8}$ " Rails.....	106.25	138.25
$15\frac{1}{8}$ " Rails.....	114.75	148.50
$16\frac{1}{8}$ " Rails.....	128.50	164.25
$18\frac{1}{8}$ " Rails.....	156.50	196.25
$19\frac{1}{8}$ " Rails.....	167.00	208.25
$20\frac{1}{8}$ " Rails.....	189.25	233.50

For each $\frac{1}{8}$ " or fraction thereof in thickness over $1\frac{3}{4}$ " thick, use same differential as between $1\frac{3}{8}$ " and $1\frac{3}{4}$ " lists shown.

All Lengths of Stiles and Rails to be figured at next full inch, that is 7'1" Stiles will be figured as 7'2".

For Stiles over 8'0" long, add to above list for each additional 6" or fraction thereof, per 100 Lineal Feet. \$ 8.00

For Rails over 2'6" long, add to above list for each additional 6" or fraction thereof, per 100 Lineal Feet, as follows:

$4\frac{7}{8}$ " and Under.....	2.50
$5\frac{1}{2}$ " to $6\frac{5}{8}$ ".....	4.00
$7\frac{1}{8}$ " to $9\frac{7}{8}$ ".....	7.00
$11\frac{1}{8}$ " to $14\frac{5}{8}$ ".....	10.00
$15\frac{1}{8}$ " to $18\frac{5}{8}$ ".....	15.00
Over $18\frac{5}{8}$ ".....	20.00

All Sizes given are rough trimmed sizes and with no machine work included.

Extras

If Stuck with O. G., C & B, B & C, Ovolo or Square Sticking, add per 100 Lineal Feet. \$0.90

Foregoing prices are for Standard $\frac{1}{8}$ " Veneers, either Rotary-cut or Sawn Veneers at manufacturer's option.

Heavy Veneers: For $\frac{1}{4}$ " Veneers, before sanding, add of the $1\frac{3}{4}$ " list..... 15%
 For $\frac{5}{16}$ " Veneers, before sanding, add of the $1\frac{3}{4}$ " list..... 20%
 For $\frac{3}{8}$ " Veneers, before sanding, add of the $1\frac{3}{4}$ " list..... 25%

Vertical Grain Veneers on Rails:

For vertical grain veneers on rails, add per rail. 30

Stock Veneered Two Woods, use Average discount for the Two Woods, and add per 100 Lineal Feet. 5.00

Intermediate Widths take price of the next higher list.

For total quantities of less than 500 Lineal Feet on any one order, add..... 10%

Flush Door
Lists and
Extras
223

Index—Flush Doors

	Rule		Rule
Aprons.....	F-21	Lead-lined.....	F-18
Astragals.....	F-20	Light Openings.....	F- 4
Belt Sanding.....	F-15	Lists.....	
Bent Face.....	F-27	Louvers.....	F- 7
Concealed Cross Band.....	F-13	Lugs.....	F-14
Cores, Special.....	F-26	Mirror Doors.....	F- 6
Cross Band Omitted.....	F-24	Moulded Light Openings ...	F- 5
Door List.....		Oversize Doors.....	F- 1
Dutch Doors.....	F-22	Paneled One Side.....	F-16
Edge Strips (Wide).....	F-10	Priming, Etc.....	F-23
False Rails.....	F-12	Rabbeting and Beading.....	F-19
Finishing.....	F-28	Rails (False).....	F-12
Framed Core.....	F-23	Screwed and Plugged.....	F- 9
Glued, Screwed and Plugged	F- 9	Special Tops.....	F- 8
Grilles.....	F- 7	Staining.....	F-28
Grooves.....	F-11	Stools.....	F-21
Guarantee.....		Thick Doors.....	F- 2
Hand Smoothing.....	F-15	Three Ply.....	F- 9
Horns.....	F-14	Toilet Door List.....	
Index.....		Transom List.....	
Inlay Designs.....		Two Wooded Doors.....	F- 3
Inlay Extras.....	F-17	V Grooves.....	F-11
Irregular Tops.....	F- 8	Water Proof Glue Special...	F-25
Large Doors.....	F- 1	Wide Edge Strips.....	F-10

Flush Veneered Door Guarantee

Flush Veneered doors produced by members of the NATIONAL DOOR MANUFACTURERS ASSN., are guaranteed by the manufacturer to be of good material and workmanship, free from defects which render them unserviceable or unfit for the use for which they are intended. A warp or twist of not to exceed $\frac{1}{4}$ " shall not be considered a defect in a veneered Flush Door. Natural variations in the color or texture of the wood are not to be considered as defects.

Flush Veneered doors must be accorded reasonable treatment by the purchaser, and must not be stored in damp warehouses or placed in moist or freshly plastered buildings, or subjected to abnormal heat or dryness, as manufacturer will not assume responsibility for defects resulting from these causes. Top and bottom edges of all doors must be thoroughly painted or varnished to prevent absorption of moisture.

Doors must be inspected upon arrival and all claims or complaints must be filed before painter's finish is applied.

The manufacturer agrees to repair or replace in the white, without charge, any door found to be defective within the meaning of this guarantee.

- Do not repair or replace any goods without first obtaining the consent of the manufacturer.

Flush Door Base List

1 $\frac{3}{4}$ " Thick

For Discounts, see Current Discount Sheet.

For unlisted sizes, use next higher list.

Width	Height										
	6-0	6-2	6-4	6-6	6-8	6-10	7-0	7-2	7-4	7-6	8-0
1- 0.....	\$10.50	\$10.60	\$10.70	\$10.80	\$10.90	\$11.00	\$11.20	\$11.40	\$11.60	\$11.80	\$12.80
1- 6.....	12.00	12.10	12.20	12.40	12.60	12.90	13.10	13.30	13.60	13.90	14.90
1- 8.....	12.90	13.00	13.10	13.30	13.50	13.80	14.00	14.20	14.50	14.80	15.80
1-10.....	13.70	13.80	13.90	14.10	14.30	14.60	14.80	15.20	15.50	15.80	16.80
2- 0.....	14.40	14.50	14.60	14.80	15.00	15.30	15.50	15.90	16.20	16.50	17.50
2- 2.....	15.00	15.10	15.20	15.50	15.70	16.00	16.20	16.70	17.00	17.30	18.30
2- 4.....	15.60	15.70	15.80	16.20	16.40	16.70	16.90	17.50	17.80	18.10	19.10
2- 6.....	16.20	16.30	16.40	16.90	17.10	17.40	17.60	18.30	18.60	18.90	19.90
2- 8.....	16.80	16.90	17.00	17.60	17.80	18.10	18.30	19.10	19.40	19.70	20.70
2-10.....	17.40	17.50	17.60	18.30	18.50	18.80	19.00	19.90	20.20	20.50	21.50
3- 0.....	18.00	18.10	18.20	19.00	19.20	19.50	19.70	20.70	21.00	21.30	22.30
3- 2.....	18.90	19.00	19.10	20.00	20.20	20.50	20.70	21.80	22.10	22.40	23.50
3- 4.....	19.80	19.90	20.00	21.00	21.20	21.50	21.70	22.90	23.20	23.50	24.70
3- 6.....	20.70	20.80	20.90	22.00	22.20	22.50	22.70	24.00	24.30	24.60	25.90
3- 8.....	21.90	22.00	22.10	23.30	23.50	23.80	24.00	25.40	25.70	26.00	27.40
3-10.....	23.10	23.20	23.30	24.60	24.80	25.10	25.30	26.80	27.10	27.40	28.90
4- 0.....	24.30	24.40	24.50	25.90	26.10	26.40	26.60	28.20	28.50	28.80	30.40

Note: For larger than listed sizes see Rule F-1.

Flush Transoms and Flush Toilet Door Base List

1 $\frac{3}{4}$ " Thick

For Discounts, see Current Discount Sheet.

For unlisted sizes, use next higher list.

	1-0	1-6	2-0	2-6	3-0	3-6	4-0	4-6	5-0	5-6
1- 0.....	\$2.10	\$2.35	\$2.45	\$3.00	\$3.70	\$4.55	\$5.55	\$7.05	\$8.50	\$10.00
1- 2.....	2.10	2.55	2.75	3.40	4.15	5.05	6.15	7.65	9.00	10.40
1- 4.....	2.10	2.75	3.10	3.80	4.65	5.60	6.75	8.25	9.50	10.80
1- 6.....	2.35	2.95	3.45	4.25	5.15	6.15	7.35	8.85	10.00	11.25
1- 8.....	2.35	3.15	3.70	4.55	5.55	6.55	7.80	9.45	10.65	12.00
1-10.....	2.35	3.30	3.95	4.90	5.95	7.05	8.30	10.05	11.30	12.80
2- 0.....	2.45	3.45	4.25	5.25	6.35	7.55	8.80	10.65	12.00	13.60
2- 2.....	2.60	3.70	4.55	5.60	6.75	8.00	9.35	11.25	12.50	14.05
2- 4.....	2.80	3.95	4.90	6.00	7.20	8.50	9.90	11.85	13.00	14.50
2- 6.....	3.00	4.25	5.25	6.40	7.65	9.00	10.50	12.50	13.50	15.00
2- 8.....	3.25	4.55	5.60	6.80	8.10	9.55	11.10	13.25	14.15	15.65
2-10.....	3.45	4.85	5.95	7.20	8.60	10.10	11.70	13.90	14.80	16.30
3- 0.....	3.70	5.15	6.35	7.65	9.10	10.70	12.30	14.60	15.50	17.00
3- 2.....	3.95	5.45	6.75	8.10	9.60	11.30	12.90	15.30	16.30	17.80
3- 4.....	4.25	5.80	7.15	8.55	10.15	11.90	13.55	16.00	17.15	18.65
3- 6.....	4.55	6.15	7.55	9.00	10.70	12.50	14.30	16.70	18.00	19.50
3- 8.....	4.85	6.55	7.95	9.50	11.20	13.10	15.05	17.40	19.00	20.50
3-10.....	5.20	6.95	8.35	10.00	11.75	13.70	15.80	18.10	20.00	21.50
4- 0.....	5.55	7.35	8.80	10.50	12.30	14.30	16.60	18.80	21.00	22.50

Rule F-1

Doors Oversize

If over 4'0" to 4'11" wide, inclusive, add to the above list for each 2" in width \$1.75

If 5'0" or over wide, add to the above list for each 2" in width 3.50

(Note: This \$3.50 extra applies for each 2" in width over 4-0 wide)

If over 8'0" high, use sawed veneer basis and add to the above list for each 6" in height or fraction thereof 1.75

Flush Door
Lists and
Extras
223

Flush Door Net Extras

Rule F-2

Thickness

If $1\frac{1}{8}$ " thick, lengthen discount in all woods.....	2 Points
If $1\frac{3}{8}$ " thick, lengthen discount in all woods.....	1 Point
If over $1\frac{3}{4}$ " thick, shorten discounts in all woods for each $\frac{1}{4}$ " or fraction thereof.....	3 Points

Rule F-3

Two Woods

Figure the average price of both woods and add per door \$0.70

Rule F-4

Light Openings with Sunken Beads Two Sides

(See extra below for Raised Beads)

With Stock Glass Bead, unless otherwise specified, add per Light:	All Other Woods	Qtr. Wh. Oak, Phil. Hdwd., Cypress, Chestnut	African Mahogany, Mexican Mahogany, American Walnut
One Rectangular Light.....	\$1.00	\$1.10	\$1.30
One Rectangular Light (No Beads).....	.60	.60	.60
Two or more Rectangular Lights out of solid (Not made by inserting small bars) add per light.....	.80	.90	1.10
Two or more Rectangular Lights as above if staggered, add per light.....	1.00	1.10	1.30
Divided Rectangular Lights with beads (Made by inserting bars in a One Light Door) add to the One Light no bead extra per light..	.40	.50	.60
If foregoing furnished without beads, deduct per light.....	.16	.20	.24
If Two Wooded Lights, use average of both woods and add per light.....	.10	.10	.10
Oval Light, Beads 2/S.....	7.50	8.00	8.50
*Circle Light, (8") Beads 2/S.....	4.00	4.50	5.00
*Circle Light, (8" to 14") Beads 2/S.....	5.00	5.50	6.00
*Circle Light, (14" to 20") Beads 2/S.....	6.00	6.50	7.00
*If no Beads Required, deduct.....	2.00	2.00	2.00
Segment Top Light, Beads 2/S.....	4.00	4.30	4.60
Circle Top or Gothic Light, Beads 2/S.....	5.00	5.40	6.00
Peak Bottom Light.....	2.00	2.20	2.50
Two or more Peak Bottom lights, add per light.....	1.80	2.00	2.30
Peak Head Light.....	2.30	2.50	2.90
Peak Top and Bottom Light.....	2.70	2.90	3.30
Single Diamond Light.....	3.50	3.70	4.00
Hexagonal Light.....	8.00	8.40	9.00
If beads are raised above surface of door, add per light to the foregoing extras:			
For Regular Rectangular Lights.....	.20	.30	.40
For other Lights formed by straight beads	.30	.40	.50
For other Lights formed by curved beads	.40	.50	.60
Banding around Light Opening Rabbeted or Plain.....	.80	1.00	1.20
Copper Strip at bottom of Light Opening...	.30	.30	.30

Flush Door Net Extras

Rule F-5 Flush Moulding Wider than $\frac{3}{4}$ " and Fillet

(Add to Light Extra, as in Rule F-4)

	All Other Woods	Qtr. Wh. Oak, Phil. Hdw. Cypress, Chestnut	African Mahogany, Mexican Mahogany, American Walnut
If Fillet around opening.....	\$0.30	\$0.30	\$0.30
If Flush Mold 2/S over $\frac{3}{4}$ " wide around light opening, add to regular One Light, Beads 2/S basis, for each $\frac{1}{4}$ " in width or fraction over $\frac{3}{4}$ " wide.....	.20	.24	.36

Rule F-6 Mirror Doors

For Sunken Mirror, with beads, add.....	\$6.00	\$6.20	\$6.50
(This construction is not guaranteed)			
For Mirror Moulding of Stock Pattern planted on face of door.....	1.50	1.70	2.20

Rule F-7 Louver Doors and Wood Grilles

For Louver Opening, no beads, add per opening.....	\$0.60	\$0.60	\$0.60
For Louver Opening, beads 2/S, use Rect. Light Extra.....			
For Wood Louver inserted add 80 cents for opening plus following prices for Wood Louver not wider than two feet. (If wider than two feet see extras below):			
If Louver is 12" high or under.....	1.50	1.80	2.20
For each additional 6" in height or fraction thereof, add.....	.40	.50	.60
If Louver Opening is wider than 2 feet thus requiring Center Mullion, not over 12" high	1.90	2.20	2.80
If Louver Opening is wider than 2 feet thus requiring Center Mullion, add for each additional 6" in height or fraction thereof	.40	.50	.60
If Grille Construction, double the Louver basis as shown in lines 1 and 2 this bracket.			

Rule F-8 Irregular Top Doors

(With Hardwood exposed top edge)

(See note below regarding pine exposed top edge)

Segment Top.....	\$3.00	\$3.50	\$4.20
Circle Top.....	3.50	4.00	4.70
Peak Top.....	3.00	3.50	4.20
Gothic Top.....	3.50	4.00	4.70
Preparing doors with special head to permit being cut for circle or other irregular tops (Hardwood exposed top edge).....			
	2.00	2.50	3.20
For an irregular top door made with White Pine core exposed on the top edge, deduct from the foregoing extra per door.....			
	1.50	2.00	2.70

Flush Door Net Extras

Rule F-9

Three Ply Doors

	All Other Woods	Qtr. Wh. Oak, Phil. Hdwd., Cypress, Chestnut	African Mahogany, Mexican Mahogany, American Walnut
Add to price of Regular Flush Door, net per Door.....	\$ 8.00	\$ 9.00	\$10.00
If Screwed and Plugged, add per door	18.00	19.00	20.00
Note: The latter extra includes the three-ply Feature.			

Rule F-10

Wide Hardwood Edge Strips

(To allow cutting down width of door)

For 2" in Width.....	\$0.40	\$0.50	\$0.60
For 4" in Width.....	.80	1.00	1.20
For 6" in Width.....	1.20	1.50	1.80
If W. P. Pine edge strips, deduct from first column: 20c, 40c and 60c respectively.			

Rule F-11

For "V" Grooves

For regular "V" grooves, add for heavy veneers of sufficient thickness to allow
grooving, and add per groove per side not over 1/4" wide, all woods:

For 25 or more doors, per groove..... \$0.08

For less than 25 doors, per groove..... .12

If joint of veneer must coincide with groove, double the foregoing extras.

For grooves of special design and wider than 1/4", add per groove for each 1/4"
in width, all woods (See note below)..... \$0.20

Note: In addition to foregoing extra, add for special knives, per setup..... 5.00

Rule F-12

False Top or Bottom Rail

Add per rail 1/S, in addition to regular "V" joint and heavy veneer extra, all
woods, net..... \$1.00

Rule F-13

Concealed Cross Banding

For Flush Doors made with concealed cross banding:

add per door containing 12 or more square feet..... \$1.30

add per door containing 5 to 12 square feet..... .80

add per door containing less than 5 square feet..... .60

Rule F-14

Lugs or Horns

(At Top or Bottom)

	Square Lugs	Shaped or Band-Sawed Lugs
Add for one end of door only.....	\$0.40	\$0.70
Add for both ends of door.....	.80	1.40

Rule F-15

Hand Smoothing or Belt Sanding

For Belt Sanding, add per door..... \$0.70

For Hand smoothing, add per door..... 1.00

Flush Door Extras

Rule F-16 Doors Flush 1/S, Paneled 1/S (Not Guaranteed) (Add to Price of Flush Door)

For 1 Panel 1/S, (Mould not over $\frac{3}{4}$ " on Panel Side)	\$ 7.00
For 2 Panel 1/S, (Mould not over $\frac{3}{4}$ " on Panel Side)	8.00
For 5X Panel 1/S, (Mould not over $\frac{3}{4}$ " on Panel Side)	11.00
For 6 regular Panel 1/S, (Mould not over $\frac{3}{4}$ " on Panel Side)	12.00
For 8 regular Panel 1/S, (Mould not over $\frac{3}{4}$ " on Panel Side)	14.00
For Inner Frame 1/S, (Mould not over $\frac{3}{4}$ " on Panel Side)	11.00
For mould wider than $\frac{3}{4}$ " apply panel door extras, Rules 19 to 23, inclusive, pages 208 to 211.	

Rule F-17 Inlay Extras

Designs (See Details page 228)	50 Sides and over	25 to 49 Sides (Incl.)	10 to 24 Sides (Incl.)	1 to 9 Sides (Incl.)
No. 50 (3 Ply), add per side	\$1.50	\$1.60	\$1.70	\$1.80
No. 50 (Ebonized Wood), add per side	1.30	1.40	1.50	1.60
No. 50 (Holly), add per side	1.20	1.30	1.40	1.50
No. 51, add per side	2.40	2.60	2.80	3.00
No. 52, add per side	3.60	3.80	3.90	4.00
No. 53, add per side	6.00	6.30	6.50	6.70
No. 54, add per side	6.50	6.80	7.30	7.70
No. 55, add per side	3.20	3.40	3.60	3.80
No. 56, add per side	4.40	4.70	5.00	5.30
No. 57, add per side	4.70	5.00	5.30	5.60
No. 58, add per side	6.50	6.90	7.30	7.70
No. 59, add per side	5.20	5.50	5.80	6.10
No. 60, add per side	6.50	6.90	7.30	7.70
No. 61, add per side	5.20	5.50	5.80	6.10
For $\frac{1}{2}$ " wide inlay strips, full length of door, add per strip one side, any wood, single ply	1.40	1.50	1.60	1.70
For $\frac{1}{2}$ " wide inlay strips, full length of door, add per strip one side, any wood, three ply	2.00	.10	2.20	2.30
If $\frac{3}{4}$ " wide, add to last two extras per line, one side \$0.30.				

For inlaying after staining, see rule F-28.

Foregoing extras are for inlays forming one panel. If inlaid to represent 2 or more panels per side, add to foregoing prices for each extra panel 35%.

For Numeral Inlays, with plain rectangular background, (not over 3 numerals),
add per side. \$4.50

For each additional Letter or Numeral, add each. 1.00

Rule F-18 Lead Lined Doors


	Lead (Prices per square foot)			
Add per square foot in addition to the full basic price of a regular flush door of the same wood and thickness:	$\frac{1}{16}$ "	$\frac{1}{8}$ "	$\frac{3}{16}$	$\frac{1}{4}$ "
Note: These extras are F. O. B. Mill and freight on extra weight of lead must be added	\$3.00	\$3.50	\$5.00	\$6.00
For Rectangular Light opening in lead lined doors, add to regular Rectangular Light basis of same wood	\$2.00			
Weight of lead per square foot	4#	8#	12#	16#

Flush Door Inlay Details


(See Rule F-17, page 227)




No. 50




No. 51



No. 52



No. 53



No. 54




No. 55




No. 56




No. 57




No. 58



No. 59



No. 60



No. 61

Flush Door Net Extras

Rule F-19

Rabbeting and Beading

	Plain Rabbeting	Rabbeting and Beading	Rule Joint
Add per Joint or Pair.....	\$0.60	\$1.00	\$1.00
Minimum Charge on any one order.....	3.00	4.00	4.00
If rounded edges, add per edge \$0.60			

Rule F-20

Astragals

(Add per Joint)

	All Other Woods	Qtr. Wh. Oak, Phil. Hdwd., Cypress, Chestnut	African Mahogany, Mexican Mahogany, American Walnut
Single "T" Astragal $1\frac{3}{8}"$ or $1\frac{1}{4}"$	\$0.80	\$1.10	\$1.40
Single "T" Astragal $2\frac{1}{4}"$90	1.20	1.60
Sliding Door Astragal, per set.....	1.00	1.30	1.80
Rule Joint.....	.80	.80	.80
Two Wooded Astragal use average and add..	.30	.30	.30

Rule F-21

Stools

Plain Stock One-member Stool.....	\$0.60	\$1.00	\$1.20
Plain Stock with Dentil or Bead.....	1.00	1.50	1.70
Plain Stock with 3 or 4 square blocks below..	1.00	1.50	1.70

Rule F-22

Dutch Doors

Cut through Center Rail, Not Rabbeted....	\$1.50	\$1.60	\$1.80
Cut through Center Rail, Rabbeted.....	2.50	2.60	2.80
Shelf and Bracket One side, add extra.....	4.00	4.50	6.00
Shelf and Bracket Two Sides, add to the One Side Basis.....	2.00	2.50	4.00

Rule F-23

For Stile and rail framed-up core construction, add..... \$1.30

Rule F-24

For omitting crossbanding, apply the regular $\frac{1}{4}"$ veneer discount, plus the framed-up core extra, then deduct..... \$1.30

Rule F-25

For high test water-proof glue, to stand 48 hour soaking test, add..... \$2.10

Rule F-26

Where Flush Door cores must conform to a specified width, add.....	1.00
Where Flush Doors must have alternating core strips of one full length piece add.....	1.20
Where Flush Doors must have all core strips of one full length piece, add.....	2.40

Rule F-27

Bent Face Flush Doors

Add to the base price of the plain flush door of same wood and design:

For the first door.....	\$100.00 List
For each additional door of the same radius on the same order...	40.00 List

Rule F-28 Staining, Priming, Etc.

Note: In addition to any of the following extras for stain or natural finishes, add the established extras for belt sanding. (Rule F-15).

Stain and Shellac

Minimum charge on any one order for any one kind of finish..... \$5.00

	1-49 Doors	50 Doors and Over
Flush door not inlaid.....	\$1.15	\$1.00
Flush door inlaid.....	1.65	1.50
Flush transom not inlaid.....	.55	.50
Flush transom inlaid.....	.80	.70
One panel door.....	1.20	1.10
One long light door.....	1.00	.90
Two panel door.....	1.45	1.30
Three panel door.....	1.95	1.60
Five cross panel door.....	1.85	1.70
Six panel door.....	2.00	1.80
French door.....	2.20	2.00

Acid Stain, Filler and Shellac

Minimum charge on any one order for any one kind of finish..... \$20.00

Flush door not inlaid.....	\$2.20	\$2.00
Flush door inlaid.....	2.75	2.50
Flush transom not inlaid.....	1.00	.90
Flush transom inlaid.....	1.20	1.10
One panel door.....	2.20	2.00
One long light door.....	1.65	1.50
Two panel door.....	2.40	2.20
Three panel door.....	2.75	2.50
Five cross panel door.....	3.30	3.00
Six panel door.....	3.40	3.10
French door.....	4.40	4.00

Combined Oil Stain with Filler and Shellac

Minimum charge on any one order for any one kind of finish..... \$18.00

Flush door not inlaid.....	\$2.00	\$1.80
Flush door inlaid.....	2.45	2.30
Flush transom not inlaid.....	.90	.80
Flush transom inlaid.....	1.00	.90
One panel door.....	1.75	1.60
One long light door.....	1.45	1.30
Two panel door.....	2.10	1.90
Three panel door.....	2.40	2.20
Five cross panel door.....	2.75	2.50
Six panel door.....	2.85	2.60
French door.....	3.75	3.40

Prime 1 Coat Lead and Oil

Minimum charge on any one order for any one kind of finish..... \$5.00

Flush door not inlaid.....	.55	.50
Flush transom not inlaid.....	.35	.30
One panel door.....	.65	.60
One long light door.....	.55	.50
Two panel door.....	.65	.60
Three panel door.....	.75	.70
Five cross panel door.....	.75	.70
Six panel door.....	.75	.70
French door.....	1.10	1.00

For Stall or Toilet doors containing less than 12 square feet use 60% of the full size door basis of the same type.

For Panel and Light Transoms use Flush Transom basis.

If only the panels of a door are primed or stained before assembly, deduct 50% from the prices of the types shown above, and add 30 cents net per door.

If Panels are stained or primed before assembly, add 30 cents per door to the price of a door fully primed or stained.



